



**General Certificate of Secondary Education
2016**

GCSE Chemistry

Unit 2

Foundation Tier

[GCH21]

WEDNESDAY 22 JUNE, MORNING

**MARK
SCHEME**

General Marking Instructions and Mark Grids

Introduction

Mark schemes are intended to ensure that the GCSE examination is marked consistently and fairly. The mark schemes provide markers with an indication of the nature and range of candidates' responses likely to be worthy of credit. They also set out the criteria that they should apply in allocating marks to candidates' responses. The mark schemes should be read in conjunction with these marking instructions.

Quality of candidates' responses

In marking the examination papers, examiners should be looking for a quality response reflecting the level of maturity which may reasonably be expected of a 16-year-old which is the age at which the majority of candidates sit their GCSE examinations.

Flexibility in marking

Mark schemes are not intended to be totally prescriptive. No mark scheme can cover all the responses which candidates may produce. In the event of unanticipated answers, examiners are expected to use their professional judgement to assess the validity of answers. If an answer is particularly problematic, the examiners should seek the guidance of the Supervising Examiner.

Positive marking

Examiners must be positive in their marking, giving appropriate credit for description, explanation and analysis, using knowledge and understanding and for the appropriate use of evidence and reasoned argument to express and evaluate personal responses, informed insights and differing viewpoints. Examiners should make use of the whole of the available mark range of any particular question and be prepared to award full marks for a response which is as good as might reasonably be expected of a 16-year-old GCSE candidate.

Awarding zero marks

Marks should only be awarded for valid responses and no marks should be awarded for an answer which is completely incorrect or inappropriate.

Types of mark scheme

Mark Schemes for questions which require candidates to respond in extended written form are marked on the basis of levels of response which take account of the quality of written communication.

Other questions which require only short answers are marked on a point for point basis with marks awarded for each valid piece of information provided.

1 (a) (i) fluoride reduces tooth decay/less tooth decay in fluoridated areas [1]
use of any data to compare [1] [2]

AVAILABLE
MARKS

(ii) any one from:
no freedom of choice
mass medication
other effects of fluoride in drinking water unknown [1]

(b) (i) water which does not lather **readily** with **soap** [1]

(ii) Sample C [1]
requires the greatest volume of soap to obtain a lather [1] [2]

(iii) Sample B – temporary (hardness) [1]
Sample D – permanent (hardness) [1] [2]

(iv) contains calcium (ions) so good for teeth/bones/prevent heart disease [1]

(c) (i)

Change in state	Name of the change in state
A	melting [1]
B	boiling/evaporation [1]
C	freezing [1]
D	condensation [1]

[4]

(ii) anhydrous copper(II) sulfate/anhydrous cobalt(II) chloride/cobalt chloride paper [1]

14

		AVAILABLE MARKS
2 (a)	same general formula [1] similar chemical properties [1] gradation in physical properties [1] differ by a 'CH ₂ ' unit [1]	max [3]
(b) (i)	C _n H _{2n+2}	[1]
(ii)	$ \begin{array}{c} \text{H} \quad \text{H} \\ \quad \\ \text{H} - \text{C} - \text{C} - \text{H} \\ \quad \\ \text{H} \quad \text{H} \end{array} $	[1]
(c) (i)	C=C/carbon-carbon double bond/allow circled C=C on diagram	[1]
(ii)	it only contains carbon and hydrogen	[1]
(iii)	carbon dioxide [1] water [1]	[2]
(iv)	carbon monoxide [1] water [1]	[2]
(d) (i)	yeast [1] sugar/glucose/source of sugar [1] warm [1] in solution [1] absence of air/anaerobic [1]	max [4]
(ii)	fuel/solvent/alcoholic drinks	[1]
(e) (i)	vinegar/food flavouring	[1]
(ii)	sodium ethanoate + water + carbon dioxide	[1]
		18

				AVAILABLE MARKS															
3	(a)	(i)	$2\text{H}_2\text{O}_2 \rightarrow 2\text{H}_2\text{O} + \text{O}_2$ correct formula of reactant [1] correct formulae of products [1] correct balancing [1]	[3]															
		(ii)	manganese(IV) oxide/manganese dioxide	[1]															
		(iii)	substance which speeds up (or increases the rate of) [1] a (chemical) reaction [1] without being used up/remains chemically unchanged at the end [1]	[3]															
	(b)	(i)	40 [1] cm^3 [1]	[2]															
	(ii)		<table border="1"> <thead> <tr> <th>Temperature ($^{\circ}\text{C}$)</th> <th>Time for reaction to finish (s)</th> <th>Rate = $\frac{1}{\text{time}} (\text{s}^{-1})$</th> </tr> </thead> <tbody> <tr> <td>30</td> <td>108</td> <td>0.00926</td> </tr> <tr> <td>40</td> <td>79</td> <td>0.01266</td> </tr> <tr> <td>50</td> <td>48</td> <td>0.02083</td> </tr> <tr> <td>60</td> <td>42 [1]</td> <td>0.0238 [1]</td> </tr> </tbody> </table> <p>allow 42–46</p>	Temperature ($^{\circ}\text{C}$)	Time for reaction to finish (s)	Rate = $\frac{1}{\text{time}} (\text{s}^{-1})$	30	108	0.00926	40	79	0.01266	50	48	0.02083	60	42 [1]	0.0238 [1]	[2]
Temperature ($^{\circ}\text{C}$)	Time for reaction to finish (s)	Rate = $\frac{1}{\text{time}} (\text{s}^{-1})$																	
30	108	0.00926																	
40	79	0.01266																	
50	48	0.02083																	
60	42 [1]	0.0238 [1]																	
		(iii)	(rate) increases	[1] 12															

			AVAILABLE MARKS
4 (a) (i)	C + O ₂ → CO ₂ correct formulae of reactants [1] correct formula of product [1]	[2]	
(ii)	limewater [1] changes from colourless [1] to milky [1]	[3]	

(b) Indicative content

Formation

- sulfur (present in fossil fuels) reacts with oxygen in the air/undergoes combustion to form sulfur dioxide [1]
- S + O₂ → SO₂ [2]
- sulfur dioxide reacts with water **in the air** to form sulfurous acid [1]
- SO₂ + H₂O → H₂SO₃ [2]

Environmental effects

- corrosion of limestone buildings and statues [1]
- kills fish in rivers and lakes [1]
- defoliates trees [1]

Prevention

- remove sulfur from fossil fuels before combustion [1]
- burn less fossil fuels/use renewable energy sources [1]
- remove sulfur dioxide from industrial waste gases [1]

Response	Mark
Candidates must use appropriate specialist terms to explain fully the formation of acid rain (using 10–12 points of indicative content) including two balanced symbol equations. They use good spelling, punctuation and grammar and the form and style are of a high standard.	[7]–[9]
Candidates must use appropriate specialist terms to explain fully the formation of acid rain (using 6–9 points of indicative content) including one balanced symbol equation. They use satisfactory spelling, punctuation and grammar and the form and style are of a satisfactory standard.	[4]–[6]
Candidates describe briefly and partially the formation of acid rain (using 2–5 points of indicative content). They use limited spelling, punctuation and grammar and they make little use of specialist terms. The form and style are of a limited standard.	[1]–[3]
Response not worthy of credit	[0]

[9] 14

5	(a)	Chemical reaction		Sign	[2]	AVAILABLE MARKS
		magnesium + hydrochloric acid	gas produced [1]			
	(b) (i)	heat is taken in			[1]	
	(ii)	Chemical Reaction	Exothermic	Endothermic		
		Neutralisation	✓ [1]			
		Thermal decomposition		✓ [1]	[2]	
	(iii)	takes in/requires [1] gives out/releases [1]			[2]	
	(c) (i)	water [1] oxygen [1]			[2]	
	(ii)	brown [1] flaky [1] solid [1]		max	[2]	
	(iii)	any one method of prevention [1] and explanation [1] from:			[2]	
		Method of prevention: [1] painting/oiling/plastic coating/metal coating/galvanising				
		Explanation: [1] acts as a barrier/prevents air and water from coming into contact with iron metal				
		Or				
		Method of prevention [1] galvanising/sacrificial protection				
		Explanation [1] idea that more reactive metal reacts first				
	(d) (i)	$\text{Fe}_2\text{O}_3 + 3\text{CO} \rightarrow 2\text{Fe} + 3\text{CO}_2$				
		correct formulae of reactants [1]				
		correct formulae of products [1]				
		correct balancing [1]			[3]	
	(ii)	iron/iron(III) oxide has lost oxygen [1] loss of oxygen is reduction [1]			[2]	18

			AVAILABLE MARKS
6	(a) (i)	same volume of copper(II) sulfate [1] same concentration of copper(II) sulfate [1] same mass of metal/same number of moles of metal [1]	max [2]
	(ii)	magnesium the repeat result was not similar/far apart	[1]
	(iii)	magnesium [1] temperature rise was greatest [1]	[2]
	(iv)	no reaction/silver cannot displace copper/silver below copper in the reactivity series	[1]
	(v)	two metals/gold and silver give the same result	[1]
	(vi)	$\text{Zn} + \text{CuSO}_4 \rightarrow \text{ZnSO}_4 + \text{Cu}$ correct formulae of reactants [1] correct formulae of products [1]	[2]
	(b) (i)	decomposition [1] of a substance/electrolyte/compound by (the passage of) electricity [1]	[2]
	(ii)	bauxite	[1]
	(iii)	Al^{3+} [1] O^{2-} [1]	[2]
			14
	Total		90