

GENERAL CERTIFICATE OF SECONDARY EDUCATION
TWENTY FIRST CENTURY SCIENCE
CHEMISTRY A

Unit 1 Modules C1 C2 C3 (Higher Tier)

FRIDAY 18 JANUARY 2008

Afternoon
 Time: 40 minutes

Candidates answer on the question paper.

Additional materials (enclosed):

None

Calculators may be used.

Additional materials: Pencil
 Ruler (cm/mm)



Candidate
Forename

Candidate
Surname

Centre
Number

--	--	--	--	--

Candidate
Number

--	--	--	--

INSTRUCTIONS TO CANDIDATES

- Write your name in capital letters, your Centre Number and Candidate Number in the boxes above.
- Use blue or black ink. Pencil may be used for graphs and diagrams only.
- Read each question carefully and make sure that you know what you have to do before starting your answer.
- Answer **all** the questions.
- Do **not** write in the bar codes.
- Do **not** write outside the box bordering each page.
- Write your answer to each question in the space provided.

INFORMATION FOR CANDIDATES

- The number of marks for each question is given in brackets [] at the end of each question or part question.
- The total number of marks for this paper is **42**.
- The Periodic Table is printed on the back page.

FOR EXAMINER'S USE

Qu.	Max	Mark
1	6	
2	4	
3	4	
4	6	
5	8	
6	4	
7	7	
8	3	
TOTAL	42	

This document consists of **18** printed pages and **2** blank pages.

Answer **all** the questions.

- 1 Cars on motorways use the right hand lane for overtaking. The left hand lanes are used for slower vehicles.

From 2007, car pool lanes will be introduced on some motorways.

Only cars with two or more people in them will be allowed to drive in the right hand lane.



- (a) The effect of car pool lanes is beneficial to those who use them and to the environment.

Here are **six** statements about the effects of car pool lanes.

A	Less fossil fuel will be extracted.
B	There will be traffic jams in the left hand lanes.
C	Journeys to work will be cheaper.
D	It will be dangerous to drive in the right hand lane.
E	There will be less air pollution.
F	Journeys to work will be faster.

- (i) Which **two** statements from **A, B, C, D, E** or **F** benefit **only** those who use car pool lanes?

answer and [1]

- (ii) Which **two** statements from **A, B, C, D, E** or **F** benefit the environment?

answer and [1]

(b) Pollution from car engines includes nitrogen oxides.

(i) How are nitrogen oxides produced in a car engine?

Put a tick (✓) in the box next to the **best** answer.

By the reaction of petrol with oxygen in the air.

By reactions in catalytic converters.

By the reaction of petrol with nitrogen in the air.

By the reaction of nitrogen and oxygen from the air.

[1]

(ii) Why are nitrogen oxides harmful?

Put ticks (✓) in the boxes next to the correct answers.

They react with carbon monoxide to make nitrogen.

They cause breathing difficulties.

They react with water and oxygen to make acid rain.

They stop photosynthesis in plants.

[1]

(c) Which of the following will reduce nitrogen oxide pollution from cars?

Put ticks (✓) in the boxes next to the correct answers.

Using low sulfur fuel.

Building cars that last longer.


Adding catalytic converters to car exhaust systems.

Making car engines that work at lower temperatures.

[2]

[Total: 6]

2 This question is about pollution from power stations.



One of the pollutants from power stations is sulfur dioxide.

Sulfur dioxide levels are measured at different distances from a power station. The table shows the results on one day.

distance from power station m	concentration of sulfur dioxide $\mu\text{g} / \text{m}^3$
0	64
500	50
1000	14
1500	8
2000	3

Levels of sulfur dioxide higher than $50 \mu\text{g}/\text{m}^3$ are considered harmful to humans.

Here is what five students said about the data in the table.

Josh
On a windy day, measurements of sulfur dioxide may change.

Hannah
Sulfur dioxide reacts with rain water and oxygen to make an acid.

Pete
The concentration of sulfur dioxide in the chimney is always the same.

Dina
The concentration of sulfur dioxide decreases as the distance from the power station increases.

Rajid
The concentration of sulfur dioxide increases with time.

(a) Which **one** person has described the correlation in the table?

..... [1]

(b) On another day, the concentrations of sulfur dioxide are lower.

Which **two** people have suggested explanations for this change?

..... [2]

(c) Who has explained how sulfur dioxide is removed from the air?

..... [1]

[Total: 4]

3 This question is about chemical reactions.

Petrol is a liquid fuel. In a car engine, it burns in oxygen from the air to transfer energy.

The products of this reaction are carbon dioxide and water vapour.

Carbon dioxide and water vapour are gases.

(a) Which of the following statements show that the properties of **reactants** are different from properties of **products** of this reaction?

Put ticks (✓) in the boxes next to the correct answers.

Petrol is a liquid and oxygen is a gas.



Petrol is a liquid and carbon dioxide and water vapour are gases.

Water vapour condenses in the air.

Petrol burns while carbon dioxide and water vapour do not.

[1]

(b) Complete the diagram below to show the products made when the hydrocarbon ethene is burned in oxygen.



key	
●	carbon atom
○	hydrogen atom
◐	oxygen atom

[3]

[Total: 4]

7
BLANK PAGE

Question 4 starts on page 8.

PLEASE DO NOT WRITE ON THIS PAGE

4 A supermarket is encouraging customers to re-use plastic carrier bags.

These carrier bags are made of polythene.

(a) Finish each sentence about polythene.

(i) The raw material used to make polythene is [1]

(ii) The process of forming long chains by joining small molecules is called
..... [1]

(b) The supermarket plans to make their bags **thicker**.

They say this will improve the Life Cycle Assessment (LCA) of the bags.

Which of the following statements when **put together** explain this?

Put ticks (✓) in the correct boxes.

- Plastic bags are disposed of in landfill.
 - Thicker bags are heavier.
 - Thicker bags last longer.
 - Transporting thicker bags is more expensive.
 - The total amount of plastic used is less.
 - Making thicker bags uses more energy.
- [1]

(c) Plastic bags can be disposed of by **landfill** or **incineration**.

Write down the name of another method of disposal.

answer [1]

- (d) Some scientists believe that incineration is a better way of disposing of plastic bags than landfill.

Which **two** of the following statements when **put together** explain why **incineration** has less environmental impact than **landfill**?

Put ticks (✓) in the boxes next to the **two** correct answers.

They are burned at high temperatures.

The energy made when they burn is wasted.

The need for burning fuel from crude oil is reduced.

Incinerators need energy to be built.

The waste has to be collected.

The energy made when they burn is used.

[1]

- (e) It is possible to make **biodegradable** plastic bags.

What is the advantage of biodegradable plastic bags?

Put a tick (✓) in the box next to the **best** answer.

There is no need to take them to landfill.

Carbon dioxide is released as the bags biodegrade.

They take up space in landfill but then rot away.

They don't take up space in landfill.

[1]


[Total: 6]

5 A scientist measures the hardness of two different materials, **X** and **Y**.

A machine presses a steel point into samples of each material.

The machine uses the same force each time.

A hardness number is calculated from the size of the dent in the sample: the higher the number the harder the material.



(a) Each type of material is tested several times. The results are shown in the table.

material	hardness number						mean
	sample 1	sample 2	sample 3	sample 4	sample 5	sample 6	
X	8	10	9	8	7	12	9
Y	18	20	16	7	21	20	19

The mean hardness has been calculated for each material.

One result has not been used to calculate the mean for **material Y** because it is an outlier.

(i) Which result is the outlier?

Put a ring around the correct sample number.

1 2 3 4 5 6 [1]

(ii) Here are four suggestions why this test gave the wrong result.

A	Samples of X and Y had been mixed up.
B	The steel point had been pressed with a larger force.
C	The steel point had been pressed with a smaller force.
D	The steel point had not been pressed into the sample.

Write down the letters of the **two** best suggestions.

answer and [2]

- (b) All the test results for material X are reliable, but there are small differences between their values.

Why are these values different?

Put a tick (✓) in the box next to the correct answer.

Samples of X and Y had been mixed up.

Samples of X may vary.

It is not a fair test.

The steel point had not been pressed into the samples.

[1]

- (c) Complete the table below to show the range of hardness number for material X.

	range
Range for X	

[1]

- (d) Five students are discussing whether there is a **real difference** in the hardness of the two materials.

Here is what they say.

Sam
There is a real difference because the mean value for Y is bigger than that for X.

Lisa
There is no real difference. The outlier is within the range of material X.

Anna
There is a real difference. The ranges of X and Y do not overlap.

Mel
There is no real difference. The mean of X is within the range of Y.

Brett
There is a real difference because you ignore the outlier.

Who is giving the right answer **and** the right explanation for this answer?

..... [1]

- (e) Material Y is a polymer with cross-links in it.

These cross-links make the polymer stronger.

- (i) Which of the following statements explains this?

Put a tick (✓) in the box next to the correct answer.

Larger atoms are used to make the cross-links.

The polymer molecules slide over each other more easily.

Cross-links make the polymer molecules longer.

The polymer molecules cannot slide past each other.

[1]

- (ii) Cross-linking also gives the polymer a higher melting point.

Which **two** of the following statements can be **put together** to explain this?

Put ticks (✓) in the boxes next to the **two** correct answers.

Cross-links make strong forces inside molecules.

Cross-links make strong forces between molecules.

More energy is needed to break up each polymer molecule.

Cross-links put different atoms into polymer molecules.

More energy is needed to break the polymer molecules apart from each other.

[1]

[Total: 8]

13
BLANK PAGE

Question 6 starts on page 14.

PLEASE DO NOT WRITE ON THIS PAGE

6 Read this article from a national newspaper.

There will be no more blue Smarties

The manufacturer is removing all artificial colours from Smarties. There is no natural alternative to the blue chemical used now.

The blue will be replaced by a white Smartie.

A recent study showed a possible harmful effect on the nervous system due to artificial colours and chemicals.

The blue colouring may cause hyperactivity and skin rashes. It is also listed as a cancer risk by the US Environmental Protection Agency.

A scientist said 'It is great news for children's health. We would now like to see the Government announce a total ban on the blue colouring.'



© iStockphoto.com / RA Photograph

(a) Why are blue Smarties no longer being made?

Put a tick (✓) in the box next to the **best** answer.

Eating a blue Smartie will give all children a rash.

All children who eat blue Smarties will develop health problems.

The blue colouring may make some children hyperactive.

All artificial additives will harm children.

[1]

(b) Why would the scientist like to see the Government ban the blue colour?

Put a tick (✓) in the box next to the **best** answer.

To stop blue Smarties from being made.

The blue colour is used in other foods.

So the risk can be measured.

To make Smarties cheaper.

To reduce the risk to children's health.

[1]

(c) Here are three statements about food additives.

Put ticks (✓) in the correct boxes to show whether each statement is **true** or **false**.

	true	false
Additives with an E number have passed a safety test.	<input type="checkbox"/>	<input type="checkbox"/>
Preservatives slow down the growth of microbes.	<input type="checkbox"/>	<input type="checkbox"/>
All natural additives are harmless.	<input type="checkbox"/>	<input type="checkbox"/>

[2]

[Total: 4]

7 The Government is worried about the increase in childhood obesity. The number of 2 to 11 year olds who are obese has risen steadily over the past 10 years, and there is a known link between obesity and type 2 diabetes.

(a) Politicians want to pass laws to help reduce childhood obesity. The lists show some possible **actions** by the Government and the **results** they hope to achieve.

Draw a straight line from each **action** to the matching **result**.

action	result
banning chocolate machines from schools	children won't know it is available.
banning junk food advertising	children will get better food at home.
educating new parents on nutrition	no-one will be able to buy unhealthy food from shops.
setting nutritional standards for school dinners	at least one meal a day will be of good standard.
	these foods will be less easily available.

[3]

(b) Being overweight is a leading risk factor for type 2 diabetes.


(i) What information do you need to find the real risks of children developing type 2 diabetes?

Put ticks (✓) in the boxes next to the correct answers.

- The chance of overweight children becoming overweight adults.
- The chance of diabetes occurring in overweight children.
- The consequences of being diabetic.
- The exercise habits of children.

[2]

- (ii) Five people are interviewed on a radio programme about their health and diet.
Here is what they say.




Which people are giving a reason to accept the risk of eating a poor diet?

answer and [2]

[Total: 7]

8 This question is about the nitrogen cycle.

A simplified diagram of the nitrogen cycle is shown below.



A, B, C, D and E are all processes in the cycle of nitrogen atoms on the earth.

(a) Write down the letters of **two** processes in the cycle which involve the formation of amino acids.

answer and [2]

(b) Process **A** shows nitrogen being taken from the air and put into the ground.

In which **two** ways can this happen?

Put ticks (✓) in the boxes next to the **two** correct answers.

Bacteria in the soil that turn nitrates into nitrogen.

Bacteria in the roots of some plants.

Lightning.

Decomposition.

[1]

[Total: 3]

END OF QUESTION PAPER

Copyright Acknowledgements:

Q6 "Smarties" is a Registered Trademark of Société des Produits Nestlé S.A. Photograph © iStockphoto.com / RA Photography

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (OCR) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

OCR is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of the Elements

1	2	3	4	5	6	7	0										
7 Li lithium 3	9 Be beryllium 4	<div style="border: 1px solid black; padding: 5px; width: fit-content; margin: 0 auto;"> 1 H hydrogen 1 </div>					19 F fluorine 9	4 He helium 2									
23 Na sodium 11	24 Mg magnesium 12	<div style="border: 1px solid black; padding: 5px; width: fit-content; margin: 0 auto;"> Key relative atomic mass atomic symbol name atomic (proton) number </div>					16 O oxygen 8	20 Ne neon 10									
39 K potassium 19	40 Ca calcium 20	45 Sc scandium 21	48 Ti titanium 22	51 V vanadium 23	52 Cr chromium 24	55 Mn manganese 25	56 Fe iron 26	59 Co cobalt 27	59 Ni nickel 28	63.5 Cu copper 29	65 Zn zinc 30	70 Ga gallium 31	73 Ge germanium 32	75 As arsenic 33	79 Se selenium 34	80 Br bromine 35	84 Kr krypton 36
85 Rb rubidium 37	88 Sr strontium 38	89 Y yttrium 39	91 Zr zirconium 40	93 Nb niobium 41	96 Mo molybdenum 42	[98] Tc technetium 43	101 Ru ruthenium 44	103 Rh rhodium 45	106 Pd palladium 46	108 Ag silver 47	112 Cd cadmium 48	115 In indium 49	119 Sn tin 50	122 Sb antimony 51	128 Te tellurium 52	127 I iodine 53	131 Xe xenon 54
133 Cs caesium 55	137 Ba barium 56	139 La* lanthanum 57	178 Hf hafnium 72	181 Ta tantalum 73	184 W tungsten 74	186 Re rhenium 75	190 Os osmium 76	192 Ir iridium 77	195 Pt platinum 78	197 Au gold 79	201 Hg mercury 80	204 Tl thallium 81	207 Pb lead 82	209 Bi bismuth 83	[209] Po polonium 84	[210] At astatine 85	[222] Rn radon 86
[223] Fr francium 87	[226] Ra radium 88	[227] Ac* actinium 89	[261] Rf rutherfordium 104	[262] Db dubnium 105	[266] Sg seaborgium 106	[264] Bh bohrium 107	[277] Hs hasium 108	[268] Mt meitnerium 109	[271] Ds darmstadtium 110	[272] Rg roentgenium 111	Elements with atomic numbers 112-116 have been reported but not fully authenticated						

* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.