

**GENERAL CERTIFICATE OF SECONDARY EDUCATION  
TWENTY FIRST CENTURY SCIENCE  
CHEMISTRY A**

Unit 3: Ideas in Context plus C7  
(Foundation Tier)

**A323/01**



Candidates answer on the question paper  
A calculator may be used for this paper

**OCR Supplied Materials:**

- Insert (inserted)

**Other Materials Required:**

- Pencil
- Ruler (cm/mm)

**Thursday 4 June 2009  
Morning**

**Duration: 60 minutes**



Candidate Forename					Candidate Surname				
--------------------	--	--	--	--	-------------------	--	--	--	--

Centre Number						Candidate Number			
---------------	--	--	--	--	--	------------------	--	--	--

**INSTRUCTIONS TO CANDIDATES**

- Write your name clearly in capital letters, your Centre Number and Candidate Number in the boxes above.
- Use black ink. Pencil may be used for graphs and diagrams only.
- Read each question carefully and make sure that you know what you have to do before starting your answer.
- Answer **all** the questions.
- Do **not** write in the bar codes.
- Write your answer to each question in the space provided, however additional paper may be used if necessary.

**INFORMATION FOR CANDIDATES**

- The number of marks is given in brackets [ ] at the end of each question or part question.
- The total number of marks for this paper is **55**.
-  Where you see this icon you will be awarded a mark for the quality of written communication in your answer.
- The Periodic Table is printed on the back page.
- This document consists of **16** pages. Any blank pages are indicated.

Answer **all** the questions.

**1 This question is based on the article ‘The bioethanol dilemma’.**

- (a) (i) The article suggests that most bioethanol produced in the UK would be made from wheat.

Name two **other** fuel crops mentioned in the article that are used to make bioethanol.

1 .....

2 .....

[1]

- (ii) The table in the article shows how bioethanol consumption increased in a number of European countries from 2005 to 2006.

In which country did bioethanol consumption have the biggest increase?

.....

[1]

- (b) Describe **two** of the environmental benefits of burning bioethanol, compared to petrol, that are mentioned in the article.

.....  
.....  
.....  
.....  
.....

[2]

- (c) (i) The European Union expects biofuels to meet 5.75% of transport fuel needs by 2010.

Soon most petrol sold in the UK will contain some bioethanol.

It is not likely that petrol will contain more than 5% bioethanol in the near future.

Suggest why.

.....  
.....

[1]

- (ii) In the more distant future, cars may be fuelled by 100% bioethanol.

A typical driver in the UK drives 600 000 miles in their lifetime.

How many hectares of wheat would need to be grown to produce bioethanol to fuel a car for the total mileage driven by this typical driver?

.....hectares of wheat [1]

- (d) (i) The article suggests that as demand for bioethanol increases, food prices will rise.

Suggest why.

.....  
.....  
.....

[1]

- (ii) The article also suggests that as demand for bioethanol increases, there will be a decline in soil fertility.

This will result in farmers using more fertilizers.

Suggest why using more fertilizers might harm the environment.

.....  
.....  
.....  
.....

[2]

- (e) (i) List **two** factors mentioned in the article that are involved in the Life Cycle Assessment for bioethanol that do not apply to petrol.

1 .....

.....  
.....

2 .....

.....  
.....

[2]

- (ii) Explain how bioethanol may be a more sustainable fuel than petrol.


.....  
.....  
.....  
.....

[2]

**[Total: 13]**

- 2 Methanoic acid is a carboxylic acid that is released in bee stings.


- (a) The diagram shows the structural formula of methanoic acid.




On the diagram, draw a circle around the functional group that is responsible for the characteristic properties of carboxylic acids. [1]

- (b) Methanoic acid is used to remove the limescale that can build up in kettles. Limescale is made of calcium carbonate, which is insoluble in water.

Carboxylic acids react with carbonates in a similar way to other acids, such as hydrochloric acid.



- (i) Complete this word equation for the reaction between methanoic acid and calcium carbonate.



- (ii) Suggest a property of calcium methanoate that explains how this reaction removes limescale.

.....  
.....

[1]

- (iii) Some kettles have metal bodies, and all have metal heating elements.

Hydrochloric acid is not used to remove limescale from kettles.

Explain why methanoic acid is used to remove limescale but hydrochloric acid is not.

Use ideas about strong and weak acids in your answer.



One mark is for correct spelling.

.....  
.....  
.....  
.....

[3+1]

(c) Ethanoic acid, CH<sub>3</sub>COOH, is another carboxylic acid, present in vinegar.

Draw a diagram to show the structural formula for ethanoic acid.

[2]

**[Total: 10]**

- 3 Vegetable oils are commonly used in cooking. Examples are rape seed oil and sunflower seed oil.



- (a) These oils are found in the seeds produced by plants.

What is the job of the oil in these seeds?

..... [1]

- (b) (i) When an ester is hydrolysed it forms an alcohol and a carboxylic acid. This reaction is the reverse of that used to make the ester.

Oils and fats are esters. Write the **name** of the alcohol and of the **type** of carboxylic acid to complete this word equation for the hydrolysis of an oil.

oil + water  $\rightleftharpoons$  ..... + ..... [2]

- (ii) What **two** things does the  $\rightleftharpoons$  sign tell you about this reaction?

.....  
.....  
..... [2]

- (c) In addition to vegetable oil, a food product may contain other esters.

Suggest **two** reasons why other esters may be added to food products.

..... [2]

[Total: 7]

**BLANK PAGE**

**PLEASE DO NOT WRITE ON THIS PAGE**


**Question 4 starts on page 8.**

- 4 A technician carries out an analysis of a mixture of hydrocarbons using gas chromatography.

She first calibrates the equipment using standard hydrocarbons. The retention times for these hydrocarbons are shown in the table.

hydrocarbon	retention time in min
methane	1.7
ethane	2.2
propane	3.5
propene	4.0
butane	7.4

The technician then analyses the mixture of hydrocarbons. The recorder print-out from this analysis is shown below.



- (a) Explain what is meant by the term *retention time*.

.....  
.....

[2]

- (b) (i) Which **three** hydrocarbons are present in the mixture?

1 .....

2 .....

3 .....

[2]

- (ii) Name the hydrocarbon that has the highest concentration in the mixture.

..... [1]

- (iii) One of the gases in the mixture is not an alkane.

What is the name of this gas?

..... [1]

- (c) Two of the hydrocarbons in the mixture are alkanes.

Alkanes burn but they do not react with solutions of other chemicals, for example bromine water.

- (i) Explain why alkanes do not react with bromine water.

Use ideas about the bonds in alkanes in your answer.

.....  
.....  
..... [2]


- (ii) The burning of alkanes gives out energy.

Use ideas about bond making and breaking to explain why.

.....  
.....  
..... [2]

**[Total: 10]**

- 5 Some indigestion tablets contain the active ingredient, magnesium hydroxide. This reacts with excess stomach acid to relieve the symptoms of acid indigestion.



The tablets also contain starch.

A chemist uses quantitative analysis to find the mass of active ingredient in each tablet.

- (a) The statements describe the main stages of this analysis, but they are in the wrong order.

- A** Crush the tablet and stir it into approximately  $25\text{ cm}^3$  distilled water.
- B** Use the average titration result to calculate the mass of magnesium hydroxide in each tablet.
- C** Titrate the mixture against hydrochloric acid of known concentration.
- D** Measure accurately the mass of one indigestion tablet.
- E** Estimate the degree of uncertainty in the result.
- F** Repeat the procedure using several more tablets.

Write letters in the boxes to show the correct order of the stages. The correct letter has already been written in the first box.

<b>D</b>					
----------	--	--	--	--	--

[3]

- (b) What apparatus should the chemist use to measure each of the following?

- (i) The  $25\text{ cm}^3$  distilled water.

..... [1]

- (ii) The volume of hydrochloric acid used in each titration.

..... [1]

- (c) The chemist finds that the average volume of hydrochloric acid used to react with the magnesium chloride in a tablet is  $23.5\text{ cm}^3$ .

- (i) The relative formula mass of hydrochloric acid is 36.5.

Work out the relative formula mass (RFM) of magnesium hydroxide,  $\text{Mg(OH)}_2$ .

You should show your working.

(relative atomic masses: H = 1, Mg = 24, O = 16)

relative formula mass (RFM) of magnesium hydroxide = ..... [2]


- (ii) Use this formula to work out the mass of magnesium hydroxide in each indigestion tablet.

$$\text{mass of magnesium hydroxide} = \frac{\text{volume HCl} \times 40 \times \text{RFM Mg(OH)}_2}{2000 \times 36.5}$$

mass of magnesium hydroxide in each tablet = ..... g [1]

[Total: 8]

- 6 Epoxyethane,  $(\text{CH}_2)_2\text{O}$ , is an intermediate in the production of car anti-freeze, and is used to sterilize medical supplies.



Epoxyethane is poisonous, carcinogenic and highly flammable.

The raw material used to make epoxyethane is ethene. This is obtained by the cracking of hydrocarbons from petroleum.

- (a) (i)** Epoxyethane is a bulk chemical.

Explain what is meant by the term 'bulk'.

.....  
..... [1]

- (ii)** The manufacture of epoxyethane may not be sustainable to the end of this century.

Use information about the raw material used in its manufacture to suggest why.

.....  
.....  
..... [2]

- (b)** Two methods have been used to make epoxyethane.

- original method – from ethene, chlorine and calcium hydroxide
- modern method – ethene and oxygen are passed over a silver catalyst at 250–350 °C

- (i)** The original method produces solid calcium chloride as a by-product, but the modern method does not.

There is little use for this calcium chloride.

Explain why this makes the original method less sustainable than the modern method.

.....  
..... [1]

- (ii) The catalyst in the modern method consists of very fine particles.

Explain why.

.....  
.....  
.....

**[2]**

- (c) The government has strict regulations that control the way that epoxyethane is made, stored and transported.

What is the purpose of these regulations?

.....  
.....

**[1]**

**[Total: 7]**

**END OF QUESTION PAPER**

**PLEASE DO NOT WRITE ON THIS PAGE**

**PLEASE DO NOT WRITE ON THIS PAGE**



**Copyright Information**

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations, is given to all schools that receive assessment material and is freely available to download from our public website ([www.ocr.org.uk](http://www.ocr.org.uk)) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1PB.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

# The Periodic Table of the Elements

		1	2	Key																																																													
		7	9	relative atomic mass atomic symbol name atomic (proton) number																																																													
Li	beryllium	3	Be	4	Sc	scandium	21	Ti	titanium	22	V	vanadium	23	Cr	chromium	24	Mn	manganese	25	Fe	iron	26	56	Ni	nickel	28	59	Cu	copper	29	63.5	Zn	zinc	30	70	Ge	germanium	32	75	As	arsenic	33	79	Se	selenium	34	80	Br	bromine	35	84	Kr	krypton	36											
Na	sodium	11	Mg	12	Sr	strontium	38	Y	yttrium	39	Zr	zirconium	40	Nb	niobium	41	Mo	molybdenum	42	Tc	technetium	43	Ru	ruthenium	44	101	Rh	rhodium	45	103	Pd	palladium	46	106	Ag	silver	47	108	In	indium	49	115	Cd	cadmium	48	112	Sb	antimony	51	119	Sn	tin	50	122	Te	tellurium	52	128	I	iodine	53	127	Xe	xenon	54

1	2	3	4	5	6	7	0	4	He																																																								
Li	beryllium	3	Be	4	Sc	scandium	21	Ti	titanium	22	V	vanadium	23	Cr	chromium	24	Mn	manganese	25	Fe	iron	26	56	Ni	nickel	28	59	Cu	copper	29	63.5	Zn	zinc	30	70	Ge	germanium	32	75	As	arsenic	33	79	Se	selenium	34	80	Br	bromine	35	84	Kr	krypton	36											
Na	sodium	11	Mg	12	Sr	strontium	38	Y	yttrium	39	Zr	zirconium	40	Nb	niobium	41	Mo	molybdenum	42	Tc	technetium	43	Ru	ruthenium	44	101	Rh	rhodium	45	103	Pd	palladium	46	106	Ag	silver	47	108	In	indium	49	115	Cd	cadmium	48	112	Sb	antimony	51	119	Sn	tin	50	122	Te	tellurium	52	128	I	iodine	53	127	Xe	xenon	54
K	potassium	19	Ca	calcium	20	Sc	scandium	21	Ti	titanium	22	V	vanadium	23	Cr	chromium	24	Mn	manganese	25	Fe	iron	26	56	Ni	nickel	28	59	Cu	copper	29	63.5	Zn	zinc	30	70	Ge	germanium	32	75	As	arsenic	33	79	Se	selenium	34	80	Br	bromine	35	84	Kr	krypton	36										
Rb	rubidium	37	Sr	strontium	38	Y	yttrium	39	Zr	zirconium	40	Nb	niobium	41	Mo	molybdenum	42	Tc	technetium	43	Ru	ruthenium	44	101	Rh	rhodium	45	103	Pd	palladium	46	106	Ag	silver	47	108	In	indium	49	115	Cd	cadmium	48	112	Sb	antimony	51	119	Sn	tin	50	122	Te	tellurium	52	128	I	iodine	53	127	Xe	xenon	54		
Cs	caesium	55	Ba	barium	56	La*	lanthanum	57	Hf	hafnium	72	Ta	tantalum	73	W	tungsten	74	Re	rhenium	75	Os	osmium	76	186	Ir	iridium	77	190	Pt	platinum	78	192	Hg	mercury	79	197	Au	gold	79	201	Tl	thallium	81	204	Pb	lead	82	207	Bi	bismuth	83	209	Po	polonium	84	209	At	actatine	85	[210]	[222]	Rn	radon	86	
[223]	[226]	Fr	francium	87	Ra	radium	88	[227]	[227]	Ac*	actinium	89	[261]	[261]	Rf	rutherfordium	104	[262]	[262]	Db	dubnium	105	[264]	[264]	Sg	seaborgium	106	[268]	[268]	Bh	bohrium	107	[277]	[277]	Hs	hassium	108	[271]	[271]	Mt	meitnerium	109	[272]	[272]	Rg	roentgenium	110	[272]	[272]	Ro	roentgenium	111	[272]	[272]	Ro	roentgenium	111								

Elements with atomic numbers 112-116 have been reported but not fully authenticated

\* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.