

**GENERAL CERTIFICATE OF SECONDARY EDUCATION  
TWENTY FIRST CENTURY SCIENCE  
CHEMISTRY A**

**A321/01**

Unit 1: Modules C1 C2 C3 (Foundation Tier)

Candidates answer on the Question Paper  
A calculator may be used for this paper

**OCR Supplied Materials:**  
None

**Other Materials Required:**

- Pencil
- Ruler (cm/mm)

**Monday 18 January 2010  
Morning**

**Duration: 40 minutes**



Candidate Forename		Candidate Surname	
--------------------	--	-------------------	--

Centre Number						Candidate Number				
---------------	--	--	--	--	--	------------------	--	--	--	--

**MODIFIED LANGUAGE**

**INSTRUCTIONS TO CANDIDATES**

- Write your name clearly in capital letters, your Centre Number and Candidate Number in the boxes above.
- Use black ink. Pencil may be used for graphs and diagrams only.
- Read each question carefully and make sure that you know what you have to do before starting your answer.
- Answer **all** the questions.
- Do **not** write in the bar codes.
- Write your answer to each question in the space provided, however additional paper may be used if necessary.

**INFORMATION FOR CANDIDATES**

- The number of marks is given in brackets [ ] at the end of each question or part question.
- The total number of marks for this paper is **42**.
- The Periodic Table is printed on the back page.
- This document consists of **16** pages. Any blank pages are indicated.

Answer **all** the questions.

- 1 (a) These diagrams show the atoms in six different molecules.



A



B



C



D



E



F

key

carbon ● hydrogen ○ nitrogen ⊗ oxygen ○ sulfur ⊕

Which of the diagrams, **A**, **B**, **C**, **D**, **E** or **F**, shows a molecule of

- (i) carbon monoxide ..... [1]
- (ii) nitrogen dioxide ..... [1]
- (iii) a hydrocarbon ..... [1]
- (iv) an element ..... [1]

- (b) Nitrogen dioxide is a pollutant gas.

- (i) Which of these statements describe how nitrogen oxides most commonly enter the atmosphere?

Put ticks (✓) in the boxes next to the **two** best answers.

from air breathed out by animals

from the exhaust of car engines

from oil-burning power stations

from the eruption of volcanoes

[2]

(ii) Nitrogen dioxide does not stay in the atmosphere.

Explain how nitrogen dioxide is removed from the air and why the result may be harmful.

.....

.....

.....


..... [3]

[Total: 9]

- 2 Black carbon pollution is caused by very small carbon particulates in the air.

Some scientists measure the concentration of carbon particulates in the air beside a motorway. They also count the number of heavy goods vehicles passing along the motorway.

Their results are shown on this scatter graph.



- (a) What trend is shown by the scatter graph?

.....  
..... [1]

- (b) (i) Why is it **not** possible to use these results to prove that the carbon particulates came from the heavy goods vehicles?

Put ticks (✓) in the boxes next to the **two** best answers.

A pattern in the results does not prove a cause.

The equipment used by the scientists may be faulty.

The scientists may have miscounted the heavy goods vehicles.

The scientists only measured particulates made of carbon.

There may be other explanations for the observed results.

[2]

- (ii) Other factors may affect the concentration of carbon particulates in the air measured in this investigation.

Put ticks (✓) in the correct boxes to show whether each factor is **likely to** or is **not likely to** affect this outcome.

	likely to affect concentration of carbon particulates measured	not likely to affect concentration of carbon particulates measured
The direction of the wind.		
How close to the motorway the measurements are made.		
Whether the sun is shining.		
The number of cars passing by.		

[2]

[Total: 5]

- 3 Vulcanisation is a process that has been used for many years to make natural rubber harder.

Scientists develop a new process for hardening rubber.

They test the hardness of this rubber by measuring the force needed to push a metal pin through several samples.

They use the same test on samples of natural rubber, vulcanised rubber and new process rubber.

All of the rubber samples are the same shape and size.

Their results are shown in the table.

type of rubber	force needed to push pin through sample in kN					
	sample 1	sample 2	sample 3	sample 4	sample 5	sample 6
natural rubber	4	6	8	7	2	9
vulcanised rubber	24	21	24	23	22	24
new process rubber	28	11	24	27	26	25

- (a) The scientists decide to repeat their tests on **natural rubber**.

Which statement gives the **best** reason for this?

Put a tick (✓) in the box next to the correct answer.

The results are not high enough.

The range of the results is too large.

The results contain an outlier.

The mean for the results is too low.

[1]

- (b) (i) The scientists work out the mean for **new process rubber** to be 26.

They use this as their best estimate for the hardness of this rubber.

They use only five of the six results to work out the mean.

Suggest which result they do **not** use.

the result for sample ..... [1]

(ii) Why do they not use this result?

Put a tick (✓) in the box next to the **best** answer.

They only need five results to calculate the mean.

It is easier to divide by five than by six.

This result is very different from the other results.

This result falls within the range for natural rubber.

[1]

(c) Give a best estimate for the hardness of **vulcanised rubber** by working out the mean for this set of results.

mean = ..... kN [1]

(d) (i) Natural rubber is a polymer.

Sulfur reacts with the polymer chains in the rubber during vulcanisation.

Suggest how this reaction with sulfur increases the hardness of rubber.

Put a tick (✓) in the box next to the correct answer.

It makes the polymer chains shorter.

It lowers the melting point.

It pushes the polymer chains further apart.

It forms strong bonds between the polymer chains.

[1]

- (ii) The new process for making natural rubber harder works in a different way to vulcanisation.

Which of these statements could explain how the new process makes natural rubber harder?

Put a tick (✓) in the box next to the **best** answer.

It decreases the cross-linking between polymer chains.

It adds plasticizer to the polymer chains.

It increases the length of the polymer chains.

It changes the small molecules used to make the polymer chains.

[1]

[Total: 6]



4 Different materials are used to make bags to carry food.

(a) (i) What features of the Life Cycle Assessment for a paper bag are different from those for a plastic bag?

Put ticks (✓) in the boxes next to the **three** best answers.

The energy used to make the material.

The energy used to make bags from the material.

The energy used to transport the same mass of bags.

The environmental impact of using the bags.

The environmental impact of disposing of the bags.

[2]

(ii) Plastic bags cause more harm to the environment than paper bags.

Which **two** statements explain why?

Put ticks (✓) in the boxes next to the **best** answers.

Plastic decomposes very slowly.

Plastic bags cause more harm to the environment than paper bags.

Plastic bags stretch, so they cannot be used to carry heavy objects.

Paper is attacked by bacteria and rots away.

Paper bags are large, and so hold a lot of groceries.

[2]

(iii) Most UK supermarkets use plastic bags instead of paper bags.

Suggest why.

.....  
.....

[1]

(b) A supermarket chain recently announced that it will no longer be giving its customers plastic bags.

Suggest three benefits of a ban on the use of plastic bags.

.....

.....

.....

.....

..... [3]

[Total: 8]

5 Organic farming uses different methods to those used in intensive farming.

(a) Draw a line from each **farming method** to the correct **type of farming**.

farming method	type of farming
pull out weeds by hand	
use pesticides to kill pests	organic farming
use predators to kill pests	intensive farming
use herbicides to kill weeds	

[3]

(b) Organic farming methods use manure from animals as a fertiliser.

Intensive farming methods use synthetic fertiliser made using energy from fossil fuels.

Some farmers have changed from intensive farming to organic farming. These farmers think that the change is a **sustainable development**.

(i) What is meant by the term sustainable development?

.....  
.....  
..... [2]

(ii) Suggest **two** reasons why organic farming may be more sustainable than intensive farming.

.....  
.....  
.....  
..... [2]

[Total: 7]

6 Sodium benzoate is added to many soft drinks, such as cola, as a preservative.

(a) Why is sodium benzoate added to soft drinks?

Put a tick (✓) in the box next to the **best** answer.

It makes the drink look more attractive.

It gives the drink a longer shelf life.

It makes the drink taste better.

[1]

(b) The Food Standards Agency (FSA) approves the use of sodium benzoate, E211, in the UK.

(i) The following statements are about the Food Standards Agency.

Put ticks (✓) in the correct boxes to show which statements are **true** and which are **false**.

**true**                      **false**

The FSA is an independent food safety watchdog.



The FSA is funded by major food manufacturers.



The FSA protects the public's health in relation to food.



The FSA was set up by an Act of Parliament.



[2]

(ii) Sodium benzoate has the number E211. What does this mean?

Put ticks (✓) in the boxes next to the **two** correct answers.

Sodium benzoate should not be used in food products.

Sodium benzoate has passed a safety test.

Sodium benzoate has been approved for use in the EU .

Sodium benzoate is safe to use at any concentration.

Sodium benzoate can only be used in drinks.

[2]

- (c) Some people are worried about soft drinks that contain sodium benzoate.

Which **two** of these statements suggest that sodium benzoate in soft drinks does **not** pose a significant health risk?

Put ticks (✓) in the boxes next to the **two best** statements.

Little research has been carried out on the effects of sodium benzoate on health.

Sodium benzoate is found naturally in some fruits.

Soft drinks contain much lower concentrations of sodium benzoate than some food.

Sodium benzoate has been added to soft drinks for many years.

You would have to drink about ten litres of soft drinks to exceed the maximum recommended dose of sodium benzoate in one litre of drinking water.

[2]

[Total: 7]

**END OF QUESTION PAPER**

**PLEASE DO NOT WRITE ON THIS PAGE**

**PLEASE DO NOT WRITE ON THIS PAGE**



**Copyright Information**

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations, is given to all schools that receive assessment material and is freely available to download from our public website ([www.ocr.org.uk](http://www.ocr.org.uk)) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

# The Periodic Table of the Elements

		1	2	3	4	5	6	7	0																																																																																																																																																																																																																		
7	<b>Li</b> lithium 3	9	<b>Be</b> beryllium 4	11	<b>Na</b> sodium 11	12	<b>Mg</b> magnesium 12	13	<b>Al</b> aluminium 13	14	<b>N</b> nitrogen 7	15	<b>O</b> oxygen 8	16	<b>F</b> fluorine 9	17	<b>Ne</b> neon 10	18	<b>Ar</b> argon 18	19	<b>K</b> potassium 19	20	<b>Ca</b> calcium 20	21	<b>Sc</b> scandium	22	<b>Ti</b> titanium 22	23	<b>V</b> vanadium 23	24	<b>Cr</b> chromium 24	25	<b>Mn</b> manganese 25	26	<b>Fe</b> iron 26	27	<b>Co</b> cobalt 27	28	<b>Ni</b> nickel 28	29	<b>Cu</b> copper 29	30	<b>Zn</b> zinc 30	31	<b>Ga</b> gallium 31	32	<b>Ge</b> germanium 32	33	<b>As</b> arsenic 33	34	<b>Se</b> selenium 34	35	<b>Br</b> bromine 35	36	<b>Kr</b> krypton 36	37	<b>Rb</b> rubidium 37	38	<b>Sr</b> strontium 38	39	<b>Y</b> yttrium 39	40	<b>Zr</b> zirconium 40	41	<b>Nb</b> niobium 41	42	<b>Mo</b> molybdenum 42	43	<b>Tc</b> technetium [98]	44	<b>Ru</b> ruthenium 44	45	<b>Rh</b> rhodium 45	46	<b>Pd</b> palladium 46	47	<b>Ag</b> silver 47	48	<b>Cd</b> cadmium 48	49	<b>In</b> indium 49	50	<b>Sn</b> tin 50	51	<b>Sb</b> antimony 51	52	<b>Te</b> tellurium 52	53	<b>I</b> iodine 53	54	<b>Xe</b> xenon 54	55	<b>Cs</b> caesium 55	56	<b>Ba</b> barium 56	57	<b>La*</b> lanthanum 57	58	<b>Ce</b> cerium	59	<b>Pr</b> praseodymium	60	<b>Nd</b> neodymium	61	<b>Pm</b> promethium	62	<b>Sm</b> samarium	63	<b>Eu</b> europium	64	<b>Gd</b> gadolinium	65	<b>Tb</b> terbium	66	<b>Dy</b> dysprosium	67	<b>Ho</b> holmium	68	<b>Er</b> erbium	69	<b>Tm</b> thulium	70	<b>Yb</b> ytterbium	71	<b>Lu</b> lutetium	72	<b>Hf</b> hafnium 72	73	<b>Ta</b> tantalum 73	74	<b>W</b> tungsten 74	75	<b>Re</b> rhenium 75	76	<b>Os</b> osmium 76	77	<b>Ir</b> iridium 77	78	<b>Pt</b> platinum 78	79	<b>Au</b> gold 79	80	<b>Hg</b> mercury 80	81	<b>Tl</b> thallium 81	82	<b>Pb</b> lead 82	83	<b>Bi</b> bismuth 83	84	<b>Po</b> polonium [209]	85	<b>At</b> astatine [210]	86	<b>Rn</b> radon [222]	87	<b>Fr</b> francium [223]	88	<b>Ra</b> radium [226]	89	<b>Ac*</b> actinium [227]	90	<b>Th</b> thorium [232]	91	<b>Pa</b> protactinium [231]	92	<b>U</b> uranium [238]	93	<b>Np</b> neptunium [237]	94	<b>Pu</b> plutonium [244]	95	<b>Am</b> americium [243]	96	<b>Cm</b> curium [247]	97	<b>Bk</b> berkelium [247]	98	<b>Cf</b> californium [251]	99	<b>Es</b> einsteinium [252]	100	<b>Fm</b> fermium [257]	101	<b>Mendelevium</b> [258]	102	<b>Nobelium</b> [259]	103	<b>Lr</b> lawrencium [260]	104	<b>Rf</b> rutherfordium [261]	105	<b>Db</b> dubnium [262]	106	<b>Sg</b> seaborgium [266]	107	<b>Bh</b> bohrium [264]	108	<b>Hs</b> hassium [277]	109	<b>Mt</b> meitnerium [268]	110	<b>Ds</b> darmstadtium [271]	111	<b>Rg</b> roentgenium [272]	112	<b>Cn</b> copernicium [285]	113	<b>Nh</b> nihonium [286]	114	<b>Fl</b> flerovium [289]	115	<b>Mc</b> moscovium [288]	116	<b>Lv</b> livermorium [293]	117	<b>Ts</b> tennessine [294]	118	<b>Og</b> oganeson [294]

1	<b>H</b> hydrogen 1
---	---------------------------

relative atomic mass
atomic symbol
name
atomic (proton) number

Key

Elements with atomic numbers 112-116 have been reported but not fully authenticated

\* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.