

Н

B642/02

GENERAL CERTIFICATE OF SECONDARY EDUCATION GATEWAY SCIENCE

CHEMISTRY B

Unit 2 Modules C4 C5 C6 (Higher Tier)

FRIDAY 25 JANUARY 2008

Morning Time: 1 hour

Candidates answer on the question paper.

Additional materials (enclosed):

None

Calculators may be used.

Additional materials: Pencil

Ruler (cm/mm)



Candidate Forename			Candidate Surname			
Centre Number			Candidate Number			

INSTRUCTIONS TO CANDIDATES

- Write your name in capital letters, your Centre Number and Candidate Number in the boxes above.
- Use blue or black ink. Pencil may be used for graphs and diagrams only.
- Read each question carefully and make sure that you know what you have to do before starting your answer.
- Answer all the questions.
- Do **not** write in the bar codes.
- Do not write outside the box bordering each page.
- Write your answer to each question in the space provided.

INFORMATION FOR CANDIDATES

- The number of marks for each question is given in brackets [] at the end of each question or part question.
- The total number of marks for this paper is 60.
- The Periodic Table is printed on the back page.

FOR EXAMINER'S USE						
Section	Max.	Mark				
A	20					
В	20					
С	20					
TOTAL	60					

This document consists of 21 printed pages and 3	blank	pades
--	-------	-------

SPA (MML 15458 1/07) T45724/4

© OCR 2008 [K/103/4265]

OCR is an exempt Charity

[Turn over

Answer **all** the questions.


Section A – Module C4

Am	nmonium sulfate and ammonium nitrate are both fertilisers.								
Am	mmonium sulfate has the formula $(NH_4)_2SO_4$.								
Am	nmonium nitrate has the formula NH ₄ NO ₃ .								
(a)	What is the total number of atoms shown in the formula $(NH_4)_2SO_4$?								
		[1]							
(b)	Ammonium nitrate has a relative formula mass $(M_{\rm r})$ of 80.								
	What is the relative formula mass of ammonium sulfate?								
	The relative atomic mass of H is 1, of N is 14, of O is 16, and of S is 32.								
	relative formula mass =	[1]							
	Ammonium nitrate contains 35% by mass of nitrogen.								
	What is the percentage by mass of nitrogen in ammonium sulfate?								
	percentage by mass =	[1]							
(c)	Ammonium sulfate dissolves in water.								
	Why is it important that a fertiliser dissolves in water?								
		[1]							

1

(d) Clare makes ammonium nitrate.

Look at the apparatus she uses.



She uses 25.0 cm³ of an alkali called ammonia.

She slowly adds an acid until the alkali is just neutralised.

(i) What is the name of the acid she must use?

Choose from the list.

hydrochloric acid

nitric acid

phosphoric acid

sulfuric acid

	answer[1]
(ii)	The pH value in the beaker changes as the acid is added.
	Describe how the pH value changes.
	Explain why.
	101

(iii)	Clare makes 0.45 g of ammonium nitrate.
	She predicts she should make 0.50 g.
	What is her percentage yield?
	percentage yield = % [2]

[Total: 9]

2

This	s question is about the manufacture of chemicals.	
(a)	Many millions of tonnes of ammonia are manufactured each year in the United Kingdom.	
	Ammonia is made by the reaction of nitrogen and hydrogen in a continuous process.	
	The conditions used for this reaction are	
	• 450°C	
	high pressure	
	• iron catalyst.	
	Explain why these conditions are chosen.	
	Use ideas about rate of reaction and percentage yield in your answer.	
		[3]
(b)	A new anti-cancer drug is made from a rare plant only found in South America.	
	Less than 100 kg of the drug is made each year.	
	It is made in a batch process.	
	The cost of manufacturing and developing the drug is very high.	
	Write about some of the reasons why this cost is very high.	
		[2]
(c)	The anti-cancer drug is made in a batch process rather than a continuous one.	
	Suggest one reason why.	
		[1]

© OCR 2008 [Turn over

[Total: 6]

3	Washing	un	liquide	contain	а	detergent.
J	vvasiiiiiq	up	IIQUIUS	COntain	а	ueteruent.

Washing up liquid will clean plates covered in fat.

(a) Look at the diagram of a detergent molecule.

Label the diagram to show

- the hydrophilic part of the molecule
- the hydrophobic part of the molecule.



[1]

(b) Detergent molecules help to remove fat from a dirty plate.


Explain how.

A labelled diagram will help you to answer this question.

[Total: 3]

- 4 This question is about fullerenes and nanotubes.
 - (a) Look at the diagram of a fullerene.

It is called buckminster fullerene.



What is the chemical formula of buckminster fullerene?


		[1]
(b)	Fullerenes can be joined together to make nanotubes.	
	Nanotubes are used to make very effective industrial catalysts.	
	Give one reason why.	
		[1]
	[Tota	l: 2]

PLEASE DO NOT WRITE ON THIS PAGE

Section B - Module C5

5 Hannah investigates the electrolysis of aqueous potassium sulfate.

Look at the apparatus she uses.



(a) There are bubbles of gas made at both electrodes.

What are the names of the two gases made during this electrolysis?

Choose from the list.

carbon dioxide

hydrogen

nitrogen

oxygen

sulfur dioxide

		and	
(b)	Write down two factors that affect the aris electrolysed.	nount of gas made when aqu	eous potassium sulfate
	1		
	2		[2]

[Total: 4]

- 6 Monty investigates the properties of two acids
 - dilute ethanoic acid, CH₃COOH
 - dilute hydrochloric acid, HCl.
 - (a) Monty adds a small piece of magnesium ribbon to dilute ethanoic acid.

Monty sees bubbles of a gas. At the end of the reaction a colourless solution is left.

The colourless solution contains magnesium ethanoate, Mg(CH₃COO)₂.


Write down the balanced **symbol** equation for the reaction between magnesium and ethanoic acid.

.....[2

(b) Monty investigates the reaction of both acids with a lump of calcium carbonate.

He wants to find out the volume of gas made every 10 seconds.


Look at the apparatus he uses.



He does two experiments, one with dilute ethanoic acid and one with dilute hydrochloric acid.

He makes sure he does a fair test.

Look at the graph of his results.



(i) The reaction between calcium carbonate and ethanoic acid is still happening after 80 seconds.

What will be the total volume of gas collected at the **end** of this reaction?

(ii) Dilute hydrochloric acid reacts much faster than dilute ethanoic acid.

Explain why.

Use ideas about

- hydrogen ions
- collisions between particles.

[Total: 6]

7 This question is about equilibrium and reversible reactions.

Ethene reacts with steam in a reversible reaction to make ethanol.

$$C_2H_4 + H_2O \rightleftharpoons C_2H_5OH$$

This reversible reaction can reach equilibrium if it is in a sealed container.

(a) At equilibrium there is a connection between the rate of the forward reaction and the rate of the backward reaction.

What is this connection?

		-
l-	-1	

(b) What happens to the concentration of ethene and of water at equilibrium?

.....[1]

(c) Look at the table.

It shows how the percentage of ethene at equilibrium changes as the **temperature** changes and as the **pressure** changes.

	temperature					
pressure	200°C	260°C	320°C			
30 atmospheres	37%	26%	21%			
40 atmospheres	40%	30%	25%			
50 atmospheres	44%	35%	30%			
60 atmospheres	48%	40%	34%			

What	happe	ens to	the	percer	ntage	of	ethene	as	the	pressure	increases	but the	temperat	ure
stays	the sa	ıme?												

(d)	Calculate the maximum mass of ethanol that can be made from 5.6 tonnes of ethen	e.
	The relative atomic mass for H is 1, for C is 12 and for O is 16.	
	maximum mass of ethanol =	[3]
		[Total: 6]

Zoe	e tests copper(II) sulfate solution.
(a)	Zoe adds barium chloride solution to copper(II) sulfate solution.
	A white precipitate appears.
	Write down the word equation for this reaction.
	[1]
(b)	Zoe adds sodium hydroxide solution to copper(II) sulfate solution.
	This time she gets a blue precipitate of copper(II) hydroxide, $\mathrm{Cu(OH)}_2$.
	Write down the ionic equation for the reaction between aqueous Cu ²⁺ and aqueous OH ⁻ .
	Include state symbols.
	[3]
	[Total: 4]

Section C - Module C6

9	This question is about the hardness of water

(a) Look at the list.

calcium hydrogencarbonate

calcium sulfate

ethanoic acid

sodium chloride

sodium hydroxide


		•
	(i)	Write the name of a substance that causes permanent hardness.
		Choose from the list.
		answer[1]
	(ii)	Write the name of a substance that causes temporary hardness.
		Choose from the list.
		answer[1]
(b)	Cal hyd	cium carbonate, $CaCO_3$, reacts with water and carbon dioxide to make calcium rogencarbonate, $Ca(HCO_3)_2$.
	Wri	te a balanced symbol equation for this reaction.
		[1]
(c)	Ion	exchange resins can be used to soften water.
	Exp	lain how ion exchange resins soften water.
		[2]
		[Total: 5]

10 This question is about sodium chloride.

Brine is a solution of sodium chloride.

Solution mining is used to get brine out of the ground.

Look at the diagram of solution mining.




(a)	Write about one major environmental problem caused by solution mining.	
		[1]

(b) Look at the diagram.

It shows the apparatus used for the electrolysis of sodium chloride solution (brine).

Chlorine, hydrogen and sodium hydroxide are made.



(1)	Hydrogen ions, H ⁺ , react to make hydrogen gas, H ₂ .	
	Write an equation for this reaction.	
	Use e ⁻ to show an electron.	
		[1]
(ii)	Chloride ions, Cl^- , react to form chlorine gas.	
	Write an equation for this reaction.	
	Use e ⁻ to show an electron.	
		[1]
(iii)	Sodium hydroxide is also made in this electrolysis.	
	Explain why.	

[Total: 4]

		18
11	Etha	anol is made by the fermentation of glucose.
	Car	bon dioxide is also made in the process.
	(a)	Complete the word equation for fermentation.
		glucose \rightarrow
	(b)	Fermentation makes a dilute solution of ethanol.
		What method of separation could be used to get almost pure ethanol?
		Choose from the list.
		crystallisation
		electrolysis
		evaporation
		filtration
		fractional distillation
		answer[1]
	(c)	A fermentation reaction takes place at 40 °C.
		When the temperature is raised to 80 °C, fermentation stops.
		Explain why.
		[1]

(d) Look at the displayed formula for methanol, ${\rm CH_3OH.}$

Draw the displayed formula of ethanol, $\mathrm{C_2H_5OH.}$

(e) Look at this table.

It shows the formulae of some alcohols.

alcohol	formula
methanol	CH₃OH
ethanol	C ₂ H ₅ OH
propanol	
butanol	C ₄ H ₉ OH

(i)	Complete the table by writing the formula for propanol.	[1]
(ii)	The general formula for an alkene is C _n H _{2n} .	
	Write down the general formula for an alcohol .	
		[1]
	[Tot	al: 6]

This	s question is about fats and oils.	
(a)	In a saturated fat all the bonds between carbon atoms are single bonds.	
	How is an unsaturated fat different?	
		[1]
(b)	Describe a chemical test for unsaturation in a fat.	
	test	[1]
	result	[1]
(c)	Fats and oils can be heated with sodium hydroxide to make soap.	
	Look at the list.	
	displacement	
	neutralisation	
	oxidation	
	reduction	
	saponification	
	Put a (ring) around the word that best describes the process.	[1]
(d)	How is margarine manufactured from vegetable oils?	
		[1]
	[Total	l: 5]

END OF QUESTION PAPER

12

21 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

22 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE



PLEASE DO NOT WRITE ON THIS PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (OCR) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

OCR is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of the Elements

0	4 He hetium 2	20 Ne neon 10	40 Ar argon 18	84 Kr krypton 36	131 Xe xenon 54	[222] Rn radon 86	t fully
_		19 F fluorine 9	35.5 Cl chlorine 17	80 Br bromine 35	127 	[210] At astatine 85	orted but no
9		16 0 0xygen 8	32 S sulfur 16	79 Se selenium 34	128 Te tellurium 52	[209] Po potentium 84	ve been repo
2		14 N nitrogen 7	31 P phosphorus 15	75 As arsenic 33	122 Sb antimony 51	209 Bi bismuth 83	s 112-116 hav authenticated
4		12 C carbon 6	28 Si silicon	73 Ge germanium 32	119 Sn tin 50	207 Pb tead 82	Elements with atomic numbers 112-116 have been reported but not fully authenticated
m		11 B boron 5	27 Al aluminium 13	70 Ga gallium 31	115 In indium 49	204 T1 thallium 81	nts with ato
	·			65 Zn zinc 30	112 Cd cadmium 48	201 Hg mercury 80	Eleme
				63.5 Cu copper 29	108 Ag silver 47	197 Au gold 79	Rg roentgenium 111
				59 Ni nickel 28	106 Pd palladium 46	195 Pt platinum 78	Ds darmstadtium 110
				59 Co cobalt 27	103 Rh rhodium 45	192 Ir iridium 77	[268] Mt meitnerium 109
	1 H hydrogen 1			56 Fe iron 26	101 Ru ruthenium 44	190 Os osmium 76	[277] Hs hassium 108
				55 Mn manganese 25	[98] Tc technetium 43	186 Re rhenium 75	[264] Bh bohrium 107
		mass ol number		52 Cr chromium 24	96 Mo motybdenum 42	184 W tungsten 74	Sg seaborgium 106
	Key	relative atomic mass atomic symbol name atomic (proton) number	(proton) r	51 V vanadium 23	93 Nb niobium 41	181 Ta tantalum 73	[262] Db dubnium 105
		relativ ato atomic		48 Ti titanium 22	91 Zr zirconium 40	178 Hf hafinium 72	Rf rutherfordium 104
	'			45 Sc scandium 21	89 Y yttrium 39	139 La* tanthanum 57	[227] Ac* actinium 89
7		9 Be beryllium 4	24 Mg magnesium 12	40 Ca calcium 20	88 Sr strontium 38	137 Ba barium 56	[226] Ra radium 88
-		7 Li ^{Utthium} 3	23 Na sodium 11	39 K potassium 19	85 Rb rubidium 37	133 Cs caesium 55	[223] Fr francium 87

* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.