

Thursday 20 June 2013 – Afternoon

**GCSE TWENTY FIRST CENTURY SCIENCE
CHEMISTRY A**

A173/02 Module C7 (Higher Tier)

Candidates answer on the Question Paper.
A calculator may be used for this paper.

OCR supplied materials:
None

Other materials required:

- Pencil
- Ruler (cm/mm)

Duration: 1 hour

MODIFIED LANGUAGE



Candidate forename		Candidate surname	
Centre number		Candidate number	

INSTRUCTIONS TO CANDIDATES

- Write your name, centre number and candidate number in the boxes above. Please write clearly and in capital letters.
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Answer **all** the questions.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Write your answer to each question in the space provided. Additional paper may be used if necessary but you must clearly show your candidate number, centre number and question number(s).
- Do **not** write in the bar codes.

INFORMATION FOR CANDIDATES

- Your quality of written communication is assessed in questions marked with a pencil (✎).
- The number of marks is given in brackets [] at the end of each question or part question.
- The total number of marks for this paper is **60**.
- This document consists of **20** pages. Any blank pages are indicated.
- The Periodic Table is printed on the back page.


BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

Answer **all** the questions.

- 1** Esters are made by reacting an alcohol with a carboxylic acid.

A few drops of concentrated sulfuric acid are added to the mixture.



- (a)** What does the concentrated sulfuric acid do?

..... [1]

- (b)** The reaction mixture has to be heated for some time.

The reactants are volatile and would escape from an open flask as vapour.

- (i)** What piece of apparatus is fitted to the flask to stop this loss of vapour?

..... [1]

- (ii)** What is the name of the technique used to stop this loss of vapour?

..... [1]

- (c)** Propyl pentanoate, $\text{C}_4\text{H}_9\text{COOC}_3\text{H}_7$, is an ester that tastes of pineapple.

It is made by reacting propanol, $\text{C}_3\text{H}_7\text{OH}$ with pentanoic acid $\text{C}_4\text{H}_9\text{COOH}$.

- (i)** Write a symbol equation for the reaction that makes propyl pentanoate.

..... \rightleftharpoons [1]

- (ii)** Suggest a use for propyl pentanoate.

..... [1]


[Total: 5]

2 Peter is testing the food colourings in soft drinks made by different companies.

He wants to find out if any of these drinks contains a banned dye chemical.

Peter uses paper chromatography to separate and identify the dye chemicals in the soft drinks.

Here is Peter's chromatogram for one of the soft drinks.



- (a) Explain why the three spots travel different distances up the chromatogram.



The quality of written communication will be assessed in your answer.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... [6]

- (b) Peter uses Rf values to identify the dye chemicals in a soft drink.

- (i) Work out the Rf value of spot 3.

Rf value = [2]

- (ii) Peter finds the Rf values for dye chemicals in several different soft drinks.

How can Peter check if any of the soft drinks contain a banned dye chemical?

.....


.....

.....


..... [2]

[Total: 10]

- 3 Ammonia, NH_3 , is made from nitrogen and hydrogen by the Haber process.



- (a) The graph shows how the yield of ammonia is related to both the temperature and the pressure used.



(i) The Haber process uses:

- a catalyst
- a temperature of 450°C
- 250 atmospheres pressure.

These conditions do not give the highest percentage yield of ammonia.

Explain why these conditions are a compromise to make the process economically viable.



The quality of written communication will be assessed in your answer.

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... [6]

- (ii) The reaction between nitrogen and hydrogen to form ammonia is reversible.

The reaction mixture can reach a dynamic equilibrium.

Which of these statements describes what is happening at equilibrium?

Put ticks (✓) in the boxes next to the **two** correct statements.

The reaction between nitrogen and hydrogen has stopped.

☐

The forward and reverse reactions happen at the same rate.

☐

All of the nitrogen and hydrogen react to make ammonia.

☐

The concentration of ammonia is increasing.

☐

The concentrations of nitrogen, hydrogen and ammonia are constant.

☐

[2]

- (b) (i) Work out the relative formula mass (RFM) of ammonia, NH_3 .

RFM of ammonia = [1]

- (ii) What is the mass of ammonia that would be made if 1.0 tonne of nitrogen reacted completely with hydrogen?

Show your working.


mass of ammonia = tonne [2]

- (iii) A factory converts 95% of the nitrogen into ammonia.

What mass of ammonia does this factory make from each tonne of nitrogen?

mass of ammonia = tonne [1]

(c) Look at the bar chart.



Ammonia is used to make fertilisers.

Large scale use of fertilisers made from ammonia causes environmental problems.

Write about these environmental problems, and explain why they have got worse over the last 60 years.

.....

.....

.....

.....

.....


..... [3]

[Total: 15]

- 4 The table shows the energy involved in the breaking of some bonds.

Bond	Bond energy in kJ/mol
C—H	411
C—O	358
O=O	498
C=O	799
O—H	459
C—C	348

Ethanol burns to make carbon dioxide and water.



- (a) The energy needed to break all of the bonds in the oxygen, 3O_2 , is 1494 kJ.

Work out the energy needed to break all of the bonds in ethanol, $\text{C}_2\text{H}_5\text{OH}$.

energy = kJ/mol [2]

- (b) The energy given out when new bonds in 2CO_2 are made is 3196 kJ.

Work out the energy given out when new bonds in the water, $3\text{H}_2\text{O}$, are made.

energy = kJ/mol [2]

- (c) Use the information given, and your answers from (a) and (b), to complete the table.

	Energy in kJ/mol
energy needed to break all the bonds in ethanol and oxygen	
energy given out when all the bonds in carbon dioxide and water are made	
energy change when ethanol burns	

[2]

(d) The table shows information about some bonds.

Bond	Bond energy in kJ/mol	Bond length in pm
C—C	348	154
C=C	614	134
C≡C	839	120

What conclusions can you make from this data?

.....

.....

.....

.....


..... [2]

[Total: 8]

- 5 Emma works for a company making indigestion tablets.

Her job is to find the mass of magnesium hydroxide in tablets from each batch.

Emma titrates the magnesium hydroxide in each tablet with hydrochloric acid.



- (a) (i) What steps should Emma take to make sure that her titration results are as accurate as possible?

Put ticks (✓) in the boxes next to the **two** correct statements.

Add the acid as quickly as possible.

☐

Use a burette to measure the volume of acid.

☐

Add acid 1 cm³ at a time.

☐

Add acid drop by drop near the end point.

☐

Measure the mass of the flask every 30 seconds.

☐

Allow the product to crystallise.

☐

[2]

- (ii) Emma uses an indicator in her titration.

Explain why she uses an indicator.

.....

.....

..... [2]

(b) Emma analyses an indigestion tablet to find the mass of magnesium hydroxide.

- (i) Work out the relative formula mass (RFM) of magnesium hydroxide, $\text{Mg}(\text{OH})_2$.

Show your working.

(Relative atomic masses: $\text{H} = 1$; $\text{Mg} = 24$; $\text{O} = 16$)

RFM of magnesium hydroxide = [1]

- (ii) Emma uses hydrochloric acid with 73.0 g of hydrogen chloride in each 1.0 dm^3 of the acid solution.

It takes 15.1 cm^3 of this hydrochloric acid to neutralise the tablet.

Work out the mass of hydrogen chloride in 15.1 cm^3 of the hydrochloric acid.


Give your answer to the nearest 0.1 g.

Show your working.

mass of hydrogen chloride = g [2]

- (iii) Work out the mass of magnesium hydroxide in the tablet.

Use your answers to (i) and (ii) and this equation to help you.



Show your working.

mass of magnesium hydroxide in the tablet = g [2]

- (c) Emma analyses six tablets from each batch.

The table shows Emma's results for four batches of tablets.

Tablet number	Mass of magnesium hydroxide in g					
	1st	2nd	3rd	4th	5th	6th
Batch A	0.95	0.93	0.95	0.96	0.94	0.93
Batch B	0.88	0.86	0.89	0.87	0.89	0.87
Batch C	1.13	1.16	1.14	1.15	1.13	1.16
Batch D	1.03	1.13	1.05	1.04	1.15	1.03

The label on each pack of indigestion tablets says that each tablet contains 1.0 g of magnesium hydroxide.

The standard set by the company is that each tablet must be within 0.1 g of this figure.

For each batch decide whether it meets the standard and explain your answers.

.....

.....

.....

.....

.....

.....

.....

..... [4]

[Total: 13]

$$\begin{array}{ccccc} \text{C}_2\text{H}_4 & + & \text{H}_2\text{O} & \rightarrow & \text{C}_2\text{H}_5\text{OH} \\ \text{ethene} & & \text{steam} & & \text{ethanol} \end{array}$$

The ethene is reacted with steam at about 300 °C and 60 atmospheres pressure.

$$\begin{array}{ccccc} \text{C}_6\text{H}_{12}\text{O}_6 & \rightarrow & 2\text{C}_2\text{H}_5\text{OH} & + & 2\text{CO}_2 \\ \text{sugar} & & \text{ethanol} & & \text{carbon dioxide} \end{array}$$

The sugar is fermented with yeast at a temperature of about 30 °C.

One of these factors is the renewability of raw materials.

Consider this, and other factors, to compare the sustainability of making ethanol by these two methods.



The quality of written communication will be assessed in your answer.

..... [6

(b) How do the reactions of ethanol, ethane and water with sodium compare?

Put ticks (✓) in the correct boxes to show what happens in each reaction.

	Reaction of ethanol with sodium	Reaction of ethane with sodium	Reaction of water with sodium
violent reaction			
steady reaction			
no reaction			
hydrogen made			
sodium ethoxide made			
sodium hydroxide made			

[3]

[Total: 9]

END OF QUESTION PAPER

17
BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

18
BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

PLEASE DO NOT WRITE ON THIS PAGE



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series. If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of the Elements

1	2	3	4	5	6	7	0
7 Li lithium 3	9 Be beryllium 4						4 He helium 2
23 Na sodium 11	24 Mg magnesium 12						19 F fluorine 9
39 K potassium 19	40 Ca calcium 20	45 Sc scandium 21	48 Ti titanium 22	51 V vanadium 23	52 Cr chromium 24	55 Mn manganese 25	56 Fe iron 26
85 Rb rubidium 37	88 Sr strontium 38	89 Y yttrium 39	91 Zr zirconium 40	93 Nb niobium 41	96 Mo molybdenum 42	[98] Tc technetium 43	101 Ru ruthenium 44
133 Cs caesium 55	137 Ba barium 56	139 La* lanthanum 57	178 Hf hafnium 72	181 Ta tantalum 73	184 W tungsten 74	186 Re rhenium 75	190 Os osmium 76
[223] Fr francium 87	[226] Ra radium 88	[227] Ac* actinium 89	[261] Rf rutherfordium 104	[262] Db dubnium 105	[266] Sg seaborgium 106	[264] Bh bohrium 107	[277] Hs hassium 108
							[272] Rg roentgenium 111
							[271] Ds darmstadtium 110
							[268] Mt meitnerium 109
							192 Ir iridium 77
							195 Pt platinum 78
							197 Au gold 79
							201 Hg mercury 80
							204 Tl thallium 81
							207 Pb lead 82
							209 Bi bismuth 83
							[209] Po polonium 84
							[210] At astatine 85
							[222] Rn radon 86
Elements with atomic numbers 112-116 have been reported but not fully authenticated							

1
H
hydrogen
1

relative atomic mass
atomic symbol
name
atomic (proton) number

* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.