



GCSE
COMBINED SCIENCE: TRILOGY
8464/B/1H

Biology Paper 1H

Mark scheme

June 2019

Version: 1.0 Final



Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Assessment Writer.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this mark scheme are available from aqa.org.uk

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement
- the Assessment Objectives, level of demand and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening and underlining

- 2.1** In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.
- 2.2** A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- 2.3** Alternative answers acceptable for a mark are indicated by the use of **or**. Different terms in the mark scheme are shown by a / ; e.g. allow smooth / free movement.
- 2.4** Any wording that is underlined is essential for the marking point to be awarded.

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error / contradiction negates each correct response. So, if the number of error / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution?

[1 mark]

Student	Response	Marks awarded
1	green, 5	0
2	red*, 5	1
3	red*, 8	0

Example 2: Name two planets in the solar system.

[2 marks]

Student	Response	Marks awarded
1	Neptune, Mars, Moon	1
2	Neptune, Sun, Mars, Moon	0

3.2 Use of chemical symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Marks should be awarded for each stage of the calculation completed correctly, as students are instructed to show their working. Full marks can, however, be given for a correct numerical answer, without any working shown.

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward is kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation ecf in the marking scheme.

3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.7 Brackets

(.....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.8 Allow

In the mark scheme additional information, 'allow' is used to indicate creditworthy alternative answers.

3.9 Ignore

Ignore is used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

3.10 Do not accept

Do **not** accept means that this is a wrong answer which, even if the correct answer is given as well, will still mean that the mark is not awarded.

4. Level of response marking instructions

Extended response questions are marked on level of response mark schemes.

- Level of response mark schemes are broken down into levels, each of which has a descriptor.
- The descriptor for the level shows the average performance for the level.
- There are two marks in each level.

Before you apply the mark scheme to a student's answer, read through the answer and annotate it (as instructed) to show the qualities that are being looked for. You can then apply the mark scheme.

Step 1: Determine a level

Start at the lowest level of the mark scheme and use it as a ladder to see whether the answer meets the descriptor for that level. The descriptor for the level indicates the different qualities that might be seen in the student's answer for that level. If it meets the lowest level then go to the next one and decide if it meets this level, and so on, until you have a match between the level descriptor and the answer.

When assigning a level you should look at the overall quality of the answer. Do **not** look to penalise small and specific parts of the answer where the student has not performed quite as well as the rest. If the answer covers different aspects of different levels of the mark scheme you should use a best fit approach for defining the level.

Use the variability of the response to help decide the mark within the level, ie if the response is predominantly level 2 with a small amount of level 3 material it would be placed in level 2 but be awarded a mark near the top of the level because of the level 3 content.

Step 2: Determine a mark

Once you have assigned a level you need to decide on the mark. The descriptors on how to allocate marks can help with this.

The exemplar materials used during standardisation will help. There will be an answer in the standardising materials which will correspond with each level of the mark scheme. This answer will have been awarded a mark by the Lead Examiner. You can compare the student's answer with the example to determine if it is the same standard, better or worse than the example. You can then use this to allocate a mark for the answer based on the Lead Examiner's mark on the example.

You may well need to read back through the answer as you apply the mark scheme to clarify points and assure yourself that the level and the mark are appropriate.

Indicative content in the mark scheme is provided as a guide for examiners. It is not intended to be exhaustive and you must credit other valid points. Students do **not** have to cover all of the points mentioned in the indicative content to reach the highest level of the mark scheme.

You should ignore any irrelevant points made. However, full marks can be awarded only if there are no incorrect statements that contradict a correct response.

An answer which contains nothing of relevance to the question must be awarded no marks.

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.1	B		1	AO2 4.2.2.2
01.2	right atrium		1	AO1 4.2.2.2
01.3	foxgloves		1	AO1 4.3.1.9
01.4	X = 2800 / 52 53.846153 54 (cm ³)	an answer of 54 (cm ³) scores 3 marks allow correct rounding of an incorrectly calculated value of stroke volume	1 1 1	AO2 4.2.2.2

Question	Answers	Mark	AO / Spec. Ref.
01.5	<p>Level 3: Relevant points (reasons / causes) are identified, given in detail and logically linked to form a clear account.</p>	5–6	AO3 4.2.2.2 4.2.2.4 4.4.2.1 4.4.2.2
	<p>Level 2: Relevant points (reasons / causes) are identified, and there are attempts at logical linking. The resulting account is not fully clear.</p>	3–4	AO2 AO1
	<p>Level 1: Points are identified and stated simply, but their relevance is not clear and there is no attempt at logical linking.</p>	1–2	AO1
	<p>No relevant content</p>	0	
	<p>Indicative content</p> <p>effect of exercise</p> <ul style="list-style-type: none"> • during exercise body needs to transfer (more) energy • energy transferred during respiration • rate of respiration increases during exercise • (so) more oxygen is needed <p>effect of beta blockers</p> <ul style="list-style-type: none"> • beta blockers reduce (the increase in) heart rate (during exercise) • beta blockers reduce stroke volume (or described) • beta blockers reduce cardiac output • (so) heart cannot supply oxygen fast enough / in sufficient quantity to muscle cells <p>effect on breathing rate</p> <ul style="list-style-type: none"> • breathing rate increases to increase rate / amount of oxygen absorbed • breathing rate increases to increase rate / amount of carbon dioxide removed from body • (but) increased breathing rate cannot fully compensate for changes in heart function <p>A level 3 response should make links between all three sections of indicative content</p> <p>A level 2 response should attempt to link effect of exercise with oxygen / energy requirement and beta blockers to effect on heart function.</p>		
Total		12	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.1	amylase	allow phonetic spelling allow carbohydrase ignore references to source of enzyme e.g. salivary / pancreatic do not accept amylose	1	AO1 4.2.2.1
02.2	(partially permeable tubing) small intestine (water in test tube) blood	allow stomach ignore intestine unqualified do not accept large intestine allow plasma	1 1	AO3 4.2.2.1
02.3	(Starch): Iodine (solution) (Sugar): Benedict's (solution)	allow phonetic spelling ignore iodide unqualified	1 1	AO1 4.2.2.1
02.4	enzyme had not started to work or none of the starch had been digested / broken down	allow idea of not enough time (for digestion)	1	AO2 4.2.2.1
02.5	(enzyme) digested / broke down starch to form sugar (however) not all the starch was digested / broken down		1 1	AO2 AO3 4.2.2.1
02.6	sugar molecules formed are small enough to pass through tubing (but) starch molecules too large (to pass through tubing)		1 1	AO3 4.2.2.1 AO2 4.2.2.1
Total			10	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.1	opened and closed the tap (so water enters from reservoir)	allow opened the tap (carefully / gently)	1	AO3 4.2.3.2
03.2	air bubble moves further (in a given time) (so) resolution is improved	allow air bubble moves faster allow it is easier to see a small change (in volume) ignore is easier to measure unqualified allow measurements are more accurate ignore to make test more accurate ignore references to precision or validity	1 1	AO3 4.2.3.2
03.3	$\frac{66}{5}$ or 13.2 (mm/min) 13.2 x 0.8 10.56 (mm ³ /min)	an answer of 10.56 (mm ³ /min) scores 3 marks allow tolerance of $\pm \frac{1}{2}$ square allow full marks from calculation from other correct pairs of readings allow value in range 13 to 13.4 for $\frac{66}{5}$ only ignore $\frac{63}{5}$ or 12.6 allow their calculated value in the range from 12 to 14 x 0.8 allow 10.6 or 11	1 1 1	AO2 4.2.3.2

03.4	points plotted correctly	allow +/- ½ a square allow 1 mark for 4/5 correct plots	2	AO2 4.2.3.2
	suitable line of best fit		1	
03.5	straight line starting at 0,0 with a steeper gradient than A		1	AO3 4.2.3.2
03.6	no photosynthesis	allow plants need light for photosynthesis	1	AO1
	(so) stomata closed (as no carbon dioxide needed)		1	AO2
	(so) no transpiration	allow very little transpiration or little water lost	1	AO2 4.2.3.2 4.4.1.2
Total			13	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.1	protist		1	AO1 4.3.1.5
04.2	any two methods with reason from: <ul style="list-style-type: none"> • Method: insecticides Reason: to kill mosquitos / vector • Method: (mosquito) nets Reason: to avoid being bitten • Method: insect repellents Reason: less likely to be bitten • Method: vaccination Reason: so people are immune (to malaria) • Method: anti-malaria tablets Reason: kills the pathogen / protist	1 mark for method and 1 mark for a correctly linked reason ignore kill insects unqualified allow long clothing ignore acts as a physical barrier allow DEET or named insect repellent allow named anti-malarial e.g. Larium / Malarone allow antibiotics allow ecf from 04.1 ignore kills malaria allow Method: drain swampy ground or remove pots of water or put oil on water / pond Reason: fewer breeding grounds for mosquitos allow Method: release GM / sterile mosquitos Reason: prevent / reduce reproduction if no other marks awarded allow 1 mark for kill mosquitos	4	AO1 4.3.1.1 4.3.1.5 4.3.1.7

<p>04.3</p>	<p>any two from: (bacterial cell):</p> <p>does not have a nucleus</p> <p>has plasmids</p> <p>is smaller</p>	<p>allow DNA is free in cytoplasm allow has a single loop of DNA allow has a single strand of DNA</p> <p>allow description, e.g. (small) ring(s) of DNA</p> <p>allow bacterial cells do not have mitochondria or do not have membrane bound organelles</p> <p>allow bacteria have smaller ribosomes</p> <p>ignore bacterial cells do not have chloroplasts</p>	<p>2</p>	<p>AO1 4.1.1.1</p>
<p>04.4</p>	<p>to allow air / oxygen in for bacteria to respire</p> <p>or</p> <p>so bacteria can respire aerobically</p>	<p>allow to allow carbon dioxide produced in respiration to escape</p>	<p>1</p>	<p>AO3 4.4.2.1</p>

04.5	(A) (no change in population size) because no / limited cell division / reproduction	allow (no change in population size) because bacteria / cells adjusting to environment / culture conditions ignore reference to growth unqualified	1	AO2 4.1.2.2 4.3.1.1 4.4.2.1 4.4.2.3
	(B) (rapid increase in population size) as cells dividing rapidly as (plentiful) supply of nutrients / food	allow rapid binary fission as (plentiful) supply of nutrients / food	1	
	(C) (population size stays the same) as rate of cell death equals rate of cell division		1	
	(D) (population size decreasing) as cells dying due to nutrients running out or (population size decreasing) as cells dying due to toxins / carbon dioxide / cell wastes building up (in solution)		1	

04.6		a ratio of 30 000:1 for X and 0.55:1 for Y scores 3 marks		4.1.3.1
	(SA: vol ratio of X =) $2.4 \times 10^{-7} : 8 \times 10^{-12}$ or 0.000 000 24 : 0.000 000 000 008	if no other calculation marks awarded allow 1 mark for calculation of SA for X and Y or calculation of volume for X and Y or calculation of SA and volume for one or both cubes if not given as a ratio	1	AO2
	(SA: vol ratio of Y =) 726:1331		1	AO2
	conversion to same scale: 30 000:1 and 0.55:1		1	AO2
	(so) diffusion distance is longer in multicellular organism or (so) volume supplied by each unit of surface area is greater in multicellular organism	allow converse allow converse allow idea that some cells will have no surfaces exposed to outside in multicellular organism	1	AO1
	(so) diffusion rate per unit volume is slower in a multicellular organism	allow converse	1	AO2
Total			17	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.1	$50 = \frac{43}{\text{size of real object}}$	an answer of 860 (μm) scores 4 marks	1	AO1 3xAO2 4.1.1.5
	(size of real object =) $\frac{43}{50}$		1	
	(size of real object =) 0.86 (mm)		1	
	(size of real object =) 860 (μm)	allow correct conversion of their calculated value	1	
		if no other marks awarded allow 1 mark for magnification = $\frac{\text{size of image}}{\text{size of real object}}$		

Question	Answers	Mark	AO / Spec. Ref.
05.2	Level 2: Scientifically relevant facts, events or processes are identified and given in detail to form an accurate account.	3–4	AO1 4.1.1.2
	Level 1: Facts, events or processes are identified and simply stated but their relevance is not clear.	1–2	AO1
	No relevant content	0	
	Indicative content <ul style="list-style-type: none"> • place slide on stage • use lowest power / $\times 4$ objective lens (initially) • adjust mirror or switch light on so light passes through slide • move stage as close to lens as possible • slide must not touch lens • turn focussing knob so slide moves away from lens • turn focussing knob until image comes into focus • use fine focus to get clear image • change objective lens to $\times 10$ • $\times 5$ eyepiece and $\times 10$ objective lenses (gives total magnification of $\times 50$) • refocus slide using focussing knob <p>For Level 2 reference to how to focus the slide / cells and achieve magnification of $\times 50$ is required</p>		

<p>05.3</p>	<p>any three from:</p> <ul style="list-style-type: none"> • (rate) fastest in the first 0.5 hours • (rate gradually) decreases after first 0.5 hours or (rate gradually) decreases throughout the investigation • rate is constant between 1.0 and 2.0 hours or rate is constant between 2.0 and 3.5 hours • (rate) becomes zero between 3.0 and 3.5 hours 	<p>allow 'it' for rate</p> <p>allow fastest rate is 120 units per hour (at start)</p> <p>allow mean rate over 3.5 hours is 37.14 units per hour</p> <p>allow (rate) is zero after 3.5 hours</p>	<p>3</p>	<p>AO3 4.1.3.3 4.2.3.2</p>
<p>05.4</p>	<p>more nitrate ions are absorbed in the presence of oxygen</p> <p>(which suggests) they are absorbed by active transport / uptake</p> <p>which requires energy from respiration</p> <p>some nitrate ions absorbed by diffusion or some nitrate ions absorbed (by active transport / uptake) requiring energy from anaerobic respiration or some nitrate ions absorbed by active transport / uptake using oxygen already dissolved in the solution</p>	<p>allow nitrate ions absorbed faster in the presence of oxygen</p> <p>do not accept energy produced / created / made</p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p>	<p>AO3</p> <p>AO2</p> <p>AO1</p> <p>AO2 4.1.3.3 4.2.3.2</p>

05.5	nitrate ions are used with glucose		1	AO1 4.4.1.3 4.4.2.3
	to form amino acids		1	
	(which are) used to synthesise proteins (needed for growth)		1	
Total			18	