

Please write clearly in	า block capitals.
Centre number	Candidate number
Surname	
Forename(s)	
Candidate signature	I declare this is my own work.

GCSE COMBINED SCIENCE: SYNERGY



Higher Tier Paper 1 Life and Environmental Sciences

Tuesday 16 May 2023 Morning Time allowed: 1 hour 45 minutes

Materials

For this paper you must have:

- a ruler
- a protractor
- a scientific calculator
- the periodic table (enclosed)
- the Physics Equations Sheet (enclosed).

Instructions

- Use black ink or black ball-point pen.
- Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

Information

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Exam	iner's Use
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
9	
TOTAL	



This question is about the blood and the circulatory system.

O 1 • 1 Give the functions of red blood cells, white blood cells and platelets.

[3 marks]


Red blood cells

White blood cells

Platelets

Figure 1 shows a human heart.

Figure 1





0 1.2	Draw one arrow on Figure 1 to show the movement of the blood between the left atrium and the left ventricle.	[1 mark]
0 1.3	Which blood vessel carries blood from the lungs into the heart? Tick (✓) one box. B C D	[1 mark]
0 1.4	Which blood vessel is the aorta? Tick (✓) one box. A	[1 mark]
0 1.5	What structures prevent blood flowing in the wrong direction through the he	eart? [1 mark]
	Question 1 continues on the next page	



0 1.6	Heart muscle cells obtain oxygen from the blood.	
	Which blood vessels exchange oxygen with heart muscle cells? [1 mark]	
	Tick (✓) one box.	
	Arteries	
	Capillaries	
	Veins	
0 1.7	Heart rate is controlled by a group of cells called the pacemaker.	
	Where is the pacemaker in the heart? [1 mark]	
	Tick (✓) one box.	
	Left atrium	
	Left ventricle	
	Right atrium	
	Right ventricle	



	Carbon monoxide is a toxic gas.
0 1 . 8	Explain why an increase of carbon monoxide in the air increases heart rate. [3 marks]
0 1 . 9	A person was exposed to carbon monoxide in the air for 1 hour.
	During the hour the person's heart rate increased from 80 beats per minute to 130 beats per minute.
	Calculate the percentage increase in heart rate.
	Use the equation:
	percentage increase = $\frac{\text{final heart rate} - \text{starting heart rate}}{\text{starting heart rate}} \times 100$
	[2 marks]
	Percentage increase = %



0 2	A species of grass has the binomial name Lolium perenne.	
0 2 . 1	What is the genus of the grass?	[1 mark]
	Grass leaves look green because of a green pigment found in chloroplasts.	
0 2 . 2	Name the green pigment found in chloroplasts.	[1 mark]
0 2.3	Which mineral ion is found in the green pigment in chloroplasts? $\label{eq:time_continuous} \text{Tick } (\checkmark) \text{ one box.}$	[1 mark]
	Magnesium ion	
	Nitrate ion	
	Sodium ion	



An area of grass changed colour after being covered by a tent.

The colour of the grass changed from green to yellow.

Figure 2 shows the area of green grass and the area of yellow grass.

Figure 2



Question 2 continues on the next page




A student used paper chromatography to investigate the pigments in grass leaves from:

- the area of green grass
- the area of yellow grass.

Figure 3 shows the results.

Figure 3






0 2 . 4	The student crushed the grass leaves.	
	Describe a method to separate the pigments in the crushed grass leaves using paper chromatography.	[6 marks]
	Question 2 continues on the next page	



Figure 3 is repeated below.

Figure 3






0 2 . 5	Determine the $R_{\rm f}$ value of the pigment that is found in green grass leaves but ${f not}$ found in yellow grass leaves.
	Use the equation:
	$R_f = \frac{\text{distance moved by pigment}}{\text{distance moved by solvent}}$
	Use Figure 3. [4 marks]
	R _f =
0 2 . 6	There are fewer pigments in the yellow grass leaves than in the green grass leaves.
	Suggest one reason why. [1 mark]



0 3 Figure 4 shows part of the water cycle.

Figure 4



0	3		1	Name processes	Α	and B	shown	on	Figure	4.
U	5	•	1	name processes	A	and b	Snown	OH	rigure	4.

[2 marks]

Α	

В _____

0	3	-	2	Water that is safe to drink is called potable water

Give **two** methods used to sterilise potable water.

[2 marks]

1

2




	Explain why it is more expensive to produce potable water from sea water river water.	
		[2 marks]
	Wests water must be treated to produce notable water	
	Waste water must be treated to produce potable water.	
3 . 4	Waste water from fields where crops are growing may contain chemicals.	
	Suggest two types of chemical from fields where crops are growing that m	ust be
	removed from waste water.	[2 marks]
	1	-
	2	
3 . 5	One step in sewage treatment is sedimentation to produce sewage sludge and effluent.	
	What further treatment is used on the sewage sludge and on the effluent?	[2 marks]
		-
	Sewage sludge	
	Effluent	



0 4 Figure 5 shows a light microscope.

Figure 5



0 4 . 1 A student was given a prepared slide of cells.


high power objective lens.	[4 marks]

Describe how the microscope in Figure 5 could be used to view the cells with the



0 4 . 2	Light microscopes are not used to view viruses.	box
	What are two reasons why electron microscopes are used to view viruses? [2 marks]	
	Tick (✓) two boxes.	
	Electron microscopes are expensive to maintain	
	Electron microscopes can have a magnification of ×1 000 000	
	Electron microscopes have a high resolving power	
	Viruses are not living organisms	
	Viruses are found and are replicated inside living cells	
0 4 . 3	Plant species Q is not resistant to one type of virus.	
	Explain how the process of natural selection could result in all plants of species Q having resistance to the virus.	
	[4 marks]	
		10







0 5	Earwax is produced by specialised skin cells in the ear.
0 5 . 1	Suggest one advantage of producing earwax. [1 mark]
	People produce either wet earwax or dry earwax.
	The type of earwax people have is determined by one gene.
0 5.2	Define the term 'gene'. [2 marks]
	Question 5 continues on the next page





Scientists studied the type of earwax produced by a large number of parents and their offspring.

Table 1 shows the type of earwax of the parents and the number of offspring with each type of earwax.

Table 1

Phenotype	of parents	Number of offspring with		
parent 1	parent 2	wet earwax	dry earwax	
dry earwax	dry earwax	0	634	
wet earwax	dry earwax	205	195	
wet earwax	wet earwax	35	12	

0 5 . 3	The allele for wet earwax is dominant.
	Give the evidence from Table 1 that shows the allele for wet earwax is dominant. [1 mark]



		outs
0 5.4	Consider the offspring born when one parent has wet earwax and one parent has dry earwax.	
	Explain the number of offspring with each type of earwax born to these parents.	
	Assume the parent with wet earwax is heterozygous.	
	Use Table 1.	
	You should:	
	draw a Punnett square diagram	
	identify each offspring phenotype	
	 explain the number of each type of offspring shown in Table 1. 	
	Use the symbols:	
	E = allele for wet earwax	
	e = allele for dry earwax [5 marks]	
	Explanation	
		-



0 6	Carbon-12 $\binom{12}{6}$ C) and carbon-14 $\binom{14}{6}$ C) are isotopes of carbon.
	Carbon-14 is radioactive.
0 6 . 1	How are the numbers and type of sub-atomic particles in carbon-14 different from the sub-atomic particles in carbon-12? [1 mark]
0 6 . 2	Carbon-14 is formed in the atmosphere.
	Carbon-14 reacts with oxygen to produce carbon dioxide.
	Evalois why enimal tingues contain carbon 14
	Explain why animal tissues contain carbon-14
	[5 marks]



0 6 3 Carbon-14 emits beta radiation.

Complete the nuclear equation to show the radioactive decay of carbon-14

Use the periodic table.

[3 marks]

$$^{14}_{6}$$
C \longrightarrow $_{-}$ e + $_{-}$

Question 6 continues on the next page



	In 1991 the frozen remains of a human body were found in a glacier. The carbon-14 in the body was used to determine the age of the body. The body was 5400 years old.	
0 6 4	Explain why the body tissues had not decayed completely.	[2 marks]
0 6.5	The amount of carbon-14 in the body had decreased by 47%. What is the half-life of carbon-14? Tick (✓) one box.	[1 mark]
	< 5400 years = 5400 years > 5400 years	



15

0 6 . 6	A student made a statement about a sample of a different radioactive substance.	
	The student stated:	
	'If the half-life of the radioactive substance is 30 years, a sample of the substance will not be radioactive after 60 years.'	
	Explain why the student's statement is not correct. [3 marks]	


Turn over for the next question



0 7 Figure 6 shows an electric heater.

This type of heater is filled with a liquid.

Figure 6



0	7		1	The heater	contained 5	5.0	kg	of water.
---	---	--	---	------------	-------------	-----	----	-----------

When the heater was switched on, the temperature of the water in the heater increased to 75 °C.

The change in thermal energy of the water was 1260 kJ.

specific heat capacity of water = 4200 J/kg°C

Calculate the starting temperature of the water in the heater.

Use the Physics equations sheet.

Starting temperature = _____ °C



[5 marks]

0 7.2	An identical heater contains 5.0 kg of oil instead of 5.0 kg of water.
	specific heat capacity of oil = 1970 J/kg °C
	specific heat capacity of water = 4200 J/kg °C
	Explain the difference in the energy needed to cause the same temperature change in the oil and in the water. [2 marks]

Question 7 continues on the next page



0 7 . 3 Gas heaters may be used to heat gardens.

The gas is stored in a container with a fixed volume.

Figure 7 shows a gas heater.

Figure 7



On a sunny day the burner is **not** lit.

The temperature of the gas in the container increases.

Explain why the pressure inside the container changes.	[3 marks]



10

0 8	Xylem tissue and phloem tissue are found in plants.	
	Compare the structure and function of xylem tissue and phloem tissue.	[6 marks]

Turn over for the next question



0	9

A student investigated the effect of surface area to volume ratio on diffusion.

The student used gel cubes with different surface area to volume ratios.

- The cubes contained indicator and an alkaline solution.
- The indicator was pink at the start of the investigation because the cubes were alkaline.
- As acid diffused into the cubes the indicator changed from pink to colourless.
- If acid had not diffused to the centre of the cube some of the cube would not have changed colour.

This is the method used.

- 1. Make a gel containing indicator and an alkaline solution.
- 2. Cut the gel into a cube with 1 cm long sides.
- 3. Place the cube in a beaker.
- 4. Cover the cube with acid.
- 5. After 5 minutes, remove the cube from the acid.
- 6. Cut the cube in half.
- 7. Measure the width of the area inside the cube that did **not** change colour.
- 8. Calculate the volume at the centre of the cube that did **not** change colour.
- 9. Repeat steps 3 to 8 with cubes of different sizes.

0 9 . 1	Give two control variables the student should have used.	
	Do not refer to time in your answer.	[2 marks]
	1	
	2	



The student calculated the percentage of the volume of each cube that had changed colour.

Table 2 shows the results.

Table 2

Length of sides of cube in cm	Volume of cube that had NOT changed colour in cm ³	Percentage (%) of volume of cube that had changed colour
1	0	100
2	1	88
3	8	70
4	27	x


0 9 . 2	Calculate percentage X in Table 2 .	[4 marks]
	Percentage X =	%

Question 9 continues on next page



	The different sized cubes are a model for organisms of different sizes.	outs
0 9.3	Explain why surface area to volume ratio is important to organisms of different sizes. [4 marks]	
0 9.4	Give two limitations of using cubes to model diffusion in organisms. [2 marks]	
	1	
	2	1
	END OF QUESTIONS	







Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



There are no questions printed on this page DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2023 AQA and its licensors. All rights reserved.





Do not write outside the box