

GCSE

Design and Technology: Resistant Materials

Unit A565: Sustainability and technical aspects of designing and making

General Certificate of Secondary Education

Mark Scheme for June 2015

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2015

Question	Expected Answers	Marks	Rationale	
1	(b) Pine		No other response is acceptable or possible	
2	(c) Geothermal	[1]	No other response is acceptable or possible	
3	(d) User	[1]	No other response is acceptable or possible	
4	(a) Raw material extraction	[1]	No other response is acceptable or possible	
5	(b) Softwood	[1]	No other response is acceptable or possible	
6	Recycling/recyclable/recycle symbol	[1]	No other response is acceptable or possible	
7	Rethink	[1]	No other response is acceptable or possible	
8	Health Safety		Both words must be present for award	
9	Carbon footprint/eco(logical) footprint		No other response is acceptable or possible. Carbon emissions/dioxide or pollution are not acceptable, as they do not measure anything	
10	Globalisation	[1]	No other response is acceptable or possible Do not accept : global	
11	False	[1]	No other response is acceptable or possible	
12	True	[1]	No other response is acceptable or possible	
13	True	[1]	No other response is acceptable or possible	
14	False	[1]	No other response is acceptable or possible	
15	False	[1]	No other response is acceptable or possible	
	Total	[15]		

Question	Expected Answers	Marks	Rationale
16 (a)	 Reuses scrap/old components(1) which would take energy to recycle/melt down(1) Reuses scrap components(1) so new resources needed(1) Clock mechanism does not use batteries/electrical power(1), so batteries not discarded(1) Components not specifically made for the clock(1), thus saving time and energy(1) Uses up bits of bike left over after upgrading(1) so they don't go to waste/landfill(1) Uses very little energy to make(1) and even less when working(1) Needs few bought components(1) which use little energy to make(1) Two reasons + explanations for each 2 x 2 	[4]	Do not accept: references to cost, recycling (unless qualified), doesn't give off harmful gases, components being re-used Accept: same clock feature but different justifications for 4 marks
(b)	Secondary recycling Reuses waste/scrap/unwanted bits from one product for a different purpose (1), for example the clock uses parts of a bike for the face, etc.(1), Maintenance Doing what is necessary to ensure the clock continues to work properly/accurately(1) for example lubricating mechanism/ changing battery/cleaning/setting time.(1)		e.g. the parts from a bicycle have been taken apart and have been put back together differently(1) to make a new product – the clock (1) Do not accept: references to repairing / fixing clock (a 6R)
	Life cycle analysis Assesses environmental aspects and potential impact associated with a product's life from cradle to grave(1), referencing ANY stage of LCA of the clock/bike (1) e.g. bike parts are reused rather than scrapped or reprocessed so saving energy/ materials.		Do not accept references to longevity of device.
	Three definitions + reference to the clock 3 x 2	[6]	

Question	Expected Answers	Marks	Rationale
(c)	 1. Does it hold the clock in position(1) 2. Is it stable(1) 3. Does it match the theme – does it contain reused/recycled/sustainable materials(1) (no need to look for fixings) 4. Freestanding (allows pendulum to swing) (1) Picture shows part of a typical response Sketches but no notes – 3 marks max Notes but no sketches – 3 marks max 	[4]	Do not accept: alternative methods of hanging clock from wall

Question	Expected Answers	Marks	Rationale
(d)	 This question is about <i>packaging and transporting completed products, NOT about kits, flat-packs, self-assembly, energy of manufacture, or general pollution from transportation. Do not accept any discussion point UNLESS referenced specifically to the assembled product(s)</i> Answers may concentrate upon the advantages of buying completed items or the negative aspects of transporting large volumes of packaging and air. Some points which may arise could be: Product needs more packaging/cushioning than a kit would need Packages will probably be bigger than a kit would need Large packages more wasteful when disposed of Large packages tend to be stronger, so may be able to be re-used Vehicles will need to be bigger to transport the same number of completed products as kit products Larger vehicles weigh more than small ones, even when carrying lightweight items, so use more fuel Labour will be employed to make the finished product, which will help lifestyle of inhabitants of LEDCs Product more likely to be complete, so no loss of component parts in transit 		Level 3 (5-6 marks) In-depth discussion showing good under- standing of packaging and/or transportation issues. Good emphasis on aspects of energy conservation and/or waste. Specialist terms will be used appropriately and correctly. Answers will be clear and presented in a structured format. The candidate will demonstrate the accurate use of grammar, punctuation and spelling Level 2 (3-4 marks) Adequate discussion showing understanding of packaging and/or transportation issues. Emphasis will be found on aspects of energy conservation or waste. There will be some use of specialist terms. Answers will be clea and presented in a mainly structured format. There will be occasional errors of grammar, punctuation and spelling. Level 1 (1-2 marks) Basic discussion showing little under- standing of packaging or transportation
	 READ the full response and judge this in terms of the LEVEL of response (1, 2 or 3). THEN consider the quality of the "technical" content within that level to determine the final mark. IT IS POSSIBLE that the initial assessment of level will have to be modified if the content is poor or non-existent; e.g. if the candidate has written a good set of arguments (possible Level 3), but they relate to recycling not reusing (max. Level 1) Bullet points/lists do not constitute a discussion, and can only be awarded Level 1 (max. 2 marks) 	[6]	issues. Little emphasis will be found on aspects of energy conservation or waste. Discussion centres upon pollution/ greenhouse gas, without reference to the siz of packaging. There will be little or no use of specialist terms. Answers will be ambiguous and disorganised and there will be intrusive errors of spelling, grammar and punctuation. 0 marks Discussion wholly outside the topic , not worthy of a mark
	Total Total for this Section	[20] [35]	

C) uesti	ion	Answer	Mark	Guidance
17	(a)		Accept any of the following: Strong for its thickness/weight, strong in all directions, rigid, durable, long-lasting, hardwearing, heavy, smooth, can be bent to shape, weather/water resistant, tough	1	Do not accept answers relating to cost or environmental issues;; strong unless qualified; flexible; bendy
17 (b) (i)		(i)	 Soaking in (hot) water(1) and then clamp around a former/jig/mould(1) Kerf/cut evenly spaced slits or grooves in one side of the wood(1) then clamp onto formed sides/around a former/jig/mould(1) Steaming/place wood in a chest filled with steam(1) then clamp around a former/jig/ mould(1) Laminating/building up thin sheets of plywood (1) then clamp around a former/jig/ mould(1) Bend round a mould/clamp/nail/glue/weighting in place = 1 mark only Each process: name + description = 1 + 1 	2	Do not accept: dry heat
		(ii)	Mild/stainless steel, aluminium; GRP, carbon fibre	1	Do not accept: "steel" on its own
17	(c)		Anthropometric – (average) size of people's hands/arm length/height of hand above the ground(1) used to determine height of the hole(1) so you don't need to bend down too far(1) used to determine size of the hole(1) so your carrying hand will fit in the hole(1) Data (1) + reason (1)	2	Do not accept : any reference to other body parts
17	(d)	(i)	Lap/rebate/rabbet/half lap	1	Do not accept: (half) butt
.,					
		(ii)	9 ± 1(mm)	1	Don't need "mm" for the mark

Mark Scheme

C	Question		Answer	Mark Guidance	
	(e)	(i)		1	This is the only correct answer
		(ii)	Less likely to rust/will not rust/will last longer/durable; non-corrodible/(non-corrosi BOD); aesthetics; does not mark wood	ve 1	Do not accept : strong, unless qualified; Accept : stronger (comparison is implied in the question)
	(f)		Marking the hole position: pencil /steel ruler/ tri square/tape measure/marking auge/bradawl Making the pilot hole: pillar/hand/electric/cordless drill, drill bit Closing / tightening the joint: screwdriver, carpenters brace & bit, cordless driver		
17	(g)		Nanotechnology	1	This is the only correct answer
			Total 7	15	•

Q	uesti	on		Answer	Mark	Guidance
18	(a)	(i)	Washer / plain washer		1	This is the only correct answer.
18		(ii)	Butterfly nut / Wingnut		1	This is the only correct answer.
18	(b)		So that it can be adjuste spanner	ed/tightened up by hand/fingers/without use of a	1	Do not accept: easier/quicker/better grip
18	(c)		Process Cutting out the shape Smoothing the edges Bending into shape	Tool / item of equipment Hacksaw / junior hacksaw / shears / guillotine / jig saw / abrafile File Vice / metal folder / bending irons / folding bars / press (mould) / jig / hammer /mallet / former / anvil / clamp	1 1 1	Do not accept : laser cutter, bandsaw, coping saw Do not accept :, grinder, abrasive papers, emery cloth, sander
	(d)		Mark out position of the hole Drill hole Saw/chisel out corners of round hole File inside the hole Any three steps 3 x 1		1 3	Accept: steps out of sequence Do not accept; wood cutting saw (tenon/panel/ coping/dovetail)/sandpaper

Question	Answer	Marks	Guidance
Question 18 (e*)	Answer Key points to be explained: Advantages of CAM/CNC: • Increased accuracy of finished product • Can produce lots of identical products in quantity • Quicker to manufacture • No workshop skills needed • Modifications can be made easily Disadvantages: • Can be difficult to program correctly • Specialist staff needed to use equipment • More room needed to house the equipment • Need power to run (cannot work in powercut) 1. READ the full response and judge this in terms of the LEVEL of response (1, 2 or 3). 2. THEN consider the quality of the "technical" content within that level to determine the final mark. 3. IT IS POSSIBLE that the initial assessment of level will have to be modified if the content is poor or non-existent; e.g. if the candidate has written a good set of arguments (possible Level 3), but they relate to recycling not reusing	Marks	GuidanceLevel 3 (5-6 marks)Thorough discussion, showing clear understanding of the advantages and disadvantages of using CAM/CNC compared to traditional hand methods. Can provide clear examples of issues with examples. Specialist terms will be used
	(max. Level 1) Bullet points/lists do not constitute a discussion, and can only be awarded Level 1 (max. 2 marks)	6	 specialist terms. Answers may be ambiguous or disorganised or 'list like'. Errors of grammar, punctuation and spelling may be intrusive. 0 marks No response worthy of credit
	Total	15	

Question	Answer	Marks	Guidance
19 (a)		1	This is the only correct answer
(b)	Tensol cement, Superglue, Araldite, (liquid) solvent cement, contact/impact adhesive, epoxy resin, acrylic cement	1	Award 1 mark for any of the answers opposite. Do not accept hot glue gun, PVA, double-sided tape, plastic glue/cement, solvent
(C)	Modification/additions to the bottom of the acrylic upstand OR top of base (1)		e.g. tenon on end of upstand OR mortice in base
	Additional method of fixing upstand to base/support to receive bottom edge of upstand (1) e.g. dowels/pegs/screws/epoxy resin		Do not accept: nails/pins
	Annotations giving additional details of tools/equipment/fixings/sizes (1)		
	Any 3 points 3 x 1	3	
(d) i	Router, (disk/detail) sander, sanding machine, milling machine, bandsaw, belt/band sander, linisher	1	
	Plane, file, sand/glass paper, chisel	1	Do not accept: saw

Question	Answer	Marks	Guidance
(e)	Rub/sand down surface with medium abrasive paper Rub/sand down surface with fine/wet and dry abrasive paper until smooth Clean surface/ wipe off dust, dirt Apply sanding sealer/dilute PVA Apply a primer Any two relevant points	2	Abrasive paper: glass/sand paper; flour paper; garnet paper; wet and dry
19 (f)	 a) Does it hold six trophies (need indication of size or proportions or drawing of 6 trophies for this mark) b) Is it wall mountable (mirror plates or screw holes through back, keyhole plate or other practical method) c) Does it have a clear indication of a working lock d) Does it allow trophies to be viewed from at least 2 sides e) Are there details of materials AND/OR details of methods of construction other than glass/clear plastic used in (d) above, e.g. hinges Award one mark for each correct response x 6 	6	Do not accept: details of wall fixing (nails/ raw plug). Clear and effective method of locking the cabinet. Glass/acrylic on at least 2 sides. Up to 2 marks for the details of materials and methods of construction given.
	Total	15	
	Total for this section	45	
	Total for paper	80	

OCR (Oxford Cambridge and RSA Examinations) 1 Hills Road Cambridge CB1 2EU

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998 Facsimile: 01223 552627 Email: <u>general.gualifications@ocr.org.uk</u>

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations is a Company Limited by Guarantee Registered in England Registered Office; 1 Hills Road, Cambridge, CB1 2EU Registered Company Number: 3484466 OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations) Head office Telephone: 01223 552552 Facsimile: 01223 552553



