



**General Certificate of Secondary Education
June 2012**

Engineering (Double Award) 48501

(Specification 4850)

Unit 1: Written Paper

Final

Mark Scheme

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all examiners participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for standardisation each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, examiners encounter unusual answers which have not been raised they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available from: aqa.org.uk

Copyright © 2012 AQA and its licensors. All rights reserved.

Copyright

AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

SECTION A

1. An electric guitar requires a sound system to function correctly.
Figure 1 shows the circuit diagram of an amplifier.

(a) In the spaces below correctly identify each labelled component.

A	Transistor	(1)
B	Resistor	(1)
C	Speaker	(1)
D	Capacitor	(1)

4 marks

- 1(b) (i) Explain why the neck of a guitar has to withstand compression,

Answers such as:

- A compressive force tries to crush an object.
- Forces act from the outside pushing inwards
- The tension in the strings

1 mark for a simple or partly correct answer. 2 marks for a full answer, or 2 good points.

2 marks

- 1(b) (ii) Strings have to withstand tension, explain what is meant by tension.

- A tensile force attempts to **pull** an object apart.
- The strings must tighten without stretching or snapping
- How **tight** the strings are.

1 mark for a simple or partly correct answer. 2 marks for a full answer, or 2 good points.

2 marks

- 1(c) Explain how a machine head on a guitar works.

- A system of gears which turn motion through 90 degrees.
- A worm and wheel system which only allows input rotation.
- A correct description of the operation of a machine head.

1 mark for a simple or partly correct answer. 2 marks for a full answer, or 2 good points.

2 marks

1 (d) In the spaces below identify three pieces of information a designer would need from a client to be able to produce a design for a guitar stand.

One mark per information point such as:

Preferred :-

- Construction material
- Finish
- Colour
- Non scratch covering material
- Price range
- Size – allow wide
- Storage capacity
- Situation of proposed stand

3 marks

1(e) Using the three points identified in part 1(d), add relevant details to produce an initial specification statement for a guitar stand.

Full marks for answers comprising information such as:

- development of client information.
- clear intentions stated.
- inclusion of further relevant detail

[for each numbered specification point 2 marks up to max]

6 marks

1(f) Describe **and** explain the role that modern technology has played in the development of electronic equipment such as amplifiers and sound systems

Up to 3 marks available for technical content from points such as:

- reliability or quality improved
- size of electronic equipment reduced.
- mobility of equipment greatly improved.
- advances in technology have created much more robust equipment.
- valves replaced by transistors
- wireless connection / transmission e.g. Bluetooth Technology etc.
- cost reduction
- use of CAD to design circuits
- use of ICT to test electronic circuits.

[1 mark per point max 3]

Plus

Up to 3 marks available for command of English.

- Some attempt made (1)
- Logical structured answer, possibly some punctuation and grammar inaccuracies. (2)
- Technically correct and well punctuated in good flowing English. (3)

6 marks

[Total 25 marks]

2. Using the notes and sketches describe how a guitar string is attached to the body of the guitar **and** how the string's vibrations are transmitted.

Attachment sketches and notes indicating features such as:

- knots used on Spanish guitars
 - bridge pins and grommets
 - end plugs that wedge into place through holes in the body of an electric guitar.
- (5)
-

transmission sketches and notes indicating features such as:

- electronic pick-ups under the strings
- vibration sensors
- vibrations boosted by amplifier
- use of resonance in classic guitar body.

(5)

Marks for information in notes 5

Marks for information in sketches 5

10 marks

3. Shown below are a two electric guitars. Study **Figure 2** then answer the questions which follow.

3 (a) (i) Explain why the body shape of electric guitars can differ so much.

Answers such as:

- Electronic guitar body does not need to be hollow so can be much thinner and can be of almost any shape.
 - Sound is produced electronically so the body shape and structure is technically immaterial.
 - looks aesthetics
 - fitting of components.
- (1)

2 marks

3 (a) (ii) Identify a material suitable for making the body of an electric guitar.

Answers such as:

- MDF / Plywood
- Solid natural timbers (include wood)
- Plastics [specific type required e. g. Acrylic]
- Metals [specific type required e. g. Stainless Steel].

1 mark

3 a) (iii) Identify **and** describe a suitable industrial method of producing the body shape for a mass produced electric guitar.

Method.... Any suitable CNC, automated or semi-automated cutting process or machine.

such as:

- Allow CNC/CAM
- Router
- Profiler
- Miller
- Laser
- Band Saw
- Injection mould

(1)

Description of process covering points such as:

- communication of design to machine
- how material is held in place while being cut
- use of x and y axes on cutting machine
- use of patterns or jigs

(4)

5 marks

- 3(b) Identify a decorative surface finish **other than polishing**, which can be applied to metal surfaces **and** describe in detail how such a finish could be achieved.

I mark for a surface finish such as:

- engine or mill turned.
- wire brushing or satin finish
- plating
- painting
- lacquering
- powder and dip coating

(1)

Description of stages such as:

- Identify equipment required for chosen process
- Application of chosen finish

[1 mark per relevant point up to max 3]

(3)

4 marks

4. **Figure 3** below shows the parts of a stainless steel tremolo lever for an electric guitar.

- 4 (a) Use the information supplied in figures 3 and 4 to complete the Front elevation in figure 4 to an appropriate standard.

- 4 (a) (i) Complete the front elevation as a sectioned view of the brass knob shown on AA.

- Show cross hatching (1)
- Leave hole area un-hatched (1)
- Screw thread convention (1)
- Show centre-line (1)

4 marks

- 4 (a) (ii) add one accurate linear dimension;

- Dimension correct [can only be 15 mm or 4 mm] (1)
- Correct use of dimension standards (1)

2 marks

4(b) In the table below, create a Production Plan listing five major operations needed to complete the tremolo lever to the required specification. Some parts have been done for you; select the others from the list given beneath the table by inserting the identification letter (A to J) in the appropriate box.

- Accept words and/or letters as correct.

Order	Operation	Tools and Equipment	Description of task carried out.
1	Material Preparation	F	B
2	Turning	D	J
3	Threading	I	G
4	Bending	A	C
5	Polishing	H	E

Accept words and/or letters as correct.

Use the information below to complete the production plan.

Bending jig: **A**

Hack saw: **F**

Buffing wheel and abrasives: **H**

Position and form 25 degree angle in tremolo lever: **C**

Cut 6mm stainless steel bar to length: **B**

Produce a high quality shining surface on the lever: **E**

Cut an M4 thread on one end of the machined stainless steel bar to fit the knob supplied: **G**

Reduce stainless steel bar to 4 mm diameter for a distance of 15 mm at each end: **J**

Die and Die Stock: **I**

Lathe: **D**

1 mark for each correct answer

10 marks

5. Identify two potential health and safety hazards linked to using a centre lathe **and** explain how they can be avoided.

Select two from **hazards** such as:

- nips / traps and crushes
- sharp objects
- rotation
- irritants
- flying debris
- leaving the chuck key in

(2)

Two **explanations** such as:

- problems can occur, where good working practice is not observed and inattention or carelessness takes place.
- machines have moving parts, wearing the correct PPE can help minimise the risks involved in using them.
- materials can have dermatological effects use of barrier creams and basic hygiene e.g. hand washing.
- eye damage is always a possibility use of appropriate eyewear and guards where fitted, should be mandatory.

(4)

6 marks

6. A standard mains electrical plug is shown below.

The inner wires have become twisted.

6(a) Identify the danger **and** explain in detail how the hazard should have been avoided.

Danger Select from answers such as:

- Short circuit inside the plug
- Earth connection may not be in place
- Fire hazard
- Poor storage

(1)

Explanation Select from answers such as:

- the outer casing of the cable should have been securely anchored inside the plug using the built in clamp.
- regular maintenance checks should identify such problems and take the unit out of use until rectified.
- operative should check equipment personally before use
- PAT

(2)

6(b) The outer casing of the cable has been damaged and wrapped with tape.

Identify **two** possible dangers this repair could cause.

Possible dangers... Select from answers such as:

- weakened cable may overheat causing insulation to melt and produce a short circuit.
- tape may not be up to the task causing a direct hazard to the user.
[Electric shock]
- using / providing equipment thus repaired contravenes HASAW act.

(2)

How could this cable be safely re-used

Give an answer such as:

- cut away damaged area of cable and correctly fit a new plug. (1)

6 Marks

UMS conversion calculator www.aqa.org.uk/umsconversion