Write your name here		
Surname	Other nam	nes
Pearson	Centre Number	Candidate Number
Edexcel GCSE		
Manufacturing (
Engineering (Do	uble Award)	
Unit 3: Application of Te and Manufacturing Paper F: Mechanical/Au		ing
Wednesday 24 May 2017		Paper Reference
Time: 1 hour 30 minute:	s	5EM03/3F
You must have: Notes and sketches collected Ruler, pen, pencil, rubber.	during your pre-release res	Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.

Information

- The total mark for this paper is 110.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.
- Questions labelled with an asterisk (*) are ones where the quality of your written communication will be assessed
 - you should take particular care on these questions with your spelling, punctuation and grammar, as well as the clarity of expression.

Advice

- Read each question carefully before you start to answer it.
- Keep an eye on the time.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶



P48663A
©2017 Pearson Education Ltd.
1/1/1/e2



SECTION A

Answer ALL questions.

Some questions must be answered with a cross in a box \boxtimes . If you change your mind about an answer, put a line through the box \boxtimes and then mark your new answer with a cross \boxtimes .

- 1 All of the products listed below belong to a manufacturing sector.
 - (a) Put a cross in the **two** boxes below where the products belong to the **mechanical** sector.

(2)

Products	Put a cross in two boxes below
Metal hinge	
Tea towel	×
Soldering iron	×
Tea cake	
Ring binder	×
Machine vice	

(b) Put a cross in the **two** boxes below where the products belong to the **automotive** sector.

(2)

Products	Put a cross in two boxes below
Clutch	
Train ticket	
Moisturiser	
Rear axle	
Tank cutter	
Endoscope	

(Total for Question 1 = 4 marks)

- **2** The tables below show some components and tools used during the manufacture of mechanical/automotive products.
 - (a) Complete Table 1 by naming each component.

(2)

Component	Component name	Use
		A fixing that is used to secure two components together by passing through a hole in one component and into a female thread on the other component.
		Used to transfer and reverse directional rotary motion from one shaft to another, may change the speed.

Table 1

(b) Complete Table 2 by explaining how each tool is used.

(4)

Tool	Tool name	Use
8	Ring Spanner	
	Drill Bit	

Table 2

(Total for Question 2 = 6 marks)



3 Draw a straight line to link each **Term** listed below to the most appropriate **Key Area**. Each **Key Area** can be used more than once.

Term

Key Area

System remote panel

Modern materials

High impact polystyrene (HIPS)

Database

Control technology

Polymorph

Conveyor systems

Information and communications technology (ICT)

Acrylic (PMMA)

Virtual learning environment (VLE)

(Total for Question 3 = 7 marks)



 4 (a) Finishing processes are used when manufacturing 7mm capacity bo the mechanical/automotive sector. (i) Name two other products from this sector that use finishing protheir manufacture. 	
Product 1	
Product 2	
(ii) Name two different finishing processes used in the manufacture from this sector.	of products (2)
Finishing process 1	
Finishing process 2	
(iii) Describe one finishing process you named in 4(a)(ii).	(2)

	(Total for Question 4 = 10 ma	rks)
2		
1		(- /
	escribe two examples of quality control techniques used in the manufacture of oducts from this sector.	(4)
	echanical/automotive sector.	
	uality control techniques are used in the manufacture of products in the	

6

(a) State two functions of a computer-aided manufacturing (CAM) system.	(2)
 (b) A manufacturer has changed from using traditional production methods to computer-aided manufacturing (CAM) techniques.	
Describe one disadvantage of this change for the manufacturer.	(2)
 (c) Programmable logic controllers (PLCs) are a control technology.	
Describe two benefits of using PLCs for a manufacturer.	
	(4)



6	Communications technologies, including Wi-Fi , are used by manufacturers of mechanical/automotive products.	
	(a) (i) Name one example, other than Wi-Fi , of a communications technology.	(1)
	(ii) Describe the term Wi-Fi .	(2)
	 (b) Embedded computers are used by manufacturers of mechanical/ automotive products. Explain three reasons why a manufacturer would use embedded computers during manufacture. 	(6)
1		
2		
3		
	(Total for Question 6 = 9 m	narks)


automotive companies. Explain one benefit that information and d	ata handling sys	tems have for:	
(a) design			(3)
(b) production planning			(3)
		otal for Question	
	TOTAL	FOR SECTION A	= 50 MARKS



SECTION B

Answer ALL questions in Section B with reference to the manufacture of mass produced 7mm capacity bolt croppers.

The diagram below shows 7mm capacity bolt croppers.



scribe, using notes and sket the function of the handle		
		(3)
handle covers		
the function of the jaws		
the function of the jaws		(3)
the function of the jaws		(3)
		(3)
		(3)
		(3)
		(3)
		(3)
		(3)
		(3)
		(3)
		(3)
		(3)

(3)

(c) the function of the jaw to handle link

jaw to handle link

(Total for Question 8 = 9 marks)

- **9** (a) The incomplete flow diagram below indicates some of the main stages in manufacturing.
 - (i) Complete the flow diagram by adding the **two** missing stages in manufacturing.

Design

Marketing

Production planning

Material supply and control

Packaging and dispatch

(ii) State the stage in manufacturing where the drawings for the bolt croppers are created.

(1)

(2)

Stage

(b) List **three** activities carried out at the marketing stage when manufacturing the bolt croppers.

(3)

ว

3



(c)	(c) Describe the packaging and dispatch stage when manufacturing the bolt croppers.			
	bolt croppers.	(3)		
	(Total for Question 9 = 9 mar	ks)		

10 (a) State a modern polymer commonly used for the handle covers on the bolt croppers.	(1)
(b) Grinding is a material removal process used during the manufacture of the jaws of the bolt croppers.	
(i) State three production processes, other than grinding, used during the manufacture of the bolt croppers.	(3)
Process 1	(5)
Process 2	
Process 3	
(ii) Explain why grinding is a suitable material removal process to use during the manufacture of the jaws of the bolt croppers.	(3)



(c) Explain how the use of modern materials has helped manufacturers of bolt croppers to increase sales.	
	(3)
(Total for Question 10 = 10) marks)

(a) Explain the term automation .	(2)
(b) (i) Describe three different examples of automation used in the p	production
stage of the manufacture of bolt croppers.	(6)
(ii) Explain one disadvantage to the manufacturer of applying a ty automation when manufacturing bolt croppers.	/pe of (2)
(iii) Explain one benefit to the consumer of applying a type of auto manufacturing bolt croppers.	omation when
	ion 11 = 12 marks)



12 ((a) The introduction of modern technology has an impact on safety and efficiency when manufacturing mass produced 7mm capacity bolt croppers.	
	(i) State two benefits the introduction of modern technology has had for the safety of the workforce.	
1		(2)
2		
	(ii) Explain two effects the introduction of modern technology has had on the efficiency of the production process.	
1		(4)
2		
((b) The introduction of modern technology when manufacturing bolt croppers has an impact on the global environment.	
	Explain two advantages the use of modern technology has had for the global environment.	
1		(4)
I		
2		
	(Total for Question 12 = 10 m	arks)



13	Information and communications technology (ICT) is an essential feature in the manufacture of mass produced 7mm capacity bolt croppers.
	Explain two impacts of ICT on the material supply and control stage in manufacturing.
1	
2	
•••••	
	(Total for Question 13 = 4 marks)

(Total for Question 14 = 6 marks)

TOTAL FOR SECTION B = 60 MARKS
TOTAL FOR PAPER = 110 MARKS