

GCSE

Further Additional Science B

Unit **B761/02**: Modules B5, C5, P5 (Higher Tier)

General Certificate of Secondary Education

Mark Scheme for June 2014

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.


All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2014

These are the annotations, (including abbreviations), including those used in scoris, which are used when marking

Annotation	Meaning of annotation
	Blank Page – this annotation must be used on all blank pages within an answer booklet (structured or unstructured) and on each page of an additional object where there is no candidate response.

Abbreviations, annotations and conventions used in the detailed Mark Scheme.

- / = alternative and acceptable answers for the same marking point
- (1) = separates marking points
- allow** = answers that can be accepted
- not** = answers which are not worthy of credit
- reject** = answers which are not worthy of credit
- ignore** = statements which are irrelevant
- () = words which are not essential to gain credit
- = underlined words must be present in answer to score a mark (although not correctly spelt unless otherwise stated)
- ecf = error carried forward
- AW = alternative wording
- ora = or reverse argument

Question	Answer	Marks	Guidance
1 a i	bone (1)	1	if more than one answer then scores 0 allow named bone e.g. ankle bone (1)
ii	heart (1)	1	if more than one answer then scores 0
b	urea is made in the liver (shown by the increase in concentration leaving liver) (1) urea removed or excreted by the kidney (shown by the drop in concentration) (1) (not produced or excreted by the) lungs as no change in concentration (1)	3	ignore concentration of urea increases in the liver allow urea is filtered out by the kidney (1) allow idea that concentration of urea decreases in the kidneys (1) allow urea concentration not affected by lungs (1) allow idea that nothing happens in lungs (1) ignore remains at a high concentration in the lungs
	Total	5	

Question		Answer	Marks	Guidance
2	a	<p>any two from</p> <p>idea that oxygen through outer surface or skin is nearly constant all year (1)</p> <p>idea that oxygen through outer surface or skin peaks in March (1)</p> <p>idea that oxygen through lungs is lower in the winter / colder months or higher in summer / warmer months (1)</p> <p>idea that peak uptake by lungs is higher than by outer surface or skin / ora (1)</p> <p>idea that uptake by lungs is higher than through outer surface or skin from March to September / ora (1)</p> <p>idea that between October and February rate of uptake is greater through outer surface or skin than through the lungs (1)</p> <p>idea that amount of oxygen taken in is the same at the end of February and/or during October for through outer surface or skin and lungs (1)</p>	2	<p>need to know whether referring to outer surface or lungs</p> <p>If candidate gives a pattern not covered by mark scheme, check graph and if correct award the mark</p> <p>allow uptake through skin is highest in March (1)</p> <p>allow peak uptake by lungs is in March / April or spring (1)</p> <p>allow December or January is the month with the lowest uptake by both lungs and outer surface or skin (1)</p> <p>allow April is the month with the highest total uptake (1)</p>

Question	Answer	Marks	Guidance
b	idea that skin needs to be permeable / needs to be wet (to absorb oxygen) (1) in dry areas they would lose too much water (1)	2	allow need to live near water to keep skin moist (1) allow to prevent it drying up (1) allow they would dehydrate (1)
c	idea that carbon dioxide (in the blood) detected by the brain (1) idea that higher carbon dioxide levels would stimulate breathing (1)	2	allow higher level answers such as chemoreceptors / medulla (1) ignore incorrect parts of brain allow higher carbon dioxide levels make them breathe faster (1)
Total		6	

Question	Answer	Marks	Guidance
3 a	to break them down into smaller molecules (1) so that they can be absorbed (into the blood) or pass through gut into blood (1)	2	allow food molecules are too large (1) but food molecules are too large to be absorbed (2) allow so the molecules are small enough to be absorbed (2)

Question	Answer	Marks	Guidance
b	<p>[Level 3] Answer includes full details of how stomach digests protein including the role of acid AND shows an appreciation that mucus prevents the cells of the stomach being digested or attacked by acid. Quality of written communication does not impede communication of the science at this level. (5 – 6 marks)</p> <p>[Level 2] Answer includes full details of the digestion of protein in the stomach OR limited details of digestion AND suggests how mucus works or a consequence of too little mucus. Quality of written communication partly impedes communication of the science at this level. (3 – 4 marks)</p> <p>[Level 1] Answer includes limited details of digestion OR suggests how mucus works or a consequence of too little mucus. Quality of written communication impedes communication of the science at this level. (1 – 2 marks)</p> <p>[Level 0] Insufficient or irrelevant science. Answer not worthy of credit. (0 marks)</p>	6	<p>This question is targeted at grades up to A</p> <p>Indicative points include:</p> <p>functions-</p> <ul style="list-style-type: none"> • protease is an enzyme or a protein or a (biological) catalyst • protease digests proteins • amino acids / polypeptides produced • lock and key idea / active site idea <p>action of acid-</p> <ul style="list-style-type: none"> • stomach acids aid protease function • acid provides a low pH / pH approx 2 • optimum pH for protease action <p>mucus-</p> <ul style="list-style-type: none"> • stomach cells are made of protein • stomach could be digested by protease • stomach could be destroyed by acid • mucus lines the stomach and protects it • idea of lack of mucus causes ulcers <p>ignore acid kills bacteria ignore mucus catch bacteria</p> <p>Use the L1, L2, L3 annotations in Scoris; do not use ticks.</p>
	Total	8	

Question	Answer	Marks	Guidance
4 a i	larger animals have a higher blood pressure because the blood has to be pumped further around the body /ora (1)	1	allow larger animals have a higher blood pressure so that the blood can reach all parts of the body or the whole body (1) allow idea that bigger mammals need to circulate blood around a larger surface area (1)
ii	(range bars show) a wider range of values for mean pressure (than in other animals) (1)	1	allow it has a big range or the range is about 40 to 62 / the blood pressure can go as low as about 40 / the blood pressure can go as high as about 62 (1) allow reference to mean that is farthest away from line of best fit / off the line (1) allow it is the same as the (rhesus) monkey (1)
b i	95(%) (2) but if answer incorrect then $\frac{38}{40} \times 100$ (1)	2	
ii	any two from fish have a single circulation (1) mammals are double (1) in fish the blood has to go through two sets of capillaries before it gets back to the heart (1)	2	if not identified assume answer refers to trout allow correct description of single circulatory system (1) allow correct description of double circulatory system (1) ignore open / closed circulatory system
	Total	6	

Question	Answer	Marks	Guidance
5 a i	0.1 (1)	1	
ii	2.4 (dm ³) (1)	1	allow 2 400 cm ³ if correct unit specified allow ecf from (a)(i)
b	M_r of Na ₂ CO ₃ is 106 and moles = 0.5 (1) concentration = 0.5/2.0 (1)	2	allow M_r of Na ₂ CO ₃ is 46 + 12 + 48 and moles = 0.5 (1)
c	CaCO ₃ (1)	1	more than one formula loses the mark but if equation is attempted then CaCO ₃ on LHS (1) allow Ca and CO ₃ gives CaCO ₃ (1)
	Total	5	

Question	Answer	Marks	Guidance
6 a	H^+ / SO_4^{2-} / HSO_4^- (1)	1	allow H_3O^+ ignore incorrect formulae if H^+ or SO_4^{2-} or HSO_4^- is present ignore reactants in an equation
b i	same amount of acid / same number of hydrogen ions (1)	1	allow same amount of magnesium (1) allow same volume (and concentration) of acid (1) allow same amount of reactants (1)
ii	<p>any three from:</p> <p>ethanoic acid is a weaker acid / hydrochloric acid is a stronger acid (1)</p> <p>some reference to the reacting particle being a hydrogen ion or H^+ (1)</p> <p>ethanoic acid has fewer (reacting) particles / ethanoic acid has less crowded particles / lower concentration of reacting particles / ethanoic acid has reacting particles that are further apart from each other / or a (1)</p> <p>ethanoic acid has fewer collisions (per second) / hydrochloric acid has more collisions(per second) (1)</p>	3	<p>assume answer refers to ethanoic acid if unclear</p> <p>allow ethanoic acid is a weak acid and hydrochloric acid is a strong acid / ethanoic acid does not completely ionise or dissociate but hydrochloric acid does (1) ignore ethanoic acid is less acidic / hydrochloric acid is more acidic</p> <p>allow hydrochloric acid has more (reacting) particle / hydrochloric acid has more crowded particles / higher concentration of reacting particles / hydrochloric acid has reacting particles that are closer together (1)</p>
Total		5	


Question	Answer	Marks	Guidance
7 a	any value or range within 400 – 500 °C (1) any value or range between 1 – 10 atmospheres (1)	2	allow atmospheric pressure (1)
b	(rate of reaction) increases / faster reaction (1) (position of equilibrium) does not change (1)	2	allow reaches equilibrium quicker (1) allow higher level answers involving collision theory e.g. more frequent or more successful collisions (1) allow no effect (1)
Total		4	

Question	Answer	Marks	Guidance
8 a	<p>[Level 3] Explains that the conclusion is only partly supported by the evidence using both sets of results AND Constructs one correct ionic equation with state symbols Quality of written communication does not impede communication of the science at this level (5 – 6 marks)</p> <p>[Level 2] Explains that the conclusion is only partly supported by the evidence using both sets of results OR Attempts one ionic equation with correct formulae but state symbols or balancing could be wrong or missing AND explains how one result either supports or does not support the conclusion Quality of written communication partly impedes communication of the science at this level (3 – 4 marks)</p> <p>[Level 1] Attempts one ionic equation with correct formulae but state symbols or balancing could be wrong or missing OR Explains how one result either supports or does not support the conclusion Quality of written communication impedes communication of the science at this level (1 – 2 marks)</p> <p>[Level 0] Insufficient or irrelevant science. Answer not worthy of credit. (0 marks)</p>	6	<p>This question is targeted at grades up to A*.</p> <p>Indicative scientific points at level 3 must include: Balanced ionic equation</p> <ul style="list-style-type: none"> • $\text{Pb}^{2+}(\text{aq}) + 2\text{Br}^{-}(\text{aq}) \rightarrow \text{PbBr}_2(\text{s})$ • $\text{Pb}^{2+}(\text{aq}) + 2\text{I}^{-}(\text{aq}) \rightarrow \text{PbI}_2(\text{s})$ • $\text{Ba}^{2+}(\text{aq}) + \text{SO}_4^{2-}(\text{aq}) \rightarrow \text{BaSO}_4(\text{s})$ <p>Relevant scientific points at all levels could include explanations</p> <ul style="list-style-type: none"> • conclusion partly supported because white precipitate with barium chloride indicates sulfate ions are present • conclusion not supported because iodide ions should give a yellow precipitate with lead nitrate • conclusion not supported because a cream precipitate with lead nitrate indicates a bromide <p>allow equation with chloride ion if answer uses chloride ion</p> <p>allow solid or ppt for precipitate</p> <p>Use the L1, L2, L3 annotations in scoris. Do not use ticks.</p>

Question	Answer	Marks	Guidance
b	(idea that there is a collision between) <u>ions</u> or (a reaction involving) <u>ions</u> (1) high collision frequency / many collisions per second / high chance of collision (1)	2	allow higher collision frequency between ions (2) alternatively or if no ions mentioned in answer allow idea that the reaction involves collision between positive and negative ions (1) that will attract each other (1)
Total		8	

Question	Answer	Marks	Guidance
9 a	carbohydrate and sodium (1)	1	if answer line is blank allow correct answers circled, underlined or ticked in list both needed allow salt for sodium
b	mass of salt is 3.23 g (2) but if answer is incorrect then idea that salt contains 39% Na / idea that 58.5 g of salt contains 23 g of sodium / idea that 23 g of sodium is found in 58.5 g of salt (1)	2	allow 3.22 to 3.26 (2) allow $\frac{58.5}{23} \times 1.27$ (1)
Total		3	

Question	Answer	Marks	Guidance
10 a	13 (m/s) (2) but if answer is incorrect (0 +) 0.25×52 (1)	2	
b	20 (s) (2) but if answer is incorrect $\frac{320 \times 2}{32}$ or $\frac{320 \times 2}{(10 + 22)}$ or $\frac{320 \times 2}{32}$ or $\frac{640}{32}$ or $\frac{640}{(10 + 22)}$ (1)	2	allow $320 = 16 \times \text{time}$ (1) allow $320 = 32/2 \times \text{time}$ (1) allow $\text{time} = 320/16$ (1)
c	trial A 600(N) or $500 + 100$ (1) trial B 400(N) or $500 - 100$ (1) (so) trial A has a greater forward force or overall driving force or resultant force / ora (1) (so) trial A is faster / higher speed / trial B is slower (1)	4	look for net forces on the diagrams ignore in trial A wind gives him more force allow cyclist A speeds up more (1)
	Total	8	

Question	Answer	Marks	Guidance
11 a	any two (straight) rays meeting at (centre of) film and refracted inside or on surface of lens (1)	1	
b	real (1)	1	<p>allow upside down / inverted / diminished (1) if more than one answer all must be correct e.g. real and magnified scores (0), mirrored image, upside down (0)</p>
c	move the lens nearer the insect / move lens away from the insect (1)	1	<p>allow moves lens forwards / move lens backwards (1) allow lens moves in / lens moves out (1) allow idea that lens must be the correct distance from the insect (1) ignore turning lens ignore lens moves up / down ignore zoom the lens ignore lens must be close to the insect ignore change camera settings</p>
d	2.5 (2) but if answer is incorrect 12.5 / 5 scores (1)	2	ignore units
	Total	5	

Question	Answer	Marks	Guidance
12	<p>[Level 3] Reference to large number and high speed of particles AND the change in momentum of colliding particles creating forces. Quality of written communication does not impede communication of the science at this level. (5 – 6 marks)</p> <p>[Level 2] Reference to large number or high speed of particles OR reference to idea of conservation of momentum of particles creating forces. Quality of written communication partly impedes communication of the science at this level. (3 – 4 marks)</p> <p>[Level 1] Simple reference to momentum OR simple reference to forces created by collisions. Quality of written communication impedes communication of the science at this level. (1 – 2 marks)</p> <p>[Level 0] Insufficient or irrelevant science. Answer not worthy of credit. (0 marks)</p>	6	<p>This question is targeted up to grade A* Indicative scientific points may include:</p> <p>Level 3:</p> <ul style="list-style-type: none"> • particle collisions with walls means a change in momentum (provides force) • frequent particle collisions with walls • change in momentum provides force • large numbers of high speed gas particles needed <p>Level 2:</p> <ul style="list-style-type: none"> • momentum of gases = momentum of rocket / AW • large numbers of gas particles needed • high speed of gas particles needed / particles have more (kinetic) energy <p>Level 1:</p> <ul style="list-style-type: none"> • (exhaust) gases have momentum / AW • the rocket has momentum / AW • force forward or force upward = force backwards or force downwards • idea that force created because particles collide with rocket walls <p>Use the L1, L2, L3 annotations in Scoris; do not use ticks.</p>
	Total	6	

Question	Answer	Marks	Guidance
13 a	<p>2.29 x 10⁸ (m/s) (2)</p> <p>but if answer is incorrect</p> <p>$\frac{3 \times 10^8}{1.31}$ scores (1)</p>	2	<p>allow 229 000 000 / 229 007 633.6 / 229 007 634 / 229 007 633 (2)</p> <p>allow 2.3 x 10⁸ or 230 000 000 (2)</p>
b	<p>any two from</p> <p>higher refractive index gives smaller critical angles (1)</p> <p>(the higher the refractive index) the more (internal) reflections will occur / AW (1)</p> <p>(the higher the refractive index) the more likely that TIR will happen / AW (1)</p>	2	
c	<p>2.8 / 2.82 times greater scores (2)</p> <p>OR</p> <p>3 x 0.020372 = 0.061116 which is close to diamond (2)</p> <p>BUT if answer is incorrect</p> <p>diamond: 0.05741 or quartz 0.020372 (1)</p> <p>OR</p> <p>$\frac{0.05741}{0.02037}$ (1)</p>	2	<p>allow 2.81 times greater (2)</p> <p>allow $\frac{0.05741}{3} = 0.019136667$ which is close to quartz (2)</p> <p>allow diamond: 0.06 or quartz: 0.02 (1)</p>
Total		6	

OCR (Oxford Cambridge and RSA Examinations)
1 Hills Road
Cambridge
CB1 2EU

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998

Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office; 1 Hills Road, Cambridge, CB1 2EU
Registered Company Number: 3484466
OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

© OCR 2014



001