

## GCSE

## **Further Additional Science B**

Unit B762/01: Modules B6, C6, P6 (Foundation Tier)

General Certificate of Secondary Education

## Mark Scheme for June 2014

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2014

For answers marked by levels of response:

- a. To determine the level start at the highest level and work down until you reach the level that matches the answer
- b. To determine the mark within the level, consider the following:

Descriptor	Award mark
On the borderline of this level and the one	At bottom of level
below	
Just enough achievement on balance for this	Above bottom and either below middle or at middle of level (depending on number of marks
level	available)
Meets the criteria but with some slight	Above middle and either below top of level or at middle of level (depending on number of marks
inconsistency	available)
Consistently meets the criteria for this level	At top of level

Annotation	Meaning
BP	Blank Page – this annotation <b>must</b> be used on all blank pages within an answer booklet (structured or
	unstructured) and on each page of an additional object where there is no candidate response.

Annotations used in scoris

Abbreviations, annotations and conventions used in the detailed Mark Scheme.

Question		Answer	Marks	Guidance
1 a i	B C (A) D (2)		2	
	B before $C = (1)$ C before $D = (1)$			
ii			1	more than one tick scores zero
	DNA fingerprinting			
	fermenting			
	genetic engineering			
	pasteurising	(1)		
b	Lilly (1)		1	
	Total		4	

Que	estion	Answer	Marks	Guidance
2	а		1	more than two ticks = 0
		chickenpox		
		cholera 🗸		
		food poisoning		
		influenza (1)		
	b	(bacteria) not killed by the antibiotic (1)	1	allow antibiotics do not work /cannot treat using antibiotics allow bacteria not affected by the antibiotic ignore they have mutated ignore just 'they cannot be killed'
	C	the more doses given then the greater (percentage of bacteria show) resistance (1)	1	<b>ignore</b> positive correlation unless answer states the variables <b>ignore</b> higher the number of resistant bacteria the more does needed
		Total	3	

Question	Answer	Marks	Guidance
3	any three from	3	allow gases made when dead plants and animal waste is
	gases made by decay / rotting / decomposition (1)		broken down (1)
			ignore fermenting
	action of microorganisms / hactoria / fungi (1)		
	action of microorganisms / bacteria / lungi (1)		allow gas is methane (1)
	gases likely to contain methane (1)		
			allow gases are flammable (1)
	gases could be explosive (1)		allow gases could be toxic / poisonous (1)
			ignore gas is dangerous
			ignore narmiu
	Total	3	

Qu	estion	Answer	Marks	Guidance
4	а	any two from	2	
		used by yeast (1)		
		in anaerobic conditions (1)		
		for food / for respiration / for fermentation (1)		
		(yeast) turn sugar into alcohol / ethanol (1)		
	b	juice has sugar content of 290 (g per litre) (1)	2	
		(maximum) alcohol content of wine is 14.9(%) (1)		
	C	(actual alcohol content =) 11.79 (%) (1)	2	<b>ignore</b> he is correct as not all the sugar has been changed to alcohol <b>allow</b> 11.8 (%)
		(Tim is correct), as actual alcohol content is lower than maximum possible / maximum possible = 14.9 (%) (1)		yes, as 11.79 is less than 14.9 = (2) only made 11.79 not 14.9 = (2)
	d	(treated to) increase alcohol content (1)	2	allow (treated to) increase alcohol concentration (1)
		by distillation (1)		ignore just 'heat the wine'
		Total	8	

Question	Answer			Guidance	
Question 5 a	Answer         The other sugars do not dissolve in water.         The other sugars taste sweeter.         The other sugars are different colours.         The other sugars contain gel.	<ul> <li>✓</li> <li>✓</li> <li>(1)</li> </ul>	Marks 1	Guidance more than one tick scores zero	

Question	Answer	Marks	Guidance
b	[Level 3] Answer includes complete description of how enzymes are immobilised and makes any comment about an advantage and a disadvantage. Quality of written communication does not impede communication of the science at this level. (5 – 6 marks) [Level 2] Answer includes incomplete description of how enzymes are immobilised and makes any comment about an advantage or disadvantage. Quality of written communication partly impedes communication of the science at this level. (3 – 4 marks)	6	<ul> <li>This question is targeted at grades up to C</li> <li>Indicative scientific points may include:</li> <li>method for immobilising- <ul> <li>use of gel beads</li> <li>mixing the enzyme with alginate</li> <li>dropping the mixture into calcium chloride solution</li> </ul> </li> <li>choice may consider- <ul> <li>disadvantages</li> <li>immobilised enzyme has a higher optimum temperature</li> <li>more energy / higher temperature needed to get the faster rate of breakdown</li> <li>advantages</li> </ul> </li> </ul>
	[ Level 1] Answer includes incomplete description of how enzymes are immobilised or makes any comment about an advantage or makes any comment about a disadvantage. Quality of written communication impedes communication of the science at this level. (1 – 2 marks) [ Level 0] Insufficient or irrelevant science. Answer not worthy of credit. (0 marks)		<ul> <li>mixture not contaminated with enzyme when it is immobilised /easy to separate from product</li> <li>with immobilised enzyme it can be a continuous flow process</li> <li>do not waste production time between batches</li> <li>enzymes can be reused</li> <li>ignore idea of working at higher temperature is an advantage</li> <li>Use the L1, L2, L3 annotations in Scoris; do not use ticks.</li> </ul>
	Total	7	

Question	Answer	Marks	Guidance
6 a	contains oxygen (1)	1	allow has O in the formula
			<b>allow</b> contains more than carbon and hydrogen / formula has more than just C and H
			allow hydrocarbons only have carbon and hydrogen
b i	solvent (1)	2	ignore named products that may have ethanol as a solvent
	replacing petrol (1)		allow fuel / heating homes(1) not lighter fuel
			<b>allow</b> antiseptic / for sterilising / hand sanitizer / medical wipes(1)
			<b>ignore</b> detergents <b>ignore</b> just 'cleaning'
	Total	3	

Question	Answer	Marks	Guidance
7 a	suitable container containing dilute sulfuric acid (1) two electrodes dipped in electrolyte with indication of a circuit e.g. + and – or a dc power supply (1) anode and cathode correctly labelled with + and – or correctly matching cell with anode attached to larger of the two lines (1)	3	<b>not</b> single wire attached to 2 electrodes e.g.
			d.c. power supply anode cathode dilute sulfuric acid



Questio	on	Answer		Marks	Guidance	
7 b				2	one mark for each correct row	
			Substanc	ubstance made at		allow one mark for any two correct answers
		electrolyte	Cathode	Anode		
		lead bromide	lead	bromine		allow one mark if sodium and calcium at anode and chlorine and iodine at cathode
		sodium chloride sodium chlorine		not iodide or chloride		
		calcium iodide	calcium	iodine		
С		solid – idea that ions in fixed positions (and cannot move) (1)			2	ignore reference to electrons /atoms
		molten – idea that ions free (to move) (1)			ignore reference to electrons	
						in one ions are free (to move) but in the other they are not / ions need to move for electrolysis to occur = 1 mark
		Total			7	

Question	Answer	Marks	Guidance
8 a	C (1)	1	<b>allow</b> correct answer circled, underlined or ticked if answer line is blank
b	3 (1)	1	
С	$C_{2}H_{2}F_{4}(1)$	1	order of symbols unimportant
d	any two from: chemically inert (1) low boiling point (1) insoluble in water (1)	2	allow non-flammable (1) allow volatile (1)
	Total	5	

Question	Answer	Marks	Guidance
9	[Level 3] All metals in correct order of reactivity with a full and correct explanation that includes ideas about all the metals. AND the correct word equation. Quality of written communication does not impede communication of the science at this level. (5 – 6 marks) [Level 2] All metals in correct order of reactivity with an attempt at an explanation that includes ideas about some of the metals. AND the correct word equation. OR All metals in correct order of reactivity with a full and correct explanation that includes ideas about all the metals. Quality of written communication partly impedes communication of the science at this level. (3 – 4 marks) [Level 1] Any three metals in correct order of reactivity (no explanation required) OR the correct word equation. Quality of written communication impedes communication of the science at this level. (1 – 2 marks) [Level 0] Insufficient or irrelevant science. Answer not worthy of credit. (0marks)	6	<ul> <li>This question is targeted at grades up to C.</li> <li>Indicative scientific points may include: order of reactivity <ul> <li>magnesium &gt; zinc &gt; iron &gt; copper</li> </ul> </li> <li>explanation <ul> <li>magnesium most reactive as it will displace other three metals (from solutions of their salts) / react with all the solutions</li> <li>zinc more reactive than iron and copper as it will displace iron and copper (from solutions of their salts) / react with iron (II)sulfate and copper sulfate</li> <li>zinc less reactive than magnesium as it cannot displace magnesium (from solutions of their salts) / does not react with magnesium sulfate.</li> <li>iron more reactive than copper as it will displace copper (from solutions of their salts) / does not react with magnesium sulfate.</li> <li>iron more reactive than copper as it will displace copper (from solutions of their salts) / does not react with magnesium or zinc (from solutions of their salts) / does not react with magnesium or zinc (from solutions of their salts) / does not react with magnesium or zinc (from solutions of their salts) / does not react with magnesium sulfate or zinc sulfate</li> <li>copper is least reactive as it cannot displace magnesium, zinc or iron (from solutions of their salts) / does not react with any of the solutions</li> </ul> </li> <li>word equation <ul> <li>magnesium + copper sulfate → magnesium sulfate + copper</li> </ul> </li> <li>allow correct formulae or a mix of formulae and names e.g.</li> <li>Mg + CuSO<sub>4</sub> → MgSO<sub>4</sub> + Cu</li> <li>Use the L1, L2, L3 annotations in Scoris; do not use ticks.</li> </ul>
		6	

Question	Answer	Marks	Guidance
10	any two from:	2	
	making soap (1) making biodiesel (1) making margarine (1)		<b>allow</b> fuel / biofuel (1) <b>allow</b> (fuel) used for heating(1)
			allow cooking /make mayonnaise (1) allow lubricant (1) allow used to prevent rusting of machinery (1)
	Total	2	

Question	Answer	Marks	Guidance
11	$2H_2 + O_2 \rightarrow 2H_2O$ correct formula (1) balancing – dependent on correct formula (1)	2	allow any correct multiple allow = or $\leftrightarrows$ for arrow not 'and' or & for + allow one mark for correct balanced equation with minor errors in case, subscript and superscript e.g. $2H^2 + O_2 \rightarrow 2h_2O(1)$
	Total	2	

Question	Answer	Marks	Guidance
12 a i	(1)	1	allow two vertical lines of equal length by eye (1) allow (1) (1) not the symbol for a cell
ii	stores (1) (electric) charge (1)	2	<ul> <li>ignore carries / electricity / conducts</li> <li>e.g. carries charges (1)</li> <li>e.g. stores electricity (1)</li> <li>allow to produce a smooth(er) output (1)</li> <li>but smoothing AC scores (2)</li> </ul>
b	diagram shows wave rectification (1) <b>but</b> diagram show full wave rectification (2)	2	max 2 marks allow changes (AC) to DC / AW (1)
	Total	5	

Question	Answer	Marks	Guidance
13	[Level 3] Identifies both conductors AND describes current	6	This question is targeted at grades up to C. If no conductors correctly identified maximum level 2
	and voltage for both conductors AND compares the resistances		Indicative scientific points may include: Comparison of resistance
	Quality of written communication does not impede communication of the science at this level (5 – 6 marks)		<ul> <li>for conductor A the resistance is constant but for conductor B the resistance changes</li> <li>for B resistance increases with increases in voltage and current (temperature)</li> </ul>
	[Level 2] Describes how current and voltage vary for both conductors OR makes a correct comment about resistance AND identifies one of the conductors or calculated resistance		<ul> <li>allow correct use of R=V/I (e.g. R for A = 4.3Ω and resistance of B = 12.6 Ω (for a current of 0.7A)</li> <li>ignore resistance in B is higher unless qualified</li> <li>Comparison of voltage and current</li> <li>for conductor A and B the current increases as the voltage increases</li> </ul>
	Quality of written communication partly impedes communication of the science at this level (3 – 4 marks)		<ul> <li>for conductor A the graph is a straight line but for conductor B the graph is a curve</li> <li>for conductor A the relationship is linear but for conductor B the relationship is not linear</li> <li>any correct comparison e.g. when current is 0.7 A the</li> </ul>
	[Level 1] Describes how current and voltage vary for one conductor OR identifies one of the conductors OR makes a correct comment about resistance Quality of written communication impedes communication of the science at this level (1 - 2  marks)		<ul> <li>Voltage is lower / 3 V in conductor A but higher / 8.7 V in conductor B</li> <li>Identification of the conductors <ul> <li>conductor A is an Ohmic conductor / metal</li> <li>conductor B is a non-Ohmic conductor / bulb / named appliance or wire that gets hot</li> </ul> </li> </ul>
	[Level 0] Insufficient or irrelevant science. Answer not worthy of credit. (0 marks)		Use the L1, L2, L3 annotations in scoris. Do not use ticks.
	Total	6	

Question		on	Answer	Marks	Guidance
14	а		NOT (gate) (1)	1	
	b	i	<b>B</b> and <b>C</b> (1)	1	more than one scores 0 marks
					if answer line blank allow correct answer indicated in list
		ii	D and E and F (1)	1	any order and all 3 required any incorrect letter in answer scores 0
		iii	<b>111</b> (1)	2	
			<b>111</b> (1)		
	С	i	current from a logic gate is (too) small / not enough	1	allow idea that voltage is too low (1)
			current (1)		ignore getting no current
					ignore voltage / current too weak
_					ignore because bulb is broken
		ii	relay (1)	1	more than one answer scores (0)
					if answer line blank allow correct answer indicated in list
			Total	7	

Question	Answer	Marks	Guidance
15 a	(R2) (R <sub>T</sub> ) 3.0 and 7.2 (1)	2	both required for 1 <sup>st</sup> marking point
	$R1 + R2 = R_{T} (1)$		
b	variable resistor (1)	2	allow rheostat (1)
	if R4 increases, output voltage increases /ora (1)		allow output voltage depends on ratio of R3:R4 / AW (1)
С	as the light level increases the resistance decreases /ora (1)	3	not as resistance decreases more light is given off
	the relationship is not linear (1)		
	at high light levels the changes in resistance are small (1)		
	Total	7	

Question		on	Answer	Marks	Guidance
16	а	i	7.0 (1)	1	allow 7
		ii	any two from:	2	
			pH of the milk drops(1)		allow becomes (more) acidic (1)
					but allow pH changes to a lower pH / stated number below
					pH7.0 e.g. drops to pH4 (1)
			reference to lag period before pH drops (1)		allow stays neutral or level at start / for a while (1)
			reference to lag period before privatops (1)		and stays neutral of level at start / for a while (1)
			constant pH after drop / levels off (1)		ignore 'levels of at pH4'
			suitable quoting of data (1)		e.g. levels off at <b>pH 3.8</b> (2)
		iii	bacteria A (1)	2	
			idea that it reduces the pH quicker (so make vogurt		allow finishes first / levels off first / takes less time (1)
			quicker) (1)		
	b		the larger the animal the higher the limit / AW (1)	2	ORA
			cows used for milk have a lower limit /		
			cows used for milk do not fit the trend		
			because		
			the poison gets into milk very quickly /		
			does not have time to break down in the milk (1)		

Question	Answer	Marks	Guidance
C i	0.52 (1)	1	
ii	<ul> <li>any two from: treating the milk does lower the aflatoxin concentration (1)</li> <li>average for bacteria A is below the legal limit for human food (1)</li> <li>so humans could eat the yogurt (but would not be able to drink the milk) (1)</li> </ul>	2	allow removes the aflatoxin from the milk(1) ignore makes milk safer to drink allow know which bacteria to use to treat milk / know to use
		10	

OCR (Oxford Cambridge and RSA Examinations) 1 Hills Road Cambridge CB1 2EU

**OCR Customer Contact Centre** 

## **Education and Learning**

Telephone: 01223 553998 Facsimile: 01223 552627 Email: <u>general.qualifications@ocr.org.uk</u>

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations is a Company Limited by Guarantee Registered in England Registered Office; 1 Hills Road, Cambridge, CB1 2EU Registered Company Number: 3484466 OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations) Head office Telephone: 01223 552552 Facsimile: 01223 552553



