# GCSE 2004 June Series



## Mark Scheme

## Home Economics: Child Development

3561 Foundation Tier

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available from:

Publications Department, Aldon House, 39, Heald Grove, Rusholme, Manchester, M14 4NA
Tel: 0161 953 1170

or

download from the AQA website: www.aqa.org.uk

AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use

The Assessment and Qualifications Alliance (AQA) is a company limited by guarantee, registered in England and Wales 3644723 and a registered

.Dr Michael Cresswell, Director General

Copyright © 2004 AQA and its licensors

Set and published by the Assessment and Qualifications Alliance.

Charity Number 1073334. Registered address AQA, Devas Street, Manchester. M15 6EX

**COPYRIGHT** 

within the centre.

#### GCSE Home Economics: Child Development

#### **Foundation Tier**

Question 1	Responses to be credited	Mark	Total
(a)	Families provide:	3	29
	Love		
	Shelter		
	Support/advice		
	Security		
	Clothing		
	Teach/encourage		
	Family values/ religion		
	Role models		
	Social skills		
	Care/look after		
	Financial (must be qualified)		
	Any 3 valid points		
(b)	Nuclear family	6	
	Step family		
	Extended family		
	Foster family		
	One-parent/Single parent family		
	Adoptive family		
	6 valid answers		
(c)	Family may have a better quality of life	3	
	There may be a new house, new start		
	Two role models		
	May be more money		
	May be more brothers or sisters		
	More people to support/give advice		
	Any 3 valid points		
(d)	Examples of points to credit.	6	
	Some points may be interchangeable.		
	Money		
	Having a baby is expensive		
	May only have one wage		
	Baby's needs will have to come first		
	May result in resentment		
	Lack of freedom		
	Babies are a full time responsibility		
	Their needs will always have to come first/cannot do		
	what you want		
	They are very demanding		
	Will not be able to go out without planning/spur of the		
	moment		

	Tiredness/stress		
	Lack of sleep		
	Babies need to be fed during the night		
	They don't understand about night and day		
	Will not fit into parents routine		
	Lots of disturbed nights		
	Feel helpless/overwhelmed/unable to cope		
	Baby may constantly cry		
	Career		
	Mother may feel that she needs to give up her career		
	To care for the baby		
	This could result in financial problems		
	Which may cause stress		
	May resent having to defer career		
	Can be refreshing to have a career break		
	Social life		
	Parents may find it more difficult to go out as often an		
	they did		
	May not be able to go out together		
	Will have to organise and pay for babysitters		
	Friends without children may begin to avoid them		
	Relationship with partner		
	Can bring couples closed together		
	Father may feel pushed out /jealous/neglected		
	Mother may give all her attention to the baby		
	Both may be tired and irritable because of lack of sleep		
	etc.		
	May result in arguments		
	More time at home to spend with whole family		
	More time to focus/concentrate on each other		
	Emotions		
	Changing hormone levels can affect emotions		
	May become tearful/irritable for no apparent reason		
	May be worried about prospect of coping with		
	parenthood		
	Bring happiness		
	May suffer baby blues /PND		
	Credit any 2 valid points/reasons per chosen area		
	which clearly shows an understanding of how and		
	why parents lives might be affected		
(e) (i)	(Young) people who look after children for short	1	
	periods/usually evenings		
	So that parents can have a break		
	1 valid points		

(ii)	Honest/trustworthy/no criminal record	3	
, ,	Reliable/responsible		
	Known to the family		
	Live close by		
	Used to dealing with children/like children		
	Old enough to cope		
	Any 3 valid points		
(iii)	What time they should go to bed	3	
	Whether they need to have a light left on/sat with until		
	asleep		
	What toys/comforters they need		
	Whether they have any sort of drink/biscuit		
	What bedtime story they like		
	If toilet is needed		
	Teeth cleaned		
	(Do not accept reference to bathing child)		
	Any 3 valid points		
	Points must refer to bedtime routine		
(iv)	Where the parents are going	4	
	Phone number where they can be contacted		
	When they will be expected home		
	Where the first aid box is		
	Phone numbers for someone to contact if a problem e.g.		
	grandparents		
	Name and number of doctor		
	Any special words the child uses for drinks, toilet etc		
	Where to find tea, coffee, biscuits/show around		
	How to use TV/video/baby monitor etc.		
	Any allergies child may have		
i			
	TV – length of time /type of programme		
	Any 4 valid points		

<b>Question 2</b>	Responses to be credited	Mark	Total
(a)(i)	Care available to the pregnant woman	1	35
	during pregnancy		
	Or		
	From conception to labour and birth		
	1 valid response		
(ii)	Care that should be taken by both partners	1	
	Before conception		
	1 valid point		
(iii)	Classes run usually by Midwife/Health Visitor/NCBT	2	
	For pregnant woman and partner		
	To inform		
	About labour/birth/care of baby/diet etc.		
	Any 2 valid points	_	
(b)	Mainly responsible for running ante-natal clinics	6	
	Carries out the Booking appointment		
	Carries out all routine tests/monitors health		
	Books scans/specialist tests		
	Establishes a relationship with the mother		
	Gives advice and support		
	May run ante-natal classes		
	May deliver baby at a home birth		
	May deliver in hospital (if no complications)		
	Assists during labour + example		
	Assist during birth + example		
	Cleans baby/passes baby to mum		
	Carries out (Apgar) testing		
	Help draw up birth plan		
	Check placenta  Check for average blooding		
	Check for excess bleeding		
	Administer/give pain relief drugs during labour		
	May stitch after an episiotomy		
(c)	Any 6 valid points (Ultrasound) Scan	1	
(c)	Gives information about	4	
	Baby's size/growth related to gestation period/properly	4	
	Any major abnormalities		
	Which may need further tests		
	Possible multiple births		
	Position of placenta/baby		
	Confirms EDD		
	Can tell the sex of the baby		
	See/check heart beat (not hear)		
	Credit reference to use with diagnostic tests		
	DO NOT ACCEPT 'problem' unless qualified.		
	DO NOT ACCEPT 'forming'		
	Any 4 valid points		
	1 <i>J</i> - 1 <i>P</i>	1	L

	Blood test	1	
	Can detect;	4	
	Anaemia	'	
	Rubella immunity		
	Blood sugar levels		
	STD's		
	Blood group		
	Rhesus factor		
	Hepatitis B and C		
	HIV/Aids		
	Any 4 valid points + reasons		
	Blood pressure check	1	
	Monitor blood pressure	3	
	Checks for sudden rise in blood pressure – needs to imply		
	'change'		
	Which could indicate pre-eclampsia		
	Which if not treated		
	Could be fatal to baby		
	Lead to mother 'fitting'		
	Any 3 valid points		
(d)	To maintain health during pregnancy	3	
	To avoid putting on too much weight		
	Which might result in complications at birth		
	To provide her growing baby with the nutrients needed		
	Any 3 valid points		
(e)	Strong coffee	8	
	Contains caffeine		
	Is a stimulant		
	Can result in high blood pressure		
	Increase risk of having a low birth weight baby		
	Or miscarriage		
	Peanuts		
	May trigger an allergic reaction		
	Which could harm the baby		
	Allergy may be passes to the baby		
	May contain salt		
	Liked to high blood pressure		
	Chicken Liver pate		
	Is not cooked to a high enough temperature to kill bacteria		
	May contain listeriosis		
	Can cause severe illness		
	Miscarriage		
	Stillbirth		
	Soft boiled eggs		
	Bacteria not destroyed		
	May contain salmonella		
	Can cause food poisoning		
	Result in miscarriage		
	Any 8 valid points throughout response		

<b>Question 3</b>	Responses to be credited	Mark	Total
(a) (i)	Being unable to conceive/have children  1 valid point	1	22
(ii)	Too few sperm being produced Ovaries not producing eggs	2	
	Blocked fallopian tubes Fibroids Poor diet		
	Endometriosis Sexually transmitted diseases		
	Hormone imbalance Alcohol, smoking or drug abuse		
	Age of woman Cancer of uterus/testes Cysts on ovaries		
	Excessive mucus Any 2 valid points		
(b) (i)	Diagram A  1 valid point	1	
(ii)	Two eggs are released from the ovaries at the same time Fertilised by two separate sperm  2 valid points	2	
(c)	4 marks for correct labelling	4	
(d)	Examples of points to credit Foetus grows inside the uterus Placenta links the blood supply of mother to baby Is attached to the wall of the uterus It transfers oxygen from the mother to the foetus It removes waste products It carries nutrients from mother to baby Carries antibodies from mother to foetus to protect against infection The amniotic sac ensures baby grows safely The fluid maintains a constant warm body temperature Also protects against knocks and bumps Allows the baby to move Can be used to test for abnormalities Umbilical cord links the placenta to the foetus	6	
	Criteria for award of marks 0-3 Candidate shows a basic understanding of the purpose of up to three aspects of the baby's support system. 4-6 Candidate shows a good understanding of at least three aspects of the baby's support system		

(e)	Woman will feel more relaxed	2	
	Family can be involved		
	Freedom to move around as and when she wants		
	Other members of the family can be involved		
	Will build up a good relationship with the midwife		
	More privacy		
	Will not have to stick to hospital routines		
	Can look after the baby in her own way		
	Any 2 valid points		
(f)	Multiple births	4	
	History of complications		
	First baby		
	Very young mother /under 16 years old		
	Previous stillbirth		
	Aged over 35		
	Named known medical problems of mother		
	Known medical problems of baby		
	Previous Caesarean section		
	Narrow pelvis		
	Fifth baby or more		
	Rhesus negative		
	Induced birth		
	Small/premature baby		
	Home conditions unsuitable		
	Breech/transverse/wrong position		
	Pre-eclampsia		
	DO NOT ACCEPT 'overdue'		
	Any 4 valid points		

<b>Question 4</b>	Despenses to be evalited	Mark	Total
	Responses to be credited		
(a)	Will visit mother and baby 10 days after the birth	3	10
	Then from time to time after		
	Check home conditions are adequate		
	Check that mother is coping		
	Check that baby is making normal progress/health of baby		
	Advise on feeding		
	Plan immunisation		
	Often runs baby clinics		
	Help with any problems		
	Carry out developmental testing		
	DO NOT ACCEPT 'health of mother'		
	Any 3 valid points		
(b)	6 weeks after the birth	1	
	1 valid point		
(c)	Mothers weight	3	
	Blood pressure		
	Urine		
	Reproductive organs have returned to normal size		
	Look for signs of post natal depression		
	Stitches have healed		
	Offer a smear test		
	Any 3 valid points		
(d)	Baby blues only lasts for a short time	3	
	Caused by hormones trying to get back to normal		
	Or because mother is worrying about coping		
	Post natal depression is when mother is very 'down'		
	Can last for a long time		
	Cannot cope with the simplest of tasks		
	May even reject baby		
	Medical help is needed		
	Mental illness		
	Answer is simple and shows limited understanding of		
	the difference – 1 mark		
	Answer is detailed and shows a clear understanding of		
	the difference – 2 – 3 marks		

Question 5	Responses to be credited	Mark	Total
(a)	Examples of points to credit + appropriate reasons		34
	1.		
	Sterilise all equipment used thoroughly		
	For correct length of time  Make sure there are no air bubbles in a chemical steriliser		
	Any 2 valid points + reasons – 4 marks		
	Tiny 2 vana points : Teasons - Tinarks	4	
	2.		
	Rinse bottles in cooled boiled water		
	Use cooled boiled water for the feed		
	Add the water first		
	Measure correct amount of water		
	Any 2 valid points + reasons – 4 marks	4	
	3.		
	Add level scoops of milk		
	Do not pack down the milk powder		
	Do not add extra scoops/correct amount		
	Use only recommended formulae milk/right type	4	
	Do not add salt or sugar	4	
	Accept 'harm' baby Shake to mix		
	Any 2 valid points + reasons – 4 marks		
	4.	2	
	Test temperature of feed	2	
	On inside of wrist		
	Before offering to baby		
	1 valid point +appropriate reasons – 2 marks		
	Credit reference to washing hands only once		
(b)	Always place babies on their back to sleep	4	
	Place in the 'feet to foot' position		
	Avoid contact with tobacco smoke		
	Don't allow babies to become overheated/reference to		
	bedding/clothing		
	Breast feed if possible  If he by is unwell sook medical advise		
	If baby is unwell seek medical advice		
	No pillows Check room temperature		
	Tuck bedding under baby's arms/up to chest		
	Any 4 valid points		
(c)	Whooping cough	4	
(-)	German measles		
	Mumps		
	Chicken pox		
	4 correct answers		

(d)	Talk to the child positively about going into hospital Tell them there will be other children for them to play with	6	
	Read books about going into hospital		
	Try to visit the hospital beforehand		
	Let children pack their own suitcase		
	Allow them to take their favourite toys		
	Role play at being doctors and nurses		
	Draw/paint pictures about hospitals		
	Try to stay with them when they go into hospital		
	Explain that you will visit		
	Reassure them that you will miss them and that you love		
	them		
	Any 6 valid points		
(e) (i)	Feet grow very quickly during the first three years	2	
	Bones are very soft and		
	Feet can be easily damaged by badly fitting shoes		
	2 valid points		
(ii)	Well fitting/measure	4	
	Adjustable fastening		
	No heels		
	Good support		
	Made from leather to allow feet to breathe		
	Room for growth		
	No inside seams		
	Don't buy second hand		
	Cost		
	Quality		
	Rounded toes		
	Easy fastening		
	Non-slip sole/good grip		
	NOT 'suitable for activity' as question refers to shoes.		
	Any 4 valid points		

Question 6	Responses to be credited	Mark	Total
(a)(i)	A The Lion Mark/symbol Used by BATR Symbol of safety		30
	and quality 2 correct points B Age symbol	2	
	indicating that the toy is suitable for over 12m According to the manufacturer 2 correct points C	2	
	EU safety symbol which must appear on all toys sold in the EU Indicating that toy meets essential safety requirements	2	
	2 correct points D Recycle symbol	1	
	Packaging is made from recycled material  1 correct point  E  A battery is not needed  1 correct point	1	
(ii)	Packaging must be disposed of safely Wooden components must not be immersed in water Age symbol explained Batteries not needed 2 correct points	2	
(b)	Examples of points to credit Suitable for the age of the child Match the interests of the child Suitable for the stage of development Sturdy and well made Colourful No small/dangerous/detachable parts (links to age) Be versatile/provide more than temporary interest Safety symbols/flammability No sharp edges Consider aspect of development/educational 4 appropriate points + reasons	8	
(c)	Examples of points to credit Throughout the answer look for an awareness of a range of benefits to development and learning across the required areas.  Physical Development - Fine motor skills  Development of grasp and grip  Hand eye co-ordination	12	

Physical Skills – sensory Textures of different materials Explore with mouth Intellectual Development Size Size order Colours Shapes Memory Concentration **Imagination** Playing with an adult can encourage language development **Emotional Development** Enjoyment Fun Frustration 'Letting off steam' Criteria for award of marks 0-4 marks Answers will be brief or tend to be superficial/muddled and concentrate on the obvious. There will only be a limited awareness of how playing with the toy can encourage learning and development. There will be little or no use of specialist terminology 5-8 marks Answers will be more detailed. There should be a sound awareness of the way this toy can help learning and development across at least two areas. There may be some use of specialist terminology. 9 – 12 marks Answers are well organised and detailed. There will be a good understanding of how this toy can encourage learning and development across all three areas. There should be

Total for Paper

160

some use of specialist terminology.