



General Certificate of Secondary Education

Mathematics 4307

Specification B

Module 3 Tier H 43053H

Mark Scheme

2008 examination - November series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available to download from the AQA Website: www.aqa.org.uk

Copyright © 2008 AQA and its licensors. All rights reserved.

COPYRIGHT

AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

The following abbreviations are used on the mark scheme:

M	Method marks awarded for a correct method.
A	Accuracy marks awarded when following on from a correct method. It is not necessary always to see the method. This can be implied.
B	Marks awarded independent of method.
M dep	A method mark which is dependent on a previous method mark being awarded.
ft	Follow through marks. Marks awarded for correct working following a mistake in an earlier step.
SC	Special Case. Marks awarded for a common misinterpretation which has some mathematical worth.
oe	Or equivalent.
eeoo	Each error or omission.

MODULE 3 HIGHER TIER

43053H

1(a)	$\frac{3}{4} (\times 100)$	M1	oe eg $1 - \frac{1}{4} (\times 100)$
	75	A1	SC1 Answer 25 Answer 25 (and) 75 M1 A0
1(b)	$27\,000 \div 3 (= 9000)$	M1	$27\,000 \div \text{their } 75 (= 360)$
	$27\,000 + \text{their } 9000$ or $\text{their } 9000 \times 4$	M1 dep	$\text{their } 360 \times 100$
	36 000	A1	

2(a)	0.85 or $\frac{85}{100}$ or 85% seen	M1	0.15×68 oe (= 10.2)
	68×0.85	M1 dep	68 – their 10.2 M2 for $68 \div 1.17$ or better or $68 \div 1.18$
	57.80	A1	57.8 is M2 A0 SC1 78.2(0)
2(b)	$108 - 80 (= 28)$	M1	$\frac{108}{80} \times 100 (= 135)$ $\frac{108}{80} - 1 (= 0.35)$
	$\frac{\text{their } 28}{80} \times 100$	M1 dep	their 135 – 100 their 0.35×100
	35	A1	

3	(20 min =) $\frac{20}{60}$ or $\frac{1}{3}$ or 0.33 (h) or (30 min =) $\frac{30}{60}$ or $\frac{1}{2}$ or 0.5 (h)	B1	(speed for 10 mins =) 6 (mph)
	$9 \times \text{their } \frac{20}{60} (= 3)$	M1	$9 + 9 + \text{their } 6 (= 24)$
	$(\text{their } 3 + 1) \div \text{their } \frac{1}{2}$	M1 dep	their $24 \div 3$
	8	A1	

4(a)	$2x(x + 3)$ or $(x + 3)2x$ or $(2x \pm 0)(x + 3)$	B2	B1 for $2(x^2 + 3x)$ or $x(2x + 6)$ or $2(x \pm 0)(x + 3)$ Ignore further work
4(b)	$c^2 - 2c - 5c + 10$	M1	4 terms with 3 correct including signs
	$c^2 - 7c + 10$	A1	Penalise further work

5(a)	Correct explanation eg 36 is not between 1 and 10	B1	
5(b)	$5.7 \times 10^{26} \div 8.7 \times 10^{25}$	M1	oe
	6.5(5...)	A1	oe Allow $0.66 \times 10^{(1)}$
	6.6 or 7	B1 ft	ft any value ≥ 3 sig figs seen rounded to 1 or 2 sig figs or ft any value of 2 sig figs seen rounded to 1 sig fig

6	Works out at least 3 correct multiples of each number 16 32 48 64 80 96 112 128 144 36 72 108 144	M1	(16 \Rightarrow) 2 (\times) 2 (\times) 2 (\times) 2 and (36 \Rightarrow) 2 (\times) 2 (\times) 3 (\times) 3 or (16 \Rightarrow) 4 (\times) 4 and (36 \Rightarrow) 4 (\times) 9
	144	A1	SC1 Answer 288 $2^4 \times 3^2$ is M1 A0

7(a)	$M = kr^3$	M1	$M \propto r^3$
	$128 = k (\times) 8^3$	M1	$128 = k (\times) 8^3$ implies M2
	$k = 0.25$ ($M = 0.25r^3$)	A1	Equation only needed if $M = kr^3$ not seen earlier
7(b)	their $k \times 10^3$	M1	
	250	A1 ft	

8	$\frac{7}{90}$ or $\frac{8}{9}$	M1	oe fractions Allow $\frac{0.7}{9}$
	$\frac{87}{90}$ or $\frac{29}{30}$	A1	oe fraction $\frac{8.7}{9}$ is M1 A0

9	$1 \div 1.6 (= 0.625)$ or $100 \div 1.6 (= 62.5)$	M1	Uses number for November eg 100 $1.6 \times 100 (= 160)$
	$1 - \text{their } 0.625 (= 0.375)$ or $100 - \text{their } 62.5$	M1 dep	$\frac{\text{their } 160 - \text{their } 100}{\text{their } 160} \times 100$
	37.5	A1	Condone -37.5

Alt 9	1.6N	M1	
	$\left(\frac{100-x}{100}\right) 1.6N = N$	M1 dep	
	(x =) 37.5	A1	

10	40 or 0.5	M1	
	80	A1	$\frac{80}{1}$ M1 A0

11	$\text{Odd}^2 = \text{odd}$	M1	$(2m + 1)^2 - (2n + 1)^2$
	$\text{Odd} - \text{odd} = \text{even}$	A1	$4m^2 + 4m - 4n^2 - 4n$ so even as a multiple of 4 SC1 two correct numerical examples with no incorrect examples

12(a)	1	B1	
12(b)	$346.68 - 6.42$	M1	
	340.26	A1	
12(c)	541.8	B1	

13(a)	$\frac{3 \times 7}{4}$ or $\frac{3}{4} \times \frac{7}{1}$	M1	0.75×7
	$\frac{21}{4}$	A1	oe eg $5\frac{1}{4}$ or 5.25
13(b)	Converts to a valid common denominator with at least one numerator correct	M1	eg $\frac{(22)}{6} (+) \frac{(9)}{6}$ or $(4) \frac{(4)}{6} (+) \frac{(3)}{6}$
	$4\frac{7}{6}$ or $4 + \frac{7}{6}$	A1	oe fraction eg $\frac{31}{6}$
	$5\frac{1}{6}$	A1	$5\frac{1}{6}$ then further work M1 A1 A0

14(a)	-4	B1	
14(b)	Plots all 7 points within $\frac{1}{2}$ sq	B1 ft	ft on their (a)
	Smooth curve through all of their points (at least 6) within $\frac{1}{2}$ sq	B1 ft	Curve must be U shaped parabola
14(c)	Draws $y = x + 1$ correctly	B1	Condone line not ruled
	-2.6 and 1.6	B1 ft	ft their intersections Coordinates given is B0

15	$4m - 4 - 4m - 6$	M1	At least 3 terms correct
	-10	A1	

16(a)	1	B1	
16(b)	$(7^{18} \div) 7^6$	B1	
	7^{12}	B1 ft	ft on power of 7 from $7^{18} \div$ their 7^6 SC1 7^{18-3-3} followed by wrong answer

17	$77 \div 11 (= 7)$	M1	$\frac{11}{12}$ linked to 77
	their 7×12	M1 dep	oe eg $77 +$ their 7
	84	A1	

18	their max – their min	M1	157.5 (157.499(...)) and 142.5 seen or $157 - 143 + 1$
	15 or 14.999(...)	A1	

19(a)	$3\sqrt{3}$ (+) $2\sqrt{3}$	B2	B1 for $3\sqrt{3}$ or $2\sqrt{3}$
19(b)	$\frac{1}{5\sqrt{3}}$	M1	
	$\frac{1}{5\sqrt{3}} \times \frac{k\sqrt{3}}{k\sqrt{3}}$	M1	If denominator \sqrt{x} , allow M1 for multiplying by $\frac{\sqrt{x}}{\sqrt{x}}$
	$\frac{\sqrt{3}}{15}$ ($a = 3$ $b = 15$)	A1	oe eg $\frac{\sqrt{75}}{75}$

20	2^3 or $64^{0.5}$ or $4 \times 4^{0.5}$ or (-8)	M1	$\frac{1}{4^{1.5}}$ or $\left(\frac{1}{4}\right)^{1.5}$ or 2^{-3} or $64^{-0.5}$ or $4^{-1} \times 4^{-0.5}$ or 8^{-1} or $\left(\frac{1}{2}\right)^3$
	$\frac{1}{8}$	A1	0.125