

General Certificate of Secondary Education 2011


Mathematics



Module N4 Paper 1 (Non-calculator) Higher Tier

[GMN41]

TUESDAY 31 MAY 9.15 am – 10.15 am



TIME

1 hour.

INSTRUCTIONS TO CANDIDATES

Write your Centre Number and Candidate Number in the spaces provided at the top of this page.

Write your answers in the spaces provided in this question paper. Answer **all ten** questions.

Any working should be clearly shown in the spaces provided since marks may be awarded for partially correct solutions.

You must not use a calculator for this paper.

INFORMATION FOR CANDIDATES

The total mark for this paper is 44.

Figures in brackets printed down the right-hand side of pages indicate the marks awarded to each question or part question.



You should have a ruler, compasses, set-square and protractor. The Formula Sheet is on page 2.


For Examiner's

use only

6391

Formula Sheet


Area of trapezium = $\frac{1}{2}(a + b)h$




Volume of prism = area of cross section × length

In any triangle ABC


Area of triangle $= \frac{1}{2} ab \sin C$ Sine rule: $\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$ Cosine rule: $a^2 = b^2 + c^2 - 2bc \cos A$



Volume of sphere $=\frac{4}{3}\pi r^3$ **Surface area of sphere** $=4\pi r^2$




Volume of cone $=\frac{1}{3}\pi r^2 h$ **Curved surface area of cone** $=\pi r l$




Quadratic equation:

The solutions of $ax^2 + bx + c = 0$, where $a \neq 0$, are given by

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$





[[]Turn over




3 The box plots show the distribution of test results for two different classes.

Examiner Only







8 The table gives information about the weights of 100 children.

Weight, w kg	Number of children
$20 \le w < 30$	16
$30 \le w < 35$	28
$35 \leq w \leq 40$	36
$40 \le w < 60$	18
$60 \le w < 65$	2

- (a) Illustrate the data by drawing a histogram (A) on the graph paper opposite. [3]
- (b) A stratified sample of 20 children was taken from those whose weight was less than 40 kg.

How many of the sample were taken from the interval $35 \le w \le 40$?

Answer _____ [2]

(c)	The histogram (B) already drawn illustrates the weights of a different
	group of 100 children. Compare this histogram with the one you have
	drawn. Give two comparisons.

Comparison 1:

_____[1]

Comparison 2:


_____[1]

Examiner Only Marks Remar

(d) Suggest a reason for the difference in the two histograms.

Answer

_____[1]



9	The following equation has solutions which are rational.		Examiner	
	$\frac{8x^2}{3} = 6$		Marks	Remark
	Write down a similar equation with solutions which are irrational.			
	Explain your answer.			
	Answer because	_ [2]		
10	Solve $\frac{10}{2x-5} + \frac{7}{x+2} = 3$			
	A solution by trial and improvement will not be accepted.			
	Answer	[6]		

THIS IS THE END OF THE QUESTION PAPER

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright holders may have been unsuccessful and CCEA will be happy to rectify any omissions of acknowledgement in future if notified.