

General Certificate of Secondary Education January 2014

## **Mathematics**

Unit T2 Foundation Tier

### [GMT21]

FRIDAY 10 JANUARY 9.15 am–10.45 am

# MARK SCHEME

#### **GCSE MATHEMATICS**

#### Introduction

The mark scheme normally provides the most popular solution to each question. Other solutions given by candidates are evaluated and credit given as appropriate; these alternative methods are not usually illustrated in the published mark scheme.

The solution to a question gains marks for correct method and marks for accurate working based on this method. The marks awarded for each question are shown in the right hand column and they are prefixed by the letters **M**, **A** and **MA** as appropriate. The key to the mark scheme is given below:

- M indicates marks for correct method.
- A indicates marks for accurate working, whether in calculation, reading from tables, graphs or answers. Accuracy marks may depend on preceding M (method) marks, hence M0 A1 cannot be awarded, i.e. where the method is not correct no marks can be given.
- MA indicates marks for combined method and accurate working.
- C indicates marks for quality of written communication
- oe indicates "or equivalent" i.e. where a solution can be expressed in an alternative correct form, e.g.  $\frac{1}{4} = 0.25$
- ft indicates "follow through". See explanation below.

A later part of a question may require a candidate to use an answer obtained from an earlier part of the same question. A candidate who gets the wrong answer to the earlier part and goes on to the later part is naturally unaware that the wrong data is being used and is actually undertaking the solution of a parallel problem from the point at which the error occurred. If such a candidate continues to apply correct method, then the candidate's individual working must be **followed through** from the error. If no further errors are made, then the candidate is penalised only for the initial error. Solutions containing two or more working or transcription errors are treated in the same way. This process is usually referred to as "follow-through marking" and allows a candidate to gain credit for that part of a solution which follows a working or transcription error.

It should be noted that where an error trivialises a question, or changes the nature of the skills being tested, then as a general rule, it would be the case that not more than half the marks for that question or part of that question would be awarded; in some cases the error may be such that no marks would be awarded.

#### **Positive marking:**

It is our intention to reward candidates for any demonstration of relevant knowledge, skills or understanding. For this reason we adopt a policy of **following through** their answers, that is, having penalised a candidate for an error, we mark the succeeding parts of the question using the candidate's value or answers and award marks accordingly.

Some common examples of this occur in the following cases:

- (a) a numerical error in one entry in a table of values might lead to several answers being incorrect, but these might not be essentially separate errors;
- (b) readings taken from candidates' inaccurate graphs may not agree with the answers expected but might be consistent with the graphs drawn.

When the candidate misreads a question in such a way as to make the question easier, only a proportion of the marks will be available (based on the professional judgement of the examiner).

#### **General Marking Advice**

- (i) If the correct answer is seen in the body of the script and the answer given in the answer line is clearly a transcription error, full marks should be awarded.
- (ii) If the answer is missing, but the correct answer is seen in the body of the script, full marks should be awarded.
- (iii) If the correct answer is seen in working but a completely different answer is seen in the answer space, then some marks will be awarded depending on the severity of the error.
- (iv) Work crossed out but not replaced should be marked.
- (v) In general, if two or more methods are offered, mark only the method that leads to the answer on the answer line. If two (or more) answers are offered (with no solution offered on the answer line), mark the poorest answer.
- (vi) For methods not provided for in the mark scheme, give as far as possible equivalent marks for equivalent work.
- (vii) Where a follow through mark is indicated on the mark scheme for a particular part question, the marker must ensure that you refer back to the answer of the previous part of the question.
- (viii)Unless the question asks for an answer to a specific degree of accuracy, always mark at the greatest number of significant figures seen. E.g. the answer in the mark scheme is 4.65 and the candidate then correctly rounds to 4.7 or 5 on the answer line. Allow full marks for 4.65 seen in the working.
- (ix) Anything in the mark scheme which is in brackets (...) is not required for the mark to be earned, but if present it must be correct.
- (x) For any question, the range of answers given in the mark scheme is inclusive.
- (xi) Incorrect money notation will generally lose one mark but will be penalised only once per paper.

(xii) In general, a tolerance of  $\pm 2^{\circ}$  is allowed in drawing angles, and  $\pm 2$  mm in measuring length.

(xiii)In algebra, if further inaccurate work is done to a correct answer, some marks may be lost.

#### Quality of written communication

In GCSE Mathematics, particular questions are identified where candidates must demonstrate the quality of their written communication.

In particular, candidates must:

- (i) ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear (i.e. comprehension and meaning is clear by using the correct notation and labelling conventions);
- (ii) select and use a form and style of writing appropriate to their purpose and to complex subject matter (i.e. reasoning, explanation or argument is correct and appropriately structured to convey

mathematical reasoning); and

(iii) organise information clearly and coherently, using specialist vocabulary where appropriate

(i.e. the mathematical methods and processes used are coherently and clearly organised and

appropriate mathematical vocabulary used).

This assessment may be through, for example, an explanation of the geometrical properties of a given shape or, for example, through concise mathematical argument in a multi-step problem.

1	(a) $2 \times 2 \times 3 \times 3 \times 3$ or $4 \times 27$ = 108	C1 A1	AVAILABLE MARKS
	(b) $\frac{2}{10} = 0.2$ $\frac{3}{20} = 0.15$ $\frac{7}{30} = 0.233$ $\frac{11}{40} = 0.275$ $\xrightarrow{7}{2}$ $7$	% % CA1 or 28%	
	closest to $\frac{1}{4}$ is $\frac{7}{30}$	C1	4 QWC
2	(a) (i) 25 or 81 (ii) 27	A1	
	(h) $27$ (b) $64$ (seen) Answer = $63$	A1 A1 A1	4
3	Pink ribbon = $3.2 \times \pounds 1.60 = \pounds 5.12$ Remaining cost = $\pounds 8.89 - \pounds 5.12 = \pounds 3.77$ Cost of blue = $\pounds 3.77 \div 2.6 = \pounds 1.45$	M1, A1 MA1 MA1	4
4	60.5 + 62.5 + 62.0 + 61.0 = 246 $62 \times 5 = 310$ 310 - 246 = 64	MA1 MA1 MA1	3
5	140° 80° 72° 68° sectors with correct labels	MA2 A2	4
6	(a) Graph A	A1	
	(b) Uses top part of graph only or Truncated scale or similar	A1	2
7	360 - (110 + 85 + 85) or 360 - 280 80 180 - 80 = 100	M1 A1 MA1	3

(a)	42 minutes	A1	AVAILABLE MARKS
(b)	1545	A1	
(c)	1300	A1	3
(a)	$7.6 \times 4.8$ 36.48 cm <sup>2</sup>	M1 A1, A1 (units)	
(b)	24.8	MA1	4
(a)	2x - 3y	A1, A1	
<b>(b)</b>	7x = 21 $x = 3$	MA1 A1	
(c)	40	A1	5
(a)	2, 11	A1	
(b)	Points plotted correctly Correct line	A1 A1	
(c)	x = 2 drawn correctly	A1	4
Mea	$915 \times 24.6 = \text{\pounds}225.09$ als = 5 × \mathcal{\pounds}27.60 = \mathcal{\pounds}138 Total claim = \mathcal{\pounds}363.09 \mathcal{\pounds}363.09 × 12.5% = \mathcal{\pounds}45.39	MA1 MA1 A1 MA1	
	=£408.48	A1	5
(a)	7 and –7	A1	
(b)	0.103103103	A1	2
(a)	7 points correct (4 points correct)	A2 (A1)	
<b>(b)</b>	accurate line of best fit	A1	
(c)	reading from graph (approx. 36/37)	MA1	
(d)	negative	A1	5
	<ul> <li>(a)</li> <li>(b)</li> <li>(c)</li> <li>(a)</li> <li>(b)</li> <li>(c)</li> <li>(a)</li> <li>(b)</li> <li>(c)</li> <li>(d)</li> </ul>	(a) 42 minutes (b) 1545 (c) 1300 (a) $7.6 \times 4.8$ $36.48 \text{ cm}^2$ (b) 24.8 (a) $2x - 3y$ (b) $7x = 21$ x = 3 (c) 40 (a) 2, 11 (b) Points plotted correctly Correct line (c) $x = 2$ drawn correctly $915 \times 24.6 = \pounds 225.09$ Meals = $5 \times \pounds 27.60 = \pounds 138$ Total claim = $\pounds 363.09$ $\pounds 363.09 \times 12.5\%$ $= \pounds 45.39$ $= \pounds 408.48$ (a) 7 and -7 (b) 0.103103103 (a) 7 points correct (4 points correct) (b) accurate line of best fit (c) reading from graph (approx. 36/37) (d) negative	(a) 42 minutes       A1         (b) 1545       A1         (c) 1300       A1         (a) 7.6 × 4.8       M1         36.48 cm <sup>2</sup> A1, A1 (units)         (b) 24.8       MA1         (a) $2x - 3y$ A1, A1         (b) $7x = 21$ MA1 $x = 3$ A1         (c) 40       A1         (a) 2, 11       A1         (b) Points plotted correctly Correct line       A1         (c) $x = 2$ drawn correctly       A1         (c) $x = 2$ drawn correctly       A1         Meals $= 5 \times £27.60 = £138$ MA1         Mcals $= 5 \times £27.60 = £138$ MA1         (a) 7 and $-7$ A1         (b) 0.103103103       A1         (a) 7 points correct       A2         (4) 7 points correct)       A1         (a) 7 points correct)       (A1)         (b) 0.103103103       A1         (a) 7 points correct)       (A2         (A1)       (A1)         (b) accurate line of best fit       A1         (c) reading from graph (approx. 36/37)       MA1         (d) negative       A1

15	4 5	0 0	0 0	5 5	5	5										AVAILABLE MARKS
	6 7	0 5	0	0	5											
	8	0	0	5												
	10	0	0													
	11 12	0 0	0					Ke	<b>y</b> : 11	0 = 110	0			M1,	Al Al	3
16	(a)	Ext 108	erior	= 72	° or	total in	nterio	r = 54(	)°					M M	A1 A1	2
	(b)	Eac 360	$h into 0^{\circ} - 3$	erior 24° =	ang = 36	le = 10 ° which	8° an h leav	$d 3 \times 1$ tes a ga	108° = ap	324°					C1 C1	
		(Alt	terna	tively	y 36	)° ÷ 1(	)8° = 1	3.33	. whic	h is <b>no</b>	<b>t</b> a wh	ole nun	nber)			2 QWC
17	(a)	π× 113	60 <sup>2</sup> 09.73	3355	(;	any coi	rrect r	oundir	ng)					M	A1 A1	
	(b)	113	09.73	3355	× 70	)								М	A1	
		791 791	681.: .68 li	3487 itres	(	any co	rrect 1	roundi	ng)					М	A1 A1	5
18	5d -	+ 4c												A1,	A1	2
19	(a)	0, 3 (A1	, 8 for 2	2 cor	rect)	1									A2	
	(b)	102	is no	ot a s	quar	e num	ber								A1	3
20	7e -	- 4e	= 5 -	- 3										М	A1	
		3e	= 2 $= \frac{2}{2}$											M M	A1 A1	3
21	(a)	2	3 84				84									2
	()	2	42	-	or	2		42		or sir	nilar					
		7	7	-			2	21	\ \					М1	Δ 1	
		I	1 0 <sup>2</sup>	o -	-		3	/	7					1411,		
		=	2 <sup>2</sup> ×	$3 \times 7$	/										A1	
	(b)	63 = LCI	$= 3 \times M = 2$	$3 \times 7$ $2 \times 2$	7 × 3	× 3 × ′	7 = 25	52						M	A1 A1	5

22	Increase $= 18 \text{ kg}$	A1	AVAILABLE MARKS
	$\% = \frac{18}{147} \times 100$	MA1	
	= 12.244 (897)	A1	3
23	Polygon with correct scales Correct mid points Points joined	A1 A1 A1	3
24	<ul> <li>(a) Suitable criticism – too big a variety of ages to be recorded, people may find it too personal, does not state required accuracy etc.</li> </ul>	A1	
	<ul><li>(b) "What age range are you in?" Tick one box. Response boxes given. Response boxes must be exhaustive and non-overlapping.</li></ul>	A1 A1	3
25	4n + 5	A1, A1	2
26	$\pi \times 40 = 125.663$ 125.663 ÷ 2 = 62.83 62.83 + 40 = 102.83	MA1 MA1 MA1	3
27	$26^2 = 10^2 + PR^2$ $PR^2 = 676 - 100 = 576$ PR = 24	MA1 A1 A1	3
28	6w - 3 - 2w + 8 $4w + 5$	MA1 MA1	2
29	value between 3 and 4	MA1	
	$\begin{array}{l} \underline{x} & x^3 + 3x \\ 3.4 & 49.504 \\ 3.3 & 45.837 \\ 3.35 & 47.645375 \\ x = 3.3 \end{array}$	A1 A1 A1	4
		Total	100