

Edexcel GCSE

Mathematics A 1387

Paper 5521/01

June 2007

advancing learning, changing lives

Mark Scheme

NOTES ON MARKING PRINCIPLES

1 Types of mark

M marks: method marks

A marks: accuracy marks

B marks: unconditional accuracy marks (independent of M marks)

2 Abbreviations

cao - correct answer only

ft - follow through

isw - ignore subsequent working

SC: special case

oe - or equivalent (and appropriate)

dep - dependent

indep - independent

3 No working

If no working is shown then correct answers normally score full marks

If no working is shown then incorrect (even though nearly correct) answers score no marks.

4 With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks. Discuss each of these situations with your Team Leader.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

If there is no answer on the answer line then check the working for an obvious answer.

5 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

6 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: eg. incorrect cancelling of a fraction that would otherwise be correct

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

7 Probability

Probability answers must be given as fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.





8 Linear equations

Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded.



9 Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

Paper 5521_01

No	Working	Answer	Mark	Notes
1	Cat  8 Dog  6 Fish  2 Hamster  4	8, 6, 2, 4	3	M1 for attempt to tally or one frequency correct in either column A1 for 1 frequency correct or all tallies correct in correct column A1 for all frequencies correct (accept if /20)
2		27, 35, 42, 67, 118	1	B1 cao
3	(a)	Diameter drawn	1	B1 for a diameter
	(b)	Right angle marked	1	B1 R marked correctly
	(c)	Rectangle drawn	1	B1 for a rectangle
4	(a)	40	1	B1 cao
	(b)	50	1	B1 cao
	(c)	3 full loaves 4 full loaves + 1 half loaf	2	B1 for 3 full loaves B1 for 4 full loaves + 1 half loaf
5	(a)	7252	1	B1 cao
	(b)	Three thousand and eighty six	1	B1 accept 3 thousand and eighty six (condone 0 hundred)
	(c)	4600	1	B1 accept 4600
	(d)	200	1	B1 for 200 or 2 hundred or 100 or hundred
6	(i)	Cube	2	B1 for 'cube' (accept 'cuboid') ignore spelling
	(ii)	Cylinder		B1 for 'cylinder' ignore spelling
7	5×100	500	2	B2 for 490 or 500 or 510 (B1 for either 5 or 5.0 or 100 seen)

Paper 5521_01				
No	Working	Answer	Mark	Notes
8	(a)	8.4 cm or 84 mm	2	B2 allow $\pm 2\text{mm}$ (B1 for 8.4 or 84, B1 for appropriate unit) B1 allow $\pm 2^\circ$
	(b)	37°	1	
9	(a)	Carbon black	1	B1 accept 'black carbon' accept 26% B1 cao B1 cao M1 for $\frac{26}{100}$ A1 cao
	(b)	0.1(0)	1	
	(c)	0.04	1	
	(d)	$\frac{26}{100}$	2	
10	(a)	97	1	B1 cao B1 cao M1 for two of 41, 57, 58 M1(dep) for '41' + '57' + '58' A1 cao
	(b)	London Reading	1	
	(c)	$41 + 57 + 58$	3	
11	(a)	3	1	B1 cao allow ± 0.2 B1 cao allow ± 0.2
	(b)	-5	1	

Paper 5521_01				
No	Working	Answer	Mark	Notes
12	(a)	Centimetres (cm) miles	3	B3 (B1 for each correct answer) accept abbreviations
	(b)	litres (<i>l</i>) 300	1	B1 cao
	(c)	'1500>1400' or '1.5>1.4' Reason	1	B1 for No and '1500>1400' or '1.5>1.4'
13	(a)	Bars drawn	2	B2 for 3 bars correctly drawn (B1 for 2 bars correct)
	(b)	July and August	1	B1 oe
	(c)	24 – 4	1	B1 (Accept '4 to 24' oe)
	(d)	The temperatures are rising	1	B1 for reason
14	(a) (i)	$(-4, 3)$	2	B1 cao
	(a) (ii)	$(2, -1)$		B1 cao
	(b) (i)	Point marked on grid $(-4, -1)$	2	B1 for point marked at $(-4, -1)$ cao
	(b) (ii)	$(-4, -1)$		B1 ft
15	(a)		1	B1 cao
	(b)		1	B1 cao

Paper 5521_01				
No	Working	Answer	Mark	Notes
16	(a)	(Pat +) reason	1	B1 correct comment (Pat may be implied)
	(b)	$21 \div 3$	1	B1 cao
17	(i)	S marked at 1	3	B1 for S within $\frac{1}{2}$ cm of 1
	(ii)	P marked at 0		B1 for P marked at 0 cao
	(iii)	Q marked at "1/3"		B1 for Q marked at $1/3 \pm 1$ cm use overlay
18	$6 + 6 + 3$ or $2\frac{1}{2} \times 6$	15	3	M1 for realizing 6 glasses in one bottle M1 for realizing 3 glasses in $\frac{1}{2}$ a bottle A1 cao (M2 for attempt to find $2\frac{1}{2} \times 6$) oe
19	15 and 16 parts shaded Alternative 1 $\frac{3}{4} = 0.75, \frac{4}{5} = 0.8$ Alternative 2 $\frac{3}{4} = \frac{15}{20}, \frac{4}{5} = \frac{16}{20}$	$\frac{4}{5}$ + reason	3	M1 for correctly shading 15 parts for $\frac{3}{4}$ M1 for correctly shading 16 parts for $\frac{4}{5}$ A1 (dependent on M2) for selection of $\frac{4}{5}$ Alternative 1 M1 for $\frac{3}{4} = 0.75$ M1 for $\frac{4}{5} = 0.8$ A1 (dep on M2) for selection of 0.8 or $\frac{4}{5}$ or $\frac{16}{20}$ Alternative 2 M1 for $\frac{3}{4} = \frac{15}{20}$ M1 for $\frac{4}{5} = \frac{16}{20}$ A1(dep on M2) for selection of $\frac{4}{5}$ or $\frac{16}{20}$

Paper 5521_01				
No	Working	Answer	Mark	Notes
20	(a)	-5 (-3) (-1) 1 3	2	B2 cao (B1 for any 2 or 3 correct)
	(b)	Points plotted Line	2	B2 for line from (-1, -5) to (4, 5) (B1 ft for plotting at least 5 "points")
21	Shapes shaded on grid	6 tessellating shapes	2	B2 for fully correct with 5 or more additional shapes, no gaps (B1 for 4 shapes tessellating with at least one shape inverted, with or without the given shape ignore extras)
22	(a)	$\frac{7}{20}$	1	B1 for $\frac{7}{20}$ oe
	(b)	7 + 2 (or 20 - 11) are not lime flavour $\frac{9}{20}$	1	B1 for $\frac{9}{20}$
	(c)	0	1	B1 for 0, zero or nought ($\frac{0}{20}$ gets B0)
23	(a)	4a	1	B1 accept 4×a, a × 4, a4
	(b)	12b	1	B1 accept 12×b, b ×12, b12
	(c)	2a + 6b	2	B2 cao (B1 for 2a or 6b seen)
	(d)	x(x - 6)	2	B2 cao (B1 for x(ax + b) where a, b are numbers not equal to 0 or x - 6 seen on its own, or as part of an expression)
24	(a)	40	1	B1 cao
	(b)	45	1	B1 for 42 - 48 accept $\frac{3}{4}$ hour
	(c)	40 × 2 or $\frac{40}{30} \times 60$ or $40 \div \frac{1}{2}$ 80	2	M1 for 40×2 or $\frac{40}{30}$ or $40 \div \frac{1}{2}$ A1 cao NB $\frac{40}{45} \times 60$ gets M0 A0

Paper 5521_01				
No	Working	Answer	Mark	Notes
25	(a)	4560	1	B1 cao
	(b)	45.6	1	B1 cao
	(c)	2.4	1	B1 cao
26	$-7 - 3 = -10$ $2 \times -10 = -20$ $-20 \div 4$	-5	3	M1 for substitution of 2 and -7 into $p(q - 3)$ or sight of -20 or $-14 - 6$ M1dep for '-20' $\div 4$ A1 cao B1 SC for sight of -10 if M0 awarded
27	(a)	Reflection in y-axis	1	B1 cao
	(b)	Rotation by half turn about (0,0)	2	B2 cao (B1 for half turn not about (0,0).)
	(c)	Enlargement Scale factor 3 Centre (0,0)	3	B1 for 'enlargement' B1 for "scale factor 3" or 3 seen B1 for 'centre (0,0)
28	(a)	Reason	1	B1 for 'The frequencies are nearly equal' oe
	(b)	$1 \times 26 + 2 \times 26 + 3 \times 23 + 4 \times 25 = 247$ $247/100$	3	M1 for fx (attempting at least 2 relevant products) M1 for $\sum fx \div 100$ A1 2.47 cao

Paper 5521_01				
No	Working	Answer	Mark	Notes
29	$5 \times 5 \times 6$	150	4	<p>M1 for attempt at 1 division (e.g. $40 \div 8$), may be implied by marks or number on one edge of diagram or by 5 or 6 seen</p> <p>M1 for attempt at 3 divisions ($40 \div 8$, $40 \div 8$, $60 \div 10$), may be implied by marks or numbers on diagram or by 5,5 and 6 seen.</p> <p>M1 (dep on 1st M1) for “5” × “5” × “6” A1 cao</p> <p>Alternatively M1 for $40 \times 40 \times 60$ or $8 \times 8 \times 10$ or 96000 or 640 seen M1 for $40 \times 40 \times 60$ and $8 \times 8 \times 10$ or 96000 and 640 seen M1 (dep on 1st M1) for “$(40 \times 40 \times 60)$” ÷ “$(8 \times 8 \times 10)$” A1 cao</p> <p>SC:B1 for dividing area of one carton face by area of corresponding box face if M0</p>