

GCSE

Edexcel GCSE

Mathematics B 1388

Paper 5536/16

Summer 2005

advancing learning, changing lives

Mark Scheme (Results)

Edexcel GCSE  
Mathematics A 1388  
Paper 5536/16

## NOTES ON MARKING PRINCIPLES

### 1 Types of mark

- M marks: method marks
- A marks: accuracy marks
- B marks: unconditional accuracy marks (independent of M marks)

### 2 Abbreviations

cao - correct answer only

ft - follow through

isw - ignore subsequent working

SC: special case

oe - or equivalent (and appropriate)

dep - dependent

indep - independent

### 3 No working

If no working is shown then correct answers normally score full marks

If no working is shown then incorrect (even though nearly correct) answers score no marks.

### 4 With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks. Discuss each of these situations with your Team Leader.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

If there is no answer on the answer line then check the working for an obvious answer.

### 5 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

**6 Ignoring subsequent work**

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: eg. incorrect cancelling of a fraction that would otherwise be correct

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

**7 Probability**

Probability answers must be given as fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

**8 Linear equations**

Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded.


**9 Parts of questions**

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in an


Paper 5536/16				
No	Working	Answer	Mark	Notes
1		Correct shape	2	B2 B1 for any 2 sides correct, or a correct enlargement scale factor $\neq 1$ or 2.
2	(b)	$2y^2$	1	B1 accept $2 \times y^2$ or $2 \times y \times y$
	(c)	$3c+4d$	2	B2 for $3c+4d$ (accept $3 \times c$ etc) (B1 for $3c$ or $4d$ or $3c4d$ )
3	(a)(i)	60	2	B1 cao
	(ii)	eg top triangle is equilateral		B1 for reason
	(b)	150	2	M1 $\frac{(180-"60")}{2} + 90$ A1 ft from (a)(i) if $x < 90^\circ$ SC:B1 for answer from "60" + 90 if $x < 90^\circ$

**Paper 5536/16**

No	Working	Answer	Mark	Notes																
4	<div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: right;"> <math display="block">\begin{array}{r} 679 \\ \underline{28} \\ 5432 \\ \underline{13580} \\ 19012 \end{array}</math> </div> <div style="text-align: center;">or</div> <div style="text-align: left;"> <math display="block">\begin{array}{r} 28 \\ \underline{679} \\ 252 \\ 1960 \\ \underline{16800} \\ 19012 \end{array}</math> </div> </div> <div style="text-align: center;"> <p>6      7      9</p> <table border="1" style="border-collapse: collapse; margin: auto;"> <tr> <td style="padding: 5px;">1</td> <td style="padding: 5px;">1</td> <td style="padding: 5px;">1</td> <td style="padding: 5px;">2</td> </tr> <tr> <td style="padding: 5px;">2</td> <td style="padding: 5px;">4</td> <td style="padding: 5px;">8</td> <td style="padding: 5px;"></td> </tr> <tr> <td style="padding: 5px;">4</td> <td style="padding: 5px;">5</td> <td style="padding: 5px;">7</td> <td style="padding: 5px;">8</td> </tr> <tr> <td style="padding: 5px;">8</td> <td style="padding: 5px;">6</td> <td style="padding: 5px;">2</td> <td style="padding: 5px;"></td> </tr> </table> <p>0      1      2</p> </div>	1	1	1	2	2	4	8		4	5	7	8	8	6	2		190.12	3	<p>M1 for an attempt to multiply the units and tens, or correct partitioning</p> <p>M1 complete correct method (condone one arithmetic error)</p> <p>A1 for 190.12 cao</p> <p>OR</p> <p>M1 for putting the numbers in a grid</p> <p>M1 for multiplying out and addition (condone one error)</p> <p>A1 answer shown with point</p> <p>OR</p> <p>M1 for correct partitioning</p> <p>M1 <math>679 \times 20</math> and <math>679 \times 8</math> calculated oe (condone one error)</p> <p>A1 cao</p>
1	1	1	2																	
2	4	8																		
4	5	7	8																	
8	6	2																		

Paper 5536/16				
No	Working	Answer	Mark	Notes
5	(a) (b) (c) (d)	Points plotted  positive  Line of best fit  approx 1.65	1  1  1  1	B1 $\pm 1$ full (2mm) square  B1 cao  B1 must pass through (42.5, 1.45), (42.5, 1.55) AND (67.5, 1.75), (67.5, 1.85)  B1 ft from single line segment with positive gradient $\pm 1$ full (2mm) square
6	(a) (b)	200  600	2  2	M1 $2000 \div 500$ or 4 seen A1 cao  M1 $750 \div 500$ or 1.5 seen or $400 + 200$ A1 cao
7		correct drawing	2	B2. Condone hidden detail shown with solid lines, or missing lines on front face. (B1 for : one sketch correct with other sketches incorrect cross-section correct with depth $> 1$ cube, correct plan and side elevation)
8	$\frac{600}{3 \times 10}$ or $\frac{640}{3.2 \times 10}$	20 to 21 $\frac{1}{3}$	2	M1 For rounding at least two of the numbers to 1 sf, or for sight of 640, 3.2 or 640, 32 or 600, 32 or 30 seen  A1 for 20 to 21 $\frac{1}{3}$  NB: 20.3125 scores M0 A0

Paper 5536/16				
No	Working	Answer	Mark	Notes
9	(a)(i)	$5^6$	1	B1 accept 15125, $5^{4+2}$
	(ii)	$5^3$	1	B1 accept 125, $5^{9-6}$
	(b) $x + y = 10$ and $x - y = 4$	$x = 7$ $y = 3$	3	M1 for either $x + y = 10$ or $x - y = 4$ A2 for both values correct [(A1 for one value correct) If M0, award B3 for both values correct or B2 for one value correct, otherwise B0] SC B2 for $x = 3$ and $y = 7$
10	(a)	$\frac{3}{5}$	3	B1 for $2x + 2$ seen OR $2.5 - 1.5x = x + 1$ M1 for correct rearrangement of 4 terms A1 for $\frac{3}{5}$ oe
	(b)	$-3, -2, -1, 0, 1, 2$	2	B2 (B1 for 5 correct and not more than one incorrect integers)
11		$\frac{1}{2}$	2	M1 for $\frac{6}{12}$ or $\frac{3}{6}$ or $\frac{2 \times 3}{3 \times 4}$ A1 accept 0.5

Paper 5536/16				
No	Working	Answer	Mark	Notes
12	$2 \times \frac{1}{2} \times 6 \times 8$ or 48 $8 \times 9 + 6 \times 9 + 10 \times 9$ or 72 + 54 + 90	264 cm <sup>2</sup>	4	M1 attempt to find the area of one face; $\frac{1}{2} \times 6 \times 8$ or $(8 \times 9)$ or $(6 \times 9)$ or $(10 \times 9)$ or 72 or 54 or 90 or 24 M1 all five faces with an intention to add A1 cao numerical answer of 264 B1 (indep) cm <sup>2</sup> with or without numerical answer
13		$\frac{\pi ab^3}{3d}$ $3(c+d)^3$ $3\pi bc^2$	3	B3 (B1 for each one correct) Nb -B1 for each of the 4 <sup>th</sup> , 5 <sup>th</sup> , 6 <sup>th</sup> tick
14	(a) $x + 0.3 + 0.2 + x = 1$ (b) $0.3 \times 200$	0.25 60	2 2	M1 for $x + 0.3 + 0.2 + x = 1$ oe, or $0.5 \div 2$ A1 oe M1 $0.3 \times 200$ A1 cao Accept 60 out of 200 (in words) SC B1 for $\frac{60}{200}$
15	(a) (b)	$(-12) - 4 - 2 - (0) 8$ points plotted accurately points joined with smooth curve	3 2	B3 for all correct [(B1 for each one correct) B1 $\pm 1$ full (2mm) square ft table if at least B1 awarded (all 5 points plotted) B1 ft for any smooth curve if previous B1 gained NB: curve must pass within 1 full square of the points
16		$\frac{1}{4}$ on LH branch $\frac{2}{3}$ & $\frac{1}{3}$ & $\frac{2}{3}$ on RH branches	2	B1 B1



Paper 5536/16				
No	Working	Answer	Mark	Notes
17		$m=3$ $n=5$	2	B1 for 3 B1 for 5 (B2 for $2^3 \times 5$ or $2 \times 2 \times 2 \times 5$ ) SC: award B1 only if $m=5, n=3$ or for $8 \times 5$ seen
18	$\frac{5 - -1}{-1 - 2} = -2$	$y = -2x + 5$	4	M1 for clear attempt to find gradient eg fraction with -1,5 in numerator, 2,-1 in denominator A1 for -2 B2 ft for $y = -2x + 5$ oe (eg $y = \frac{-6}{3}x + 5$ ) (B1 for $y = mx + 5$ or , -2x+5 or $y = -2x + c$ )
19	(i) (ii)	150	2	B1 accept 150 or 210 B1 for angle at the centre is twice the angle at the circumference

