

## Mark Scheme (Results) November 2009

GCSE

GCSE Mathematics (Modular) - 2381 Paper: 5384H/14H Edexcel is one of the leading examining and awarding bodies in the UK and throughout the world. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers.

Through a network of UK and overseas offices, Edexcel's centres receive the support they need to help them deliver their education and training programmes to learners.

For further information, please call our GCE line on 0844 576 0025, our GCSE team on 0844 576 0027, or visit our website at www.edexcel.com.

November 2009 Publications Code UG 022451 All the material in this publication is copyright © Edexcel Ltd 2009

5384H\_14H 0911

5384	5384H/14H						
Que	stion	Working	Answer	Mark	Notes		
1			28.38461538	2	B2 for 28.3846 (B1 for 107.01 or 3.77 or 28.38() or ${}^{28}\frac{5}{13}$ oe seen)		
2	(a)	$3 \times 2 + 5 \times -4$	- 14	2	M1 for $3 \times 2 + 5 \times -4$ oe or 6 and $-20$ seen A1 cao for $-14$		
	(b)	8x + 11 - 11 = 39 - 11 $8x = 28$	3.5	2	M1 for $8x = 39 - 11$ oe or $(39 - 11) \div 8$ A1ft for 3.5 or $3\frac{1}{2}$ oe		
3	(a)		Correct plane	2	B2 for a correct plane defined by showing at least 2 adjacent lines of the plane (B1 for a line of symmetry on one face)		
	(b)		Correct elevation	2	B2 for sketch of trapezium (B1 for trapezium with a rectangle or parallelogram added at top or a side or lines drawn from vertices)		
4		$\pi \times 5 \times 5$	78.5	2	M1 for $\pi \times 5 \times 5$ (accept $\pi$ as 3.1 or better) A1 for 77.5 to 78.6 or $25\pi$		
5		360 ÷ 12	30	2	M1 for 360 ÷ 12 A1 cao		

5384	5384H/14H					
Que	stion	Working	Answer	Mark	Notes	
6		$1.72 \div 2 (= 0.86)$ $7.65 \div 9 (= 0.85)$	Large box with reasons	3	M1 for $1.72 \div 2 (= 0.86)$ M1 for $7.65 \div 9 (= 0.85)$ A1 for large box or 9 kg with correct calculations OR M1 for $2 \div 1.72 (= 1.162)$ M1 for $9 \div 7.65 (= 1.176)$ A1 for large box or 9 kg with correct calculations OR M2 for $7.65 \times 2 \div 9 (=1.70)$ or for $1.72 \div 2 \times 9 (=7.74)$ A1 for large box ot 9 kg with correct calculations OR M1 for $1.72 \times 9 (= 15.48)$ M1 for $7.65 \times 2 (= 15.30)$ A1 for large box or 9 kg with correct calculations Accept equivalent methods for comparison	
7			Rotation 180° Centre (0, 1)	3	B1 for rotation B1 for 180° or half turn B1 for (0, 1) (B0 for any combination of transformations)	
8		$360 + \frac{17.5}{100} \times 360$	423	3	M1 for $\frac{17.5}{100} \times 360$ oe or $10\% + 5\% + 2\frac{1}{2}\%$ condone 1 calculation error or 63 or 36, 18 and 9 seen M1 (dep) for $360 + 63$ A1 for 423 OR M2 for $1.175 \times 360$ oe A1 for 423	

5384	5384H/14H						
Que	stion	Working	Answer	Mark	Notes		
9		180÷9 (=20) 20×4	80	3	M2 for $180 \div (2 + 3 + 4) \times 4$ or 40, 60, 80 seen (M1 for $180 \div (2 + 3 + 4)$ or 20 seen) A1 cao		
10		$\begin{array}{c} 3 \rightarrow 33 \\ 4 \rightarrow 72 \\ 3.1 \rightarrow 35.9(91) \\ 3.2 \rightarrow 39.1(68) \\ 3.3 \rightarrow 42.5(37) \\ 3.4 \rightarrow 46.1(04) \\ 3.5 \rightarrow 49.8(75) \\ 3.6 \rightarrow 53.8(56) \\ 3.7 \rightarrow 58.0(53) \\ 3.8 \rightarrow 62.4(72) \\ 3.9 \rightarrow 67.1(19) \\ 3.75 \rightarrow 60.2(34375) \end{array}$	3.7	4	B2 for a trial between 3.7 and 3.8 inclusive (B1 for a trial between 3 and 4 inclusive) B1 for a different trial between 3.7 and 3.8 exclusive B1 (dep on at least one previous B1) for 3.7 NB trials should be evaluated to at least 1dp truncated or rounded		
11	(a)		$m^7$	1	B1 for $m^7$ , accept $m^{3+4}$		
	(b)		$p^4$	1	B1 for $p^4$ , accept $p^{7-3}$		
	(c)		$12x^{3}y^{5}$	2	B2 cao (B1 for two of 12, $x^3$ , $y^5$ in a product ignore × signs)		
12		$14^{2} + 12^{2} =$ 196 + 144 = 340 $\sqrt{340} = 18.4$	18.4	3	M1 for 14 <sup>2</sup> + 12 <sup>2</sup> M1 (dep) for <b>√(K"14) <sup>†</sup>2 + K12) <sup>†</sup>2 )</b> <sup>■</sup> A1 for 18.4 to 18.44		

5384	5384H/14H						
Que	stion	Working	Answer	Mark	Notes		
13		$\frac{29-x}{4} \times 4 = x \times 4 + 5 \times 4$ $29 - 20 = 4x + x$	1.8	3	M1 for multiplying through by 4 or for $\frac{29}{4} - \frac{x}{4} = x + 5$ M1 for correct rearrangement of their 4 terms to separate x and non-x terms A1 for 1.8 oe		
14	(a)	$6 \times \frac{15}{10}$	9	2	M1 for sight of $\frac{15}{10}$ or $\frac{10}{15}$ or $\frac{10}{6}$ or $\frac{6}{10}$ oe seen A1 cao NB ratios get M0 unless of the form 1: <i>n</i>		
	(b)	$12 \times \frac{10}{15}$	8	2	M1 for correct use of $\frac{15}{10}$ or $\frac{10}{15}$ or $\frac{15}{12}$ or $\frac{12}{15}$ or $\frac{"9"}{6}$ or $\frac{6}{"9"}$ oe A1 for 8 or $12 \times 6 \div "9"$		
15		y = kx 10 = k × 500	$y = \frac{1}{50}x$	3	M2 for $10 = k \times 500$ oe or $10 = \frac{500}{k}$ oe (M1 for $y = kx$ or $y \propto x$ or $y = x/k$ ) A1 for $y = \frac{1}{50}x$ oe e.g $y = 0.02x$		
16		$AB^{2} = 5^{2} + 8^{2} - 2 \times 5 \times 8 \times \cos 75$ = 25 + 64 - 80 × cos75 = 68.29 $AB = \sqrt{89 - 80 \times \cos 75}$ = \(\delta 68.29)	8.26	3	M1 for $AB^2 = 5^2 + 8^2 - 2 \times 5 \times 8 \times \cos 75$ M1 (dep) for correct order of evaluation A1 for 8.26(40) SC M1M1A0 for 3.9(0) or 7.6(4) seen		

5384H/14	5384H/14H						
Question	Working	Answer	Mark	Notes			
17	Upper bound $\sqrt{\frac{6.435}{5.5135}} = 1.080340$ Lower bound $\sqrt{\frac{6.425}{5.5145}} = 1.079402$	1.08 because the LB and UB agree to that number of figures	5	B1 for either 6.435 or 6.425 or 6.434999 B1 for either 5.5145 or 5.5135 or 5.5144999 M1 for ' $6.435' \div '5.5135'$ where $6.43<'6.435' \le 6.44$ and where $5.513 \le '5.5135' < 5.514$ OR for ' $6.425' \div '5.5145$ where $6.42 \le '6.425' < 6.43$ and $5.514 < '5.5145' \le 5.515$ A1 for 1.0794 and 1.0803 A1 for 1.08 <b>and</b> 'both LB and UB round to 1.08' oe			
18	4(2x - 1) + 3(x + 3) = (x + 3)(2x - 1) $8x - 4 + 3x + 9 = 2x^{2} - x + 6x - 3$ $2x^{2} - 6x - 8 = 0$ 2(x - 4)(x + 1) = 0	<i>x</i> = -1, 4	5	M1 for $4(2x - 1) + 3(x + 3) = (x + 3) (2x - 1)$ or $\frac{4(2x - 1) + 3(x + 3)}{(x + 3) (2x - 1)} (= 1) \text{ or}$ (x + 3) (2x - 1) Multiplying all 3 terms by (x + 3) or by (2x - 1) M1 for either $8x - 4 + 3x + 9$ oe or $2x^2 - x + 6x - 3$ oe seen A1 for correct quadratic (=0) M1(dep on M2) for a correct method to solve 3 term quadratic A1 cao for both solutions			

GCSE MATHEMATICS 2381 (MODULAR)

Further copies of this publication are available from Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467 Fax 01623 450481

Email publications@linneydirect.com

Order Code UG 022451 November 2009

For more information on Edexcel qualifications, please visit www.edexcel.com/quals

Edexcel Limited. Registered in England and Wales no.4496750 Registered Office: One90 High Holborn, London, WC1V 7BH