

Mathematics A

General Certificate of Secondary Education

Unit **A501/02**: Mathematics A (Higher Tier)

Mark Scheme for January 2011

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of pupils of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, OCR Nationals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by Examiners. It does not indicate the details of the discussions which took place at an Examiners' meeting before marking commenced.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the Report on the Examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2011

Any enquiries about publications should be addressed to:

OCR Publications
PO Box 5050
Annesley
NOTTINGHAM
NG15 0DL

Telephone: 0870 770 6622
Facsimile: 01223 552610
E-mail: publications@ocr.org.uk

Confidential marking instructions for examiners (January 2011)
A501/02 GCSE Mathematics A (J562)

Marking instructions

- 1 Mark strictly to the mark scheme.
- 2 Make no deductions for wrong work after an acceptable answer unless the mark scheme says otherwise.
- 3 Work crossed out but not replaced should be marked.
- 4 **M** (method) marks are not lost for purely numerical errors.
A (accuracy) marks depend on preceding **M** (method) marks. Therefore **M0 A1** cannot be awarded.
B marks are independent of **M** (method) marks and are awarded for a correct final answer or a correct intermediate stage.
- 5 Two additional situations may appear in the mark scheme allowing the award of **A** marks or independent (**B**) marks:
 - i. Correct answer with no working
 - ii. Follows correctly from a previous answer whether correct or not (“ft” on mark scheme and on the annotations tool).
- 6 As a general principle, if two or more methods are offered, mark only the method that leads to the answer on the answer line. If two (or more) answers are offered, mark the poorer (poorest).
- 7 When the data of a question is consistently misread in such a way as not to alter the nature or difficulty of the question, please follow the candidate’s work and allow follow through for **A** and **B** marks. Deduct 1 mark from any **A** or **B** marks earned and record this by using the **MR** annotation. **M** marks are not deducted for misreads.
- 8 Unless the question asks for an answer to a specific degree of accuracy, always mark at the greatest number of significant figures even if this is rounded or truncated on the answer line. For example, an answer in the mark scheme is 15.75, which is seen in the working. The candidate then rounds or truncates this to 15.8, 15 or 16 on the answer line. Allow full marks for the 15.75.
- 9 If the correct answer is seen in the body and the answer given in the answer space is a clear transcription error allow full marks unless the mark scheme says ‘mark final answer’ or cao. If the answer is missing, but the correct answer is seen in the body allow full marks. If the correct answer is seen in working but a completely different answer is seen in the answer space, then accuracy marks for the answer are lost. Method marks would still be awarded.
- 10 Ranges of answers given in the mark scheme are always inclusive.

11 For methods not provided for in the mark scheme give as far as possible equivalent marks for equivalent work.

12 For answers scoring no marks, you must either award NR (no response) or 0, as follows:

Award NR (no response) if:

- Nothing is written at all in the answer space
- There is any comment which does not in any way relate to the question being asked (“can’t do”, “don’t know”, etc.)
- There is any sort of mark that is not an attempt at the question (a dash, a question mark, etc.)

Award 0 if:

- There is any attempt that earns no credit. This could, for example, include the candidate copying all or some of the question, or any working that does not earn any marks, whether crossed out or not.

13 Where a follow through mark is indicated on the mark scheme for a particular part question, you must ensure that you refer back to the answer of the previous part question.

14 Anything in the mark scheme which is in square brackets [...] is not required for the mark to be earned, but if present it must be correct.

Abbreviations

The following abbreviations are commonly found in GCSE Mathematics mark schemes.

- Where you see **oe** in the mark scheme it means **or equivalent**.
- Where you see **isw** in the mark scheme it means **ignore subsequent working** (after correct answer obtained), provided the method has been completed.
- Where you see **cao** in the mark scheme it means **correct answer only**.
- Where you see **soi** in the mark scheme it means **seen or implied**.
- Where you see **www** in the mark scheme it means **without wrong working**.
- Where you see **rot** in the mark scheme it means **rounded or truncated**.
- Where you see **seen** in the mark scheme it means that you should award the mark if that number/expression is seen anywhere in the answer space, including the answer line, even if it is not in the method leading to the final answer.
- Where you see **figs 237**, for example, this means any answer with only these digits. You should ignore leading or trailing zeros and any decimal point e.g. 237000, 2·37, 2·370, 0·00237 would be acceptable but 23070 or 2374 would not.

1	(a)	27[.00]	2	M1 for 45×0.6 oe or $45/5$ or 9	Condone 27.0, 27.00p
	(b)	3 : 8 or 0.375 oe : 1 or $1:2.\dot{6}$ or exact equivalent mark final answer	2	M1 for 6 : 16 or $1 : 2.6-2.7$ or correct answer seen then spoiled After 0 scored allow SC1 for correct ratio but reversed e.g. 8:3	Condone £3 : £8 for 1 or 2 marks
2	(a)	$12a^3$	2	Condone $12 \times a^3$ for 2 marks B1 for $12 [a^k]$, accept $k = 0$ or B1 for $[k]a^3$ k not equal to 0 or SC1 only for $12 + a^3$	so 12 only scores B1 so a^3 only scores B1
	(b)	25	2	M1 for $4 \times -2.5 \times -2.5$ or better soi or for 6.25 seen or SC1 for answers of -25 or 100	
	(c)	$10x - 35 [= 3]$ or $2x - 7 = 3/5$ $10x = 38$ or $2x = 7.6$ or FT [x =] 3.8 oe (accept 38/10 or better isw)	B1 M1FT M1FT	For dealing with brackets correctly For getting to form $ax = b$; FT <i>their</i> wrong first step for $a \neq 0$ or 1 and $b \neq 0$ FT <i>their</i> $ax = b$ with $a \neq 0$ or 1 or b and $b \neq 0$ Allow B3 for 3.8 www	Allow FT at division step isw – does not need to be evaluated If division step not shown accept answer for 2 nd M1 correct to 2 sf or better Allow correct embedded solution in original equation as final answer to score full marks i.e. $5(2 \times 3.8 - 7) = 3$
	(d)	$4x(3x + 2y)$	2	M1 for $2(6x^2 + 4xy)$ or $4(3x^2 + 2xy)$ or $2x(6x + 4y)$ or $x(12x + 8y)$	Condone final bracket omitted Allow with 'x' signs

3		3.51	2	M1 for 3.509677... rounded or truncated to 1 dp or more or SC1 for 5.73	5.73 from $6.26 - 0.82 \div 1.55$ to 2 dps
4	(a)	$2^2 \times 3 \times 5 \times 7$ oe	2	Must be expressed as product M1 for at least two of 2, 3, 5, 7 seen as factors isw	Do not allow 1 in the product for 2 marks e.g. may be seen in division or factor tree
	(b)	HCF = 6 LCM = 1260	1 2	M1 for any of the following seen anywhere 3 multiples of 18 and 3 multiples of 420 or 420×3 or for $2^2 \times 3^2 \times 5 \times 7$ or any multiples of 1260	e.g. HCF = 1260 scores M1
5		Number of matches \times frequency soi e.g. 46×7 , 47×18 etc or 322, 846, 672, 490, 50 or 2380 $\div 50$ 47.6 www	M1 M1 A1	At least 3 correct products or values seen or total correct seen 2^{nd} M1 independent of first Allow A1 for 48 only if first M1 is earned and there is no wrong working or more accurate answer given as well Allow B3 for 47.6 www	Beware $2380 / 5 = 476$ is incorrect and gets M1 . Allow M1 implied for 476 as answer without working Could be implied Beware 48 without working scores 0

6	(a)	$[h^2 =] 2.8^2 \pm 2.5^2$ oe $\sqrt{2.8^2 - 2.5^2}$ 1.26[...] or 1.3 3.36[...] or 3.4	M1 M1 A1 A1	Implied by 3.36[...] or 3.4 After A0 , SC1 for 2.1 + <i>their</i> 1.26[.] or 1.3 after the first M1 earned Scale drawing alone scores 0 Allow B4 for 3.36... or 3.4 www	Allow correct use of trig if angle EAD or ADE found first – M2 for correct explicit statement e.g. $AE = 2.5 \tan 26.7$ or M1 for correct implicit statement e.g. $AE/2.5 = \tan 26.7$ (angle EAD = 63.2...) (angle ADE = 26.7...) Can earn M1M0A0SC1 but not M0M0A0SC1
	(b)	$\cos [\theta] = 2.5/2.8$ oe Inverse trig fn seen or used 26.7 to 26.8 or 27 and yes oe	M1 M1 A1	correct cos statement or other trig fn used correctly with other side of triangle found in (a); condone poor notation Independent of first M1 Condone poor notation Allow B3 for 26.7 to 26.8 or 27 and yes www	Could use longer methods finding other angle and then subtracting from 90 Could use a reverse method using 15° to show that the height is less than 1.3 M2 for correct explicit trig statement e.g. $h = 2.5 \tan 15$ or M1 for $h/2.5 = \tan 15$ and A1 for correct answer and yes Allow clear intent e.g. invcos, 2 nd function cos, shift cos Check on calculator from first statement if not shown (acc to 2 sf)

7	<p>Correct line through A on bearing of 128°</p> <p>Perp. bisector of AB drawn with correct intersecting arcs (must be at least 2 cm long)</p> <p>Distance = 1.9 to 2.1 km</p>	<p>1</p> <p>2</p> <p>2FT</p>	<p>Tolerance 2°</p> <p>Line must be accurate between the green lines and as far as the blue lines (it can be shorter) isw sections after that M1 if accurate part of perp bisector (at least 2 cm long) but no arcs or contrived arcs</p> <p>Correct or FT ± 0.1 km Dep on at least 1 mark earned previously for distance from intersection or clear point marked to L If the point is not clearly indicated then no marks available e.g. several points marked with no line to L several points marked all joined to L or the end of a line with no clear indication that this is being used or B1 for distance in cm ± 0.2 cm (or mm) e.g. 3.8 to 4.2 cm</p> <p>If 0 scored then SC2 for FT distance in km from L to a clearly marked point that must lie between the red lines or the green lines (when extended if necessary) or SC1 for FT dist in cm as above If no lines shown and only one point between the red lines or the green lines then allow SC2 or SC1</p>	<p>Use overlay – allow provided their line does not cross red lines (allow touching lines) – if just out then check with protractor</p> <p>Allow one pair of arcs shown for perp bisector (not for just touching arcs) Use overlay</p> <p>Accept written on diagram if answer space is empty Allow 2 marks for answer in range 1.9 – 2.1 km without measuring if 1 mark already scored Accept 1900 m to 2100 m for 2 marks</p> <p>cm must be written for B1</p>
---	--	------------------------------	--	---

<p>8</p>	<p>(a)</p>	<p>$[a =] \frac{P-c}{2}$ oe final answer</p>	<p>2</p>	<p>M1 for $P - c = 2a$ or $\frac{P}{2} = a + \frac{c}{2}$ oe or correct answer seen then spoilt or SC1 for final answers $\frac{P+c}{2}$ or $\frac{c-P}{2}$ or $P - c/2$ or $P - c \div 2$ or $P/2 - c$ oe</p>	<p>Do not allow for final answer $\frac{a = P - c}{2}$</p>
	<p>(b)</p>	<p>$A^3 = 36V^2$ or $\sqrt{A} = \sqrt[3]{6V}$ $\frac{A^3}{36} = V^2$ or $\sqrt{A^3} = 6V$ $[V =] \sqrt{\frac{A^3}{36}}$ or $\frac{\sqrt{A^3}}{6}$ oe final answer</p>	<p>B1 M1FT M1FT</p>	<p>M1 for each of 2 correct constructive steps leading to answer, FT earlier errors Allow 3 for correct answer www</p>	<p>If extra FT steps are shown then mark to the benefit of the candidate</p>

9	(a)	5	1		
	(b)	7 points plotted correctly Joined with smooth curve or line segments, within 2 mm of their plots	1 1FT	Tolerance 1 mm Ignore additional plotted points Ignore to the left of 34 and then allow FT for curve through at least 10 of their remaining points i.e. allow to miss one point or one section not drawn	The centre of their plot should be within or touching the circle on overlay Curve not too thick and not more than two 'double line' or feathered sections e.g. can allow curve mark for last FT section not joined
	(c)	(i) 35.9 to 36	1	Do not accept inequality e.g. $t \leq 36$	[35.9 from condoning reading off at 47.5 not 48]
		(ii) 38.1 to 38.5 - 34.7 to 35 3.1 to 3.8	M1 A1	Allow B2 for 3.1 to 3.8 www (check graph that readings have been not been taken at incorrect quartiles e.g. must not come from reading UQ at 75) After 0 scored, SC1 for UQ = 38.1 to 38.5 or LQ = 34.7 to 35	Not just for these values seen – must be associated with LQ or UQ e.g. on graph or in subtraction
	(d)	[00:] 35.7 seconds	2	B1 for 35.7 seen or for seconds with another answer of between 10 and 40;	accept s or sec[s] for seconds

10		$\sqrt{35^2 + 28^2 + 15^2}$ oe 47.2[65...] or 47.3 www and no	M2 A1	M1 for $35^2 + 28^2 + 15^2$ oe or 2234 (may be in two steps of 2D Pythagoras') Ignore additional comments after 'no' Allow 47 only after $\sqrt{2234}$ or $\sqrt{35^2 + 28^2 + 15^2}$ is shown with no premature approximation Allow B3 for 47.2[65...] or 47.3 and no www	If in two steps then figures are (35, 28) pair = 2009 sq root = 44.82..., (35, 15) pair = 1450 sq root = 38.07..., (28, 15) pair = 1009 sq root = 31.76.. + must combine to score M2 or M1
11	(a)	(i) 1/6 oe	2	Condone answer in range 0.16 - 0.17 M1 for $1 - 6x = 0$ or better	mark at most accurate e.g. 0.16 = 0.1 gets 2 marks M0 for $6f(x) = 1$
		(ii) $a = 1$ $b = -12$	1 1	After 0 scored, M1 for $1 - 6(2x)$ seen	
	(b)	$2[x +] 4$	1		

12	<p><u>Using frequencies:</u> Up to 30: 7, 14, 35, 40; [total 96] Over 30: 24, 18, 12; [total 54] [Total 150]</p> <p>Calculation e.g. (1) $\frac{1}{3}$ of <i>their</i> 150 = 50 or (2) $\frac{96}{54} = 1.77$ to 1.78 and correct conclusion: (1) [< 54] so no or (2) so no [since < 2] isw further comments</p> <p>OR <u>Using rectangles:</u> Up to 30: 1.4, 2.8, 7, 8 [= 19.2] Over 30: 4.8, 3.6, 2.4 [= 10.8] [Total 30]</p> <p>Calculation e.g. (1) $\frac{1}{3}$ of <i>their</i> 60 = 20 or (2) $\frac{38.4}{21.6} = 1.77$ to 1.78 and correct conclusion: (1) [< 21.6] so no or (2) [< 2] so no isw further comments</p>	<p>B2</p> <p>M1FT</p> <p>A1</p> <p>B2</p> <p>M1FT</p> <p>A1</p>	<p>Award for seen Need 6 or 7 frequencies correct for B2 OR Accept two of 54, 96 or 150 shown or B1 for at least 3 frequencies correct or for one of 54, 96 or 150 shown</p> <p>FT <i>their</i> values for M1 must evaluate their fraction correctly in some way e.g. to a decimal or find $\frac{1}{3}$ of their total; award when a relevant calculation done even if incorrect/no conclusion All must be correct to award A1</p> <p>Award for seen Need 6 or 7 rectangles correct for B2 OR Accept two of 19.2, 10.8 or 30 shown or B1 for at least 3 values correct [allow different sized unit rectangles used from this solution]</p> <p>FT <i>their</i> values for M1 must evaluate the fraction correctly in some way e.g. to a decimal or find $\frac{1}{3}$ of their total; award when a relevant calculation done even if incorrect/no conclusion All must be correct to award A1</p>	<p>Figures could be seen written on diagram and may break down the frequencies into smaller blocks e.g. $12 = 4 + 4 + 4$</p> <p>Accept multiples of these values for B2 or B1 e.g. 14, 28, 70, 80 etc</p> <p>Accept other valid comparisons e.g. $\frac{54}{150} = 0.36$ M1 which is greater than $\frac{1}{3}$ A1 $\frac{54}{96} = 0.56$[25] M1 which is greater than 0.5 A1 A0 if any error seen</p> <p>Other variations using scaling e.g. Up to 30: 2.8, 5.6, 14, 16 [= 38.4] e.g. Over 30: 9.6, 7.2, 4.8 [= 21.6] [Total 60]</p> <p>both sets of values could also be scaled further e.g. 10 times the values here or in the scheme</p> <p>A0 if any error seen</p>
----	---	---	--	--

OCR (Oxford Cambridge and RSA Examinations)
1 Hills Road
Cambridge
CB1 2EU

OCR Customer Contact Centre

14 – 19 Qualifications (General)

Telephone: 01223 553998

Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office; 1 Hills Road, Cambridge, CB1 2EU
Registered Company Number: 3484466
OCR is an exempt Charity



OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

© OCR 2011