

**GENERAL CERTIFICATE OF SECONDARY EDUCATION
MATHEMATICS C (GRADUATED ASSESSMENT)**

B282A

Terminal Paper – Section A
(Higher Tier)

Candidates answer on the question paper

OCR Supplied Materials:
None

Other Materials Required:

- Geometrical instruments
- Tracing paper (optional)

**Monday 1 June 2009
Morning**

Duration: 1 hour



Candidate Forename		Candidate Surname	
--------------------	--	-------------------	--

Centre Number						Candidate Number				
---------------	--	--	--	--	--	------------------	--	--	--	--

MODIFIED LANGUAGE


INSTRUCTIONS TO CANDIDATES

- Write your name clearly in capital letters, your Centre Number and Candidate Number in the boxes above.
- Use black ink. Pencil may be used for graphs and diagrams only.
- Read each question carefully and make sure that you know what you have to do before starting your answer.
- Show your working. Marks may be given for a correct method even if the answer is incorrect.
- Answer **all** the questions.
- Do **not** write in the bar codes.
- Write your answer to each question in the space provided, however additional paper may be used if necessary.

INFORMATION FOR CANDIDATES

- The number of marks is given in brackets [] at the end of each question or part question.
- The total number of marks for this Section is **50**.
- This document consists of **12** pages. Any blank pages are indicated.


WARNING




No calculator can be used for Section A of this paper

Formulae Sheet

Area of trapezium = $\frac{1}{2}(a + b)h$



Volume of prism = (area of cross-section) \times length




In any triangle ABC

Sine rule $\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$


Cosine rule $a^2 = b^2 + c^2 - 2bc \cos A$

Area of triangle = $\frac{1}{2}ab \sin C$




Volume of sphere = $\frac{4}{3}\pi r^3$

Surface area of sphere = $4\pi r^2$



Volume of cone = $\frac{1}{3}\pi r^2 h$

Curved surface area of cone = $\pi r l$



The Quadratic Equation

The solutions of $ax^2 + bx + c = 0$, where $a \neq 0$, are given by

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

PLEASE DO NOT WRITE ON THIS PAGE

1 For a drink, Meera mixes lime cordial and lemonade in the ratio 1 : 4.

(a) How much lemonade does she need to use with 100 ml of lime cordial?

(a) ml [1]

(b) Meera wants to make 800 ml of this drink.

Calculate how much lime cordial she needs.

(b) ml [2]

(c) Meera drinks 480 ml of the 800 ml.

Write the ratio 480 : 800 as simply as possible.

(c) : [2]

- 2 (a) Insert brackets in each of the following calculations so that they are correct.

$$2 + 5 \times -4 = -28$$

$$2 \times 5 + -4^2 = 2$$

$$2 \times 5 + -4^2 = 36$$

[3]

- (b) Expand.

$$5(3x - 4)$$

(b) [1]

- (c) Factorise fully.

$$6x + 3x^2$$

(c) [2]

3 Here are three consecutive integers.

$$n \qquad n + 1 \qquad n + 2$$


- (a) Find an expression for the sum of these three integers.
Write your answer as simply as possible.

(a) [1]

- (b) Explain how you can tell from the answer to part (a) that the sum of three consecutive integers is **always** divisible by 3.

.....
..... [1]

4



- (a) Using ruler and compasses only, construct the bisector of angle ABC.
Leave in all your construction lines. [2]

- (b) The bisector of angle ABC intersects AC at D.
Measure AD.


(b)cm [1]

- 5 (a) Complete the table for $y = 3 + 3x - x^2$.

x	-1	0	1	2	3	4
y	-1	3			3	-1

[1]

- (b) Draw the graph of $y = 3 + 3x - x^2$.



[2]

- (c) Use your graph to find the values of x for which $3 + 3x - x^2 = 0$.

(c) [2]

6 (a) Solve.

$$5x - 2 = x + 4$$

(a) [3]

(b) Simplify.


(i) $3a^2b \times 4a^3b$

(b)(i) [2]

(ii) $(x^3)^4$

(ii) [1]

7 Some boys and girls were in a Long Jump competition. These box plots represent data for the distances they jumped.



(a) Find the median for the girls.

(a) m [1]


(b) Find the interquartile range for the boys.

(b) m [2]

(c) Make two comparisons between the distributions of the distances jumped by the boys and the girls.

- 1
-
- 2
- [2]

8 (a) In this diagram, O is the centre of the circle.




Not to scale

Find angle x , giving your reason.

$x = \dots\dots\dots^\circ$ because $\dots\dots\dots$
 $\dots\dots\dots$ [2]

(b) In this diagram, the tangent STU meets the circle at T.




Not to scale

Find angle y , giving your reasons.

$y = \dots\dots\dots^\circ$ because $\dots\dots\dots$
 $\dots\dots\dots$
 $\dots\dots\dots$ [3]

- 9 A bowl contains 10 fruits.
 There are 3 pears, 5 apples and 2 oranges.
 Sarah takes a fruit at random from the bowl to eat at lunchtime.
 Peter then takes a fruit at random from the bowl.

(a) Complete this tree diagram to show the probabilities of the fruits taken.



[3]

(b) Calculate the probability that both Sarah and Peter take a pear.

(b) [2]

(c) Calculate the probability that at least one of Sarah and Peter takes an apple.

(c) [3]

TURN OVER FOR QUESTION 10

- 10 Find algebraically the coordinates of the points of intersection of the curve $y = x^2 + 7x + 9$ and the line $y = x + 4$.

(..... ,) and (..... ,) [5]



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations, is given to all schools that receive assessment material and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1PB.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.