

# Mark Scheme (Results)

## Summer 2010

GCSE

### GCSE Physical Education (1827/01)

Edexcel is one of the leading examining and awarding bodies in the UK and throughout the world. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers.

Through a network of UK and overseas offices, Edexcel's centres receive the support they need to help them deliver their education and training programmes to learners.

For further information, please call our GCE line on 0844 576 0025, our GCSE team on 0844 576 0027, or visit our website at [www.edexcel.com](http://www.edexcel.com).

If you have any subject specific questions about the content of this Mark Scheme that require the help of a subject specialist, you may find our **Ask The Expert** email service helpful.

Ask The Expert can be accessed online at the following link:

<http://www.edexcel.com/Aboutus/contact-us/>

Summer 2010

All the material in this publication is copyright  
© Edexcel Ltd 2010

Question Number	Answer	Mark
1(a)	Q - correct definition of fitness B (The ability to meet the demands of the environment)	(1)
(b)	Q - relates to overload training A (Making the body work harder to increase fitness)	(1)
(c)	Q - describes an isotonic muscle contraction C (Muscle contraction resulting in movement)	(1)
(d)	Q - effective use of power B (A tennis player serving an 'Ace')	(1)
(e)	Q - Athlete's foot is C (A fungus)	(1)
(f)	Q - when the recovery position should be used? C (When a performer is injured and unconscious but breathing)	(1)
(g)	Q - Which of the following is an accurate statement C (Capillaries are the smallest of the blood vessels)	(1)
(h)	Q - What type of bones are the vertebrae? D (Irregular)	(1)
(i)	Q - Which of the following is the true statement? D (Fast twitch muscle fibres are used in anaerobic activities)	(1)
(j)	Q - Which statement gives a description and example of an involuntary muscle B (This muscle type is not consciously controlled, for example the muscles in the digestive system)	(1)
<b>Total for Question 1</b>		<b>(10)</b>

**TOTAL FOR SECTION ONE: 10 MARKS**

Question Number	Answer	Mark
2(a) (i)	Physical	(1)
(ii)	Physical (accept mental) <b>Do not accept social</b>	(1)
(iii)	Social	(1)
(iv)	Mental	(1)
(b)	<p>IF TRUE: 1. True - At first they wanted to play with friends/other benefit 2. but now do it to keep healthy/other benefit.</p> <p>IF FALSE: 1. False - it doesn't matter what age/will still have same reasons, 2. e.g participate to meet friends/ increase/maintain health/ relax</p>	(2)
(c)	<p><b>Mark in relation to image / feeling:</b> 1. losing weight does not necessarily make people look better/ feel better/ might look worse.</p> <p><b>Mark in relation to physical consequence:</b> 2. could lead to being underweight/<u>too</u> thin/ lose <u>too</u> much weight/ anorexic/ill</p> <p>3. e.g. <i>Weight should be considered in terms of being healthy <u>not</u> how the individual looks.</i> (2 marks for this answer if given in full)</p>	(2)
<b>Total for Question 2</b>		<b>(8)</b>

Question Number	Answer	Mark															
3a	<table border="1"> <tr> <td>Performer</td> <td>(i) Most important component</td> <td>(ii) Why this is the most important component</td> </tr> <tr> <td>Weight Lifter holding weight above head</td> <td>(Muscular) Strength</td> <td>1. Use: allows him to lift the weight - 2. no other components would allow him to lift weight</td> </tr> <tr> <td>Rower 8 minutes into the race</td> <td>Muscular endurance (Allow CV - but can only be used once)</td> <td>1. Allows <u>muscles / equiv (accept arms)</u> to continue working / use muscles for a long time/finish the race. 2. Although strength is important that alone would be insufficient for an endurance activity.</td> </tr> <tr> <td>Long distance runner 1 hour in to the marathon</td> <td>Cardiovascular endurance (Allow muscular endurance can only be used once)</td> <td>1. allows them to continue to work <u>for a long period of time/keep running/finish the race/equiv</u> - 2. the other components will be used by the runner but <u>none allow for prolonged activity</u> required in this event.</td> </tr> <tr> <td>Golfer taking a short putt</td> <td>Co-ordination</td> <td>1. so the ball goes in the hole / need to use hand/eye coordination. 2. Short lived action therefore does not require endurance. Only hit a short distance therefore strength not a factor.</td> </tr> </table>	Performer	(i) Most important component	(ii) Why this is the most important component	Weight Lifter holding weight above head	(Muscular) Strength	1. Use: allows him to lift the weight - 2. no other components would allow him to lift weight	Rower 8 minutes into the race	Muscular endurance (Allow CV - but can only be used once)	1. Allows <u>muscles / equiv (accept arms)</u> to continue working / use muscles for a long time/finish the race. 2. Although strength is important that alone would be insufficient for an endurance activity.	Long distance runner 1 hour in to the marathon	Cardiovascular endurance (Allow muscular endurance can only be used once)	1. allows them to continue to work <u>for a long period of time/keep running/finish the race/equiv</u> - 2. the other components will be used by the runner but <u>none allow for prolonged activity</u> required in this event.	Golfer taking a short putt	Co-ordination	1. so the ball goes in the hole / need to use hand/eye coordination. 2. Short lived action therefore does not require endurance. Only hit a short distance therefore strength not a factor.	
	Performer	(i) Most important component	(ii) Why this is the most important component														
	Weight Lifter holding weight above head	(Muscular) Strength	1. Use: allows him to lift the weight - 2. no other components would allow him to lift weight														
	Rower 8 minutes into the race	Muscular endurance (Allow CV - but can only be used once)	1. Allows <u>muscles / equiv (accept arms)</u> to continue working / use muscles for a long time/finish the race. 2. Although strength is important that alone would be insufficient for an endurance activity.														
	Long distance runner 1 hour in to the marathon	Cardiovascular endurance (Allow muscular endurance can only be used once)	1. allows them to continue to work <u>for a long period of time/keep running/finish the race/equiv</u> - 2. the other components will be used by the runner but <u>none allow for prolonged activity</u> required in this event.														
Golfer taking a short putt	Co-ordination	1. so the ball goes in the hole / need to use hand/eye coordination. 2. Short lived action therefore does not require endurance. Only hit a short distance therefore strength not a factor.															
(i)	1 mark for correctly stated component	(4)															
(ii)	1 mark for identifying use of component 1 mark for explaining why this component is more important than another component.	(8)															
3(b) (i)	Speed	(1)															
(ii)	Power	(1)															
(iii)	Agility/Reaction Time	(1)															
Total for Question 3		(15)															

Question Number	Answer	Mark
4	<p>1. Specificity is relating the training to activity/sport/equiv</p> <p>2. Individual Needs relating training to person. e.g. strengths/weaknesses/level of fitness/experience/age/weight/height equiv</p> <p>3. Therefore the difference is that specificity is linked to the activity, whereas individual needs considers the individual. E.g. you could complete Fartlek training as appropriate to games players, but within it you would design a different programme for different individuals based on current fitness/equiv.</p> <p>1 mark for each correct statement</p>	(3)

Question Number	Answer	Mark
5	<p>1. Threshold is a range/zone/training zone</p> <p>2. There should be a lower and upper limit</p> <p>3. Working within the threshold should give safe training effect</p> <p>4. Normally 60% - 80% (of max HR) (allow range between 60 - 85% / allow HR range if age stated and correct) Max 2 marks for points 1-4.</p> <p>5. This is because it matches the <u>intensity/equiv</u> of the activity/working anaerobically compared to aerobically</p>	(3)

Question Number	Answer			Mark															
6	<table border="1"> <thead> <tr> <th data-bbox="341 253 525 387">Body System</th> <th data-bbox="525 253 767 387">(i) Immediate effect</th> <th data-bbox="767 253 1166 387">(ii) Regular training effect</th> </tr> </thead> <tbody> <tr> <td data-bbox="341 387 525 797">Respiratory</td> <td data-bbox="525 387 767 797">Increased rate/depth of breathing</td> <td data-bbox="767 387 1166 797">Drop in <u>resting</u> respiratory rate/ Increased efficiency of gas exchange at alveoli/ Slight increase in vital capacity/ Slight increase in tidal volume/ Increased Vo2 max Increased surface area of alveoli</td> </tr> <tr> <td data-bbox="341 797 525 1104">Circulatory</td> <td data-bbox="525 797 767 1104">Increased HR/SV/Blood Flow/cardiac output.</td> <td data-bbox="767 797 1166 1104">Drop in <u>resting</u> HR/ Increased SV Increased <u>maximum</u> cardiac output/ Cardiac hypertrophy/ Increased capillarisation/ Increased red blood cell count</td> </tr> <tr> <td data-bbox="341 1104 525 1240">Skeletal</td> <td data-bbox="525 1104 767 1240"></td> <td data-bbox="767 1104 1166 1240">Stronger bones/increased bone density.</td> </tr> <tr> <td data-bbox="341 1240 525 1547">Muscular</td> <td data-bbox="525 1240 767 1547">Fatigue/equiv</td> <td data-bbox="767 1240 1166 1547">Bigger muscles/more muscular Increased strength/ Muscle hypertrophy/ Increased muscular endurance/ Increased mitochondria/ Increased myoglobin</td> </tr> </tbody> </table>			Body System	(i) Immediate effect	(ii) Regular training effect	Respiratory	Increased rate/depth of breathing	Drop in <u>resting</u> respiratory rate/ Increased efficiency of gas exchange at alveoli/ Slight increase in vital capacity/ Slight increase in tidal volume/ Increased Vo2 max Increased surface area of alveoli	Circulatory	Increased HR/SV/Blood Flow/cardiac output.	Drop in <u>resting</u> HR/ Increased SV Increased <u>maximum</u> cardiac output/ Cardiac hypertrophy/ Increased capillarisation/ Increased red blood cell count	Skeletal		Stronger bones/increased bone density.	Muscular	Fatigue/equiv	Bigger muscles/more muscular Increased strength/ Muscle hypertrophy/ Increased muscular endurance/ Increased mitochondria/ Increased myoglobin	(3 + 4)
Body System	(i) Immediate effect	(ii) Regular training effect																	
Respiratory	Increased rate/depth of breathing	Drop in <u>resting</u> respiratory rate/ Increased efficiency of gas exchange at alveoli/ Slight increase in vital capacity/ Slight increase in tidal volume/ Increased Vo2 max Increased surface area of alveoli																	
Circulatory	Increased HR/SV/Blood Flow/cardiac output.	Drop in <u>resting</u> HR/ Increased SV Increased <u>maximum</u> cardiac output/ Cardiac hypertrophy/ Increased capillarisation/ Increased red blood cell count																	
Skeletal		Stronger bones/increased bone density.																	
Muscular	Fatigue/equiv	Bigger muscles/more muscular Increased strength/ Muscle hypertrophy/ Increased muscular endurance/ Increased mitochondria/ Increased myoglobin																	
Total for Question 6				(7)															

Question Number	Answer	Mark
7(a)	1. being at the right/best weight/not being too heavy/equiv 2. based on your stature/height/build/equiv 3. for the activities they are involved in/long distance runner lighter than sumo wrestler/equiv  1 mark from each row, max 2 marks	(2)
(b)	1. Sex/gender 2. Height/equiv 3. Bone structure/density 4. Muscle size/girth Allow body composition as alternative to 3. or 4. but only once.  Any two, maximum of 2 marks	(2)
<b>Total for Question 7</b>		<b>(4)</b>

Question Number	Answer	Mark
8	Group 1 - safety/prevent injury /equiv Group 2 - see who the winner is/get a result or equiv/fair Group 3 - fun/excitement (maintain a fast pace)/entertainment/enjoyable/not-boring/stop time wasting/keep game flowing/equiv	<b>(3)</b>



Question Number	Answer	Mark																		
9	<table border="1" data-bbox="339 253 1179 1552"> <thead> <tr> <th data-bbox="339 253 550 387">Item of safety equipment</th> <th data-bbox="550 253 813 387">(a) Activity where used</th> <th data-bbox="813 253 1179 387">(b) Why it is needed for activity</th> </tr> </thead> <tbody> <tr> <td data-bbox="339 387 550 595">Shin guards</td> <td data-bbox="550 387 813 595">Any appropriate game activity (football; rugby; hockey)</td> <td data-bbox="813 387 1179 595">Might get kicked in shins by opponent/equiv Protect against cuts/bruises/ blows/ (grazes) /equiv/</td> </tr> <tr> <td data-bbox="339 595 550 831">Gum shield</td> <td data-bbox="550 595 813 831">Any appropriate activity (boxing; rugby; hockey)</td> <td data-bbox="813 595 1179 831">Might get hit in the mouth by opponent/equiv Protect against punches/clash of heads/broken teeth/equiv</td> </tr> <tr> <td data-bbox="339 831 550 1039">Padding around posts</td> <td data-bbox="550 831 813 1039">Any appropriate game activity (accept boxing if not previously used)</td> <td data-bbox="813 831 1179 1039">Might run into posts during play, prevents bruising/concussion</td> </tr> <tr> <td data-bbox="339 1039 550 1413">Landing mats</td> <td data-bbox="550 1039 813 1413">Any appropriate activity (trampolining; gymnastics, high jump, pole vault)</td> <td data-bbox="813 1039 1179 1413">Breaks fall (during movement if carried out incorrectly)/stop from falling on hard surface/ Reduces chance of (neck) injury <u>due</u> to bad landing/falling off/landing funny and breaking something/equiv</td> </tr> <tr> <td data-bbox="339 1413 550 1552">Buoyancy aids</td> <td data-bbox="550 1413 813 1552">Any appropriate activity (sailing/ canoeing/water sports/swimming)</td> <td data-bbox="813 1413 1179 1552">Reduces risk of drowning/keeps them afloat/equiv</td> </tr> </tbody> </table> <p data-bbox="316 1585 1074 1686">Marking guidance - (ii) - credit specific link to activity or specific injury associated with activity (provided links to protective item)</p>	Item of safety equipment	(a) Activity where used	(b) Why it is needed for activity	Shin guards	Any appropriate game activity (football; rugby; hockey)	Might get kicked in shins by opponent/equiv Protect against cuts/bruises/ blows/ (grazes) /equiv/	Gum shield	Any appropriate activity (boxing; rugby; hockey)	Might get hit in the mouth by opponent/equiv Protect against punches/clash of heads/broken teeth/equiv	Padding around posts	Any appropriate game activity (accept boxing if not previously used)	Might run into posts during play, prevents bruising/concussion	Landing mats	Any appropriate activity (trampolining; gymnastics, high jump, pole vault)	Breaks fall (during movement if carried out incorrectly)/stop from falling on hard surface/ Reduces chance of (neck) injury <u>due</u> to bad landing/falling off/landing funny and breaking something/equiv	Buoyancy aids	Any appropriate activity (sailing/ canoeing/water sports/swimming)	Reduces risk of drowning/keeps them afloat/equiv	(5 + 5)
Item of safety equipment	(a) Activity where used	(b) Why it is needed for activity																		
Shin guards	Any appropriate game activity (football; rugby; hockey)	Might get kicked in shins by opponent/equiv Protect against cuts/bruises/ blows/ (grazes) /equiv/																		
Gum shield	Any appropriate activity (boxing; rugby; hockey)	Might get hit in the mouth by opponent/equiv Protect against punches/clash of heads/broken teeth/equiv																		
Padding around posts	Any appropriate game activity (accept boxing if not previously used)	Might run into posts during play, prevents bruising/concussion																		
Landing mats	Any appropriate activity (trampolining; gymnastics, high jump, pole vault)	Breaks fall (during movement if carried out incorrectly)/stop from falling on hard surface/ Reduces chance of (neck) injury <u>due</u> to bad landing/falling off/landing funny and breaking something/equiv																		
Buoyancy aids	Any appropriate activity (sailing/ canoeing/water sports/swimming)	Reduces risk of drowning/keeps them afloat/equiv																		
Total for Question 9		(10)																		

Question Number	Answer	Mark
10(a) (i)	Heart rate	(1)
(ii)	Tidal volume	(1)
(iii)	Stroke volume	(1)
(b)	1 SV/HR 2 Stroke volume and heart rate 3 (i) and (iii) Accept any from points 1 - 3	(1)
<b>Total for Question 10</b>		<b>(4)</b>

Question Number	Answer	Mark
11(a)(i)	B	(1)
(ii)	1. Arrow shows air flow inwards 2. Lungs inflated/bigger/expand / equiv 3. More space for lungs/equiv 4. (Arrow indicates) diaphragm has moved down/flattened/contracts/equiv 5. (Arrows indicate) ribs moved up and/or out/increased thoracic cavity/expand  Point per correct response to max 3	(3)
(b)(i)	Higher concentration/increased (percentage)/equiv (of oxygen in the lungs during inspiration than expiration.)	(1)
(ii)	1. Some oxygen is used by the body/muscles /goes to the muscles 2. to release energy/produce energy/for respiration	(2)
(c)(i)	Carbon dioxide/CO <sub>2</sub> /Nitrogen	(1)
(ii)	Expected response relates to CO <sub>2</sub> , but must credit Nitrogen if stated  There is less Accept increase ONLY if linked to expiration  remain constant/equiv	(1)
<b>Total for Question 11</b>		<b>(9)</b>

Question Number	Answer	Mark
12	Ossification Compact Epiphysis Joint	(4)
<b>Total for Question 12</b>		<b>(4)</b>

Question Number	Answer	Mark
13(a)(i)	Pivot	(1)
(ii)	Rotation Flexion & extension	(2)
(b)(i)	Hip - Ball & Socket	(1)
(ii)	Abduction & adduction	(1)
<b>Total for Question 13</b>		<b>(5)</b>

Question Number	Answer	Mark
14 (a)	Biceps/bicep brachii	(1)
(b)	Quadriiceps	(1)
(c)	Gastrocnemius	(1)
(d)	Deltoid/latissimus dorsi	(1)
(e)	Abdominals Also accept internal/(external obliques)	(1)
<b>Total for Question 14</b>		<b>(5)</b>

**TOTAL FOR SECTION TWO: 80 MARKS**

Question Number	Answer	Mark
15(a) (i)	<ol style="list-style-type: none"> <li>1. Improve health through exercise/equiv.</li> <li>2. Relevant example/e.g. drop in resting blood pressure/ lower resting heart rate/less chance of CHD/equiv/accept reference to mental/social health</li> </ol> <p>1 mark for each point.</p>	(2)
(ii)	<ol style="list-style-type: none"> <li>1. If fitness increased performance increases (or fitness decreases performance decreases)</li> <li>2. as better able to meet the demands/ performance decreases due to overtraining/equiv</li> <li>3. Accept any relevant example.</li> </ol> <p>Second point for explaining link (expecting +ve but accept either provided 'argument', i.e. not just goes up/down).</p>	(2)
(b) (i)	<ol style="list-style-type: none"> <li>1. pulse raise/jogging/increasing HR/cardiovascular/aerobic</li> <li>2. stretching (muscles)/mobilising (joints)</li> <li>3. activity specific drills/increased activity/skill-related activity /small sided games</li> </ol> <p>1 mark/correct item - must be stated in this order.</p>	(3)
(ii)	<ol style="list-style-type: none"> <li>1. (<i>Physical example</i>) - increase heart rate/blood flow/oxygen delivery/temperature/increase flexibility/accept other relevant examples.</li> <li>2. Credit second physical example (2<sup>nd</sup> mark for 2<sup>nd</sup> example from list in point 1) / prepares you physically (only credit if not already credited prepares you mentally)</li> <li>3. (<i>Mental example</i>) - allows performer to focus on task /in the zone/ better concentration / reduce anxiety</li> <li>4. Credit second mental example (2<sup>nd</sup> mark for 2<sup>nd</sup> example from list in point 3)/prepares you mentally (only credit if not already credited prepares you physically)</li> <li>5. Practise task</li> <li>6. Leads to improved performance (only credit if achieved 1. 2. 3. 4. or 5)</li> </ol>	(3)
(c) (i)	Soft tissue/sprain/strain/torn muscle/pulled muscle/torn (Achilles) tendon	(1)
(ii)	RICE/rest, ice, compression, elevation	(1)
(d) (i)	Reversibility	(1)
(ii)	Performer C	(1)
(iii)	<ol style="list-style-type: none"> <li>1. heart rate increases / <u>decreases and then increases/equiv</u></li> <li>2. Demonstrates a drop in fitness/lack of ability to train</li> </ol>	(2)

(e)	1. reduce calorie intake/reduce amount eaten/eat fewer fats/equiv 2. as they will be expending less energy/not burning as many calories /do not want to gain weight/not doing as much activity/equiv	(2)
(f)	1. Moderation 2. Progression 3. Individual needs  Any two, Any order	(2)
<b>Total for Question 15</b>		<b>(20)</b>

Question Number	Answer	Mark
16(a)(i)	1. Oxygen transport/equiv 2. Regulating temperature 3. Removing Co2/lactic acid/transport nutrients/waste materials.  Any point	(1)
(ii)	1. <u>More</u> efficient transfer/ <u>more</u> oxygen 2. improved energy production/more aerobic energy/ can work for longer  Point 2 is 'extension' mark	(2)
(iii)	Used in recovery/to allow performer to sprint again/equiv	(1)
(b)(i)	1. Amount of oxygen consumed/used/needed/paying back/required 2. above that which would normally be used 3. at rest/pre-exercise state.	(3)
(ii)	Anaerobically	(1)
(iii)	1. reference to need for recovery/rest/equiv 2. reference to varying intensities/aerobically to prevent/reduce oxygen debt/equiv 3. credit reference to an appropriate selection of training method accept any two, any order NB Differential question	(2)
(c)(i)	1. Different exercises/stations/ separate activities/ range of stations 2. Flexible method/work everything or can be tailored to specific muscles/skills/activities. 3. set time/number of reps/equiv 4. move from station to station/equiv 5. allowing time for muscle recovery/work for period then rest/alternating muscle groups worked. 6. Credit responses relating to advantages i.e. large numbers in a small space/no specialist equipment required/low cost	(3)

(ii)	Hope/sprinter	(1)
(d)(i)	Jade/long distance - Continuous/Fartlek	(1)
(ii)	Hope/sprinter - Interval/Weight	(1)
(e)(i)	Ectomorph	(1)
	<b>Jade/Long distance running advantage</b> 1. Less weight (to carry)/equiv 2. Longer stride length (due to relatively long limbs) Accept appropriate advantage even if body type is incorrectly stated.	(1)
(ii)	Mesomorph	(1)
	<b>Hope/Sprinting advantage</b> 1. (More muscle therefore) more power/speed/equiv Accept appropriate advantage even if body type is incorrectly stated.	(1)
<b>Total for Question 16</b>		<b>(20)</b>

Question Number	Answer					Mark	
17(a)	Bone	(i) Bone Type	(ii) Function of bone type	(iii) Performer	(iv) Explanation/use		
	Carpals	Short	Weight bearing/ support / shock absorbing	Gymnast/C Tennis/B	Is able to support body weight to hold balance. Absorbs shock of ball hitting racket		
	Cranium	Flat	Protection	Footballer /A	Prevents injury to brain / (Protects) when heading ball.		
			Muscle attachment		To allow Movement/ Force/equiv.		
	Humerus	Long	Act as levers	Tennis/B Gymnast/C	Lever - Can hit the ball (harder) / reaching the ball.		
			blood production		Blood production - oxygen transport (RBC)		
	NB (iii) - Advantage/use MUST relate to image Tennis player/Gymnast B/C alternative						
	Only accept each performer once						

(3 + 3 + 3 + 3)  
(12)

(b)	Component	Name (i)	Function (ii)	How it is used by the badminton player (iii)	
	A	Muscle/ Quadricep	Movement /Extend leg at knee	Move to play shots/equiv	
	B	Tendon	Attach muscle to bone		
	C	Ligament	Join bone to bone/ stabilise the joint	can change direction to reach shuttle/ make sharp movements on court prevents dislocation when reaching for shuttle	
Total for Question 17					(3 + 3 + 2)  (8)  (20)

TOTAL FOR SECTION THREE: 60 MARKS  
TOTAL FOR PAPER: 150 MARKS





Further copies of this publication are available from  
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467  
Fax 01623 450481

Email [publications@linneydirect.com](mailto:publications@linneydirect.com)

Summer 2010

For more information on Edexcel qualifications, please visit [www.edexcel.com/quals](http://www.edexcel.com/quals)

Edexcel Limited. Registered in England and Wales no.4496750  
Registered Office: One90 High Holborn, London, WC1V 7BH