

Mark Scheme (Results)

Summer 2013

GCSE Chemistry (5CH3H)  
Paper 01

## Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at [www.edexcel.com](http://www.edexcel.com) or [www.btec.co.uk](http://www.btec.co.uk) for our BTEC qualifications.

Alternatively, you can get in touch with us using the details on our contact us page at [www.edexcel.com/contactus](http://www.edexcel.com/contactus).

If you have any subject specific questions about this specification that require the help of a subject specialist, you can speak directly to the subject team at Pearson.

Their contact details can be found on this link: [www.edexcel.com/teachingservices](http://www.edexcel.com/teachingservices).

You can also use our online Ask the Expert service at [www.edexcel.com/ask](http://www.edexcel.com/ask). You will need an Edexcel username and password to access this service.

### **Pearson: helping people progress, everywhere**

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: [www.pearson.com/uk](http://www.pearson.com/uk)

Summer 2013

Publications Code UG036881

All the material in this publication is copyright

© Pearson Education Ltd 2013

## General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- For questions worth more than one mark, the answer column shows how partial credit can be allocated. This has been done by the inclusion of part marks eg (1).
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

## Quality of Written Communication

Questions which involve the writing of continuous prose will expect candidates to:

- Write legibly, with accurate spelling, grammar and punctuation in order to make the meaning clear
- Select and use a form and style of writing appropriate to purpose and to complex subject matter
- Organise information clearly and coherently, using specialist vocabulary when appropriate.

Question Number	Answer	Acceptable answers	Mark
<b>1(a)(i)</b>	B H <sup>+</sup> and Na <sup>+</sup> ions		<b>(1)</b>

Question Number	Answer	Acceptable answers	Mark
<b>1(a)(ii)</b>	An explanation linking <ul style="list-style-type: none"> <li>electron(s) (1)</li> <li>(have been) lost/removed (1) conditional on electrons</li> </ul>	ignore reference to number of electrons do not allow negative charge  chlorine gains electrons (0) allow chlorine loses electrons (1)	<b>(2)</b>


Question Number	Answer	Acceptable answers	Mark
<b>1(a)(iii)</b>	Any one from <ul style="list-style-type: none"> <li>it contains (excess) {hydroxide/OH<sup>-</sup>} ions (1)</li> <li>{sodium/Na<sup>+</sup>} ions and {hydroxide/ OH<sup>-</sup>} ions remain (1)</li> <li>it is sodium hydroxide/NaOH (1)</li> <li>{hydrogen/H<sup>+</sup>} ions have been removed (at the cathode) (1)</li> </ul>	ignore solution has pH greater than 7          allow no hydrogen ions left/acidic <b>ions</b> removed	<b>(1)</b>

Question Number	Answer	Acceptable answers	Mark
<b>1(a)(iv)</b>	use {molten/liquid} {sodium chloride /electrolyte} / melt {it/sodium chloride/electrolyte}	ignore just liquid/liquid sodium	<b>(1)</b>

Question Number	Answer	Acceptable answers	Mark
<b>1(b)(i)</b>	<p>An explanation linking</p> <p>Marking point 1</p> <ul style="list-style-type: none"> <li>{hydroxide/OH<sup>-</sup>} ions (from water) (1)</li> </ul> <p>Marking point 2</p> <ul style="list-style-type: none"> <li>(ions) lose electrons /are oxidised (1)</li> </ul>	<p>half equation, even unbalanced, showing hydroxide ions losing electrons (2)</p> <p>do not allow marking point 1 if only {oxygen/sulfate} ions mentioned</p>	<b>(2)</b>

Question Number	Answer	Acceptable answers	Mark
<b>1(b)(ii)</b>	1.27 / 63.5 (1) (= 0.02)	<p>0.02 with no working (1)</p> <p>correct working with incorrect answer (1)</p>	<b>(1)</b>

Question Number	Answer	Acceptable answers	Mark
<b>2(a)(i)</b>	D C <sub>4</sub> H <sub>10</sub>		<b>(1)</b>

Question Number	Answer	Acceptable answers	Mark
<b>2(a)(ii)</b>	 <p><b>one</b> C=C in a molecule with three consecutive carbon atoms (1)</p> <p>rest of structure correct, ignore bond angles, conditional on first marking point(1)</p>	<p>allow -CH<sub>3</sub></p> <p>do not allow two C=C in a molecule</p> <p>allow (1) for completely correct dot and cross diagram</p>	<b>(2)</b>

Question Number	Answer	Acceptable answers	Mark
<b>2(b)</b>	C oxidised		<b>(1)</b>

Question Number	Answer	Acceptable answers	Mark
<b>2(c)(i)</b>	<p>A description including two from</p> <ul style="list-style-type: none"> <li>effervescence / fizzing / bubbles of gas (1)</li> <li>solid {disappears/clears} / (colourless) solution formed (1)</li> </ul>	<p>ignore {cloudy/white ppt} / 'gas formed' / colour change / name of gas / changes to a liquid</p> <p>(solid/sodium carbonate/it) dissolves (1)</p>	<b>(2)</b>

Question Number	Answer	Acceptable answers	Mark
<b>2(c)(ii)</b>	<p>CH<sub>3</sub>COOC<sub>2</sub>H<sub>5</sub> / CH<sub>3</sub>COOCH<sub>2</sub>CH<sub>3</sub> / CH<sub>3</sub>CO<sub>2</sub>C<sub>2</sub>H<sub>5</sub> / CH<sub>3</sub>CO<sub>2</sub>CH<sub>2</sub>CH<sub>3</sub> / C<sub>2</sub>H<sub>5</sub>O<sub>2</sub>CCH<sub>3</sub> / CH<sub>3</sub>CH<sub>2</sub>OOCCH<sub>3</sub> (1)</p> <p>H<sub>2</sub>O (1)</p>	<p>allow displayed formulae/ C<sub>4</sub>H<sub>8</sub>O<sub>2</sub></p> <p>do not allow formulae ending in -COOH/-COO or any formula that does not show an ester</p> <p>do not allow H<sub>2</sub>O / H<sup>2</sup>O / lower case h/HOH</p> <p>maximum (1) if additional incorrect balancing</p> <p>ignore state symbols</p>	<b>(2)</b>

Question Number	Answer	Acceptable answers	Mark
<b>3(a)</b>	$C_2H_4 + H_2O \rightarrow C_2H_5OH$ C <sub>2</sub> H <sub>4</sub> as <b>reactant</b> (1) rest of equation correct conditional on C <sub>2</sub> H <sub>4</sub> as a reactant (1)	do not allow H <sub>2</sub> O / H <sup>2</sup> O /lower case h/HOH  allow C <sub>2</sub> H <sub>6</sub> O for ethanol ignore state symbols	<b>(2)</b>

Question Number	Answer	Acceptable answers	Mark
<b>3(b)</b>	A description including any two from <ul style="list-style-type: none"> <li>• dissolve sugar in water /sugar solution (1)</li> <li>• (add) yeast (1)</li> <li>• warm / any temperature or range within 15 to 40°C (1)</li> <li>• anaerobic / {no/little} {air/oxygen} can enter the apparatus (1)</li> </ul>	allow glucose solution ignore carbohydrate  allow room temperature ignore heat unless specified temperature ignore optimum temperature  do not allow just 'sealed container' ignore fractional distillation	<b>(2)</b>

Question Number	Answer	Acceptable answers	Mark
<b>3(c)</b>	<p>An explanation linking</p> <p>Marking point 1 – sugar- one from</p> <ul style="list-style-type: none"> <li>• sugar obtained from {plants /crops/specific crop} (1)</li> <li>• (plenty of) land available to grow {plants /crops/specific crop} (for fermentation)(1)</li> </ul> <p>Marking point 2 - ethene</p> <ul style="list-style-type: none"> <li>• ethene obtained from {crude oil / fractional distillation /cracking} (1)</li> </ul> <p>Marking point 3 – cost/energy – one from</p> <ul style="list-style-type: none"> <li>• cannot afford to buy crude oil (1)</li> <li>• crude oil is too expensive (1)</li> <li>• more expensive to {use/buy/produce} ethene (1)</li> <li>• cheaper to use fermentation (1)</li> </ul>	<p>ignore answers that just repeat the information in the question</p> <p>ignore vague answers such as carbon neutral/environmentally friendly</p> <p>for marking point 1 <b>OR</b> 2, allow plants renewable/{crude oil/ethene} non-renewable (1)</p> <p>allow {little/no} {heat/energy} required for fermentation (1) allow {high temperature /high pressure} required for hydration of ethene (1)</p>	<b>(3)</b>

Question Number	Answer	Acceptable answers	Mark
<b>3(d)</b>	<p>An explanation including any two from</p> <ul style="list-style-type: none"> <li>• formulae differ by CH<sub>2</sub></li> <li>• same general formula</li> <li>• all have {OH/hydroxyl group}</li> </ul>	<p>general formula is C<sub>n</sub>H<sub>2n+1</sub>OH (2)</p> <p>allow increase by {CH<sub>2</sub>/1 carbon <b>and</b> 2 hydrogens}</p> <p>do not allow incorrect general formula</p> <p>allow have similar <b>chemical</b> {reactions /properties}/same functional group/OH from an incorrect general formula</p> <p>ignore 'hydroxide'/all end in (an)ol /all alcohols</p> <p>ignore physical properties</p> <p>maximum (1) if hydroxide ions /carboxyl group</p>	<b>(2)</b>



Question Number	Answer	Acceptable answers	Mark
<b>4 (a)</b>	<p>An explanation linking</p> <p>Marking point 1 – one from</p> <ul style="list-style-type: none"> <li>• forward and back reactions take place (at the same time) (1)</li> <li>• rate of the forward and back reactions is the same (1)</li> </ul> <p>Marking point 2 – one from</p> <ul style="list-style-type: none"> <li>• no (overall) change in the {amount/concentration/mass/ volume} of each {substance / reactant / product} (1)</li> <li>• no observable change (1)</li> </ul>	<p>assume 'both reactions' implies the forward and back reaction</p> <p>allow reversible reaction with the same rate (1)</p> <p>allow reversible reaction in a closed system (1)</p> <p>do not allow the forward reaction equals the reverse reaction</p> <p>allow overall effect is nil (1)</p> <p>allow reactants and products reach a balance (1)</p> <p>ignore forward reaction cancels out back reaction</p> <p>do not allow {amount / concentration /mass/volume} of reactants and products are equal</p>	<b>(2)</b>

Question Number	Answer	Acceptable answers	Mark
<b>4(b) (i)</b>	<p>An explanation linking two of</p> <ul style="list-style-type: none"> <li>• higher pressure favours forward reaction/equilibrium shifts to the right (1)</li> <li>• because decrease in {volume / number of molecules}/side with lower volume (1)</li> <li>• yield increases (1)</li> </ul>	<p>ignore answers related to rate/collisions</p> <p>maximum (1) if 3 statements given, but 1 is incorrect</p>	<b>(2)</b>

Question Number	Answer	Acceptable answers	Mark
<b>4(b) (ii)</b>	<p>An explanation linking any two of</p> <ul style="list-style-type: none"> <li>• lower temperature favours forward reaction/equilibrium shifts to the right (1)</li> <li>• because (forward) reaction is exothermic (1)</li> <li>• yield increases (1)</li> </ul>	<p>ignore answers related to rate/collisions</p> <p>if answer refers to increasing temperature, maximum (1) for (forward) reaction is exothermic / reverse reaction is endothermic</p> <p>maximum (1) if 3 statements given, but 1 is incorrect</p>	<b>(2)</b>

Question Number	Answer	Acceptable answers	Mark
4(b)(iii)	catalyst	iron	(1)

Question Number	Answer	Acceptable answers	Mark
4(c)(i)	3 x 1000 (1) (= 3000)		(1)

Question Number	Answer	Acceptable answers	Mark
4(c)(ii)	<p>marks are for the working</p> <p>Method 1  <math>14 + (3 \times 1)</math> (1) g of <math>\text{NH}_3</math>            makes <math>14 + (4 \times 1) + 14 + (3 \times 16)</math> (1) g <math>\text{NH}_4\text{NO}_3</math></p> <p>34 g of <math>\text{NH}_3</math> makes  <math>\frac{(14 + (4 \times 1) + 14 + (3 \times 16)) \times 34}{17}</math> or</p> <p><math>\frac{80 \times 34}{17}</math> or</p> <p><math>2(14 + (4 \times 1) + 14 + (3 \times 16))</math> g <math>\text{NH}_4\text{NO}_3</math>            (1) = 160 g</p> <p>Method 2            moles of <math>\text{NH}_3 = \frac{34}{17}</math> (1) = 2</p> <p>moles of <math>\text{NH}_4\text{NO}_3 = \text{moles of NH}_3</math>            or            relative formula mass <math>\text{NH}_4\text{NO}_3 = 80</math> (1)</p> <p>mass <math>\text{NH}_4\text{NO}_3 = 2 \times 80</math> (1) = 160 g</p>	<p>full marks awarded for an answer of 160 g with or without any working</p> <p>allow ecf on incorrect <math>M_r</math>s for either method</p> <p>allow ecf for incorrect moles            eg if moles of <math>\text{NH}_3 = 0.5</math>            relative formula mass <math>\text{NH}_4\text{NO}_3 = 80</math> (1)            mass <math>\text{NH}_4\text{NO}_3 = 0.5 \times 80</math> (1)            = 40 g</p>	(3)

Question Number	Answer	Acceptable answers	Mark
<b>5(a)</b>	A neutralisation		<b>(1)</b>

Question Number	Answer	Acceptable answers	Mark
<b>5(b)</b>	Any one from <ul style="list-style-type: none"> <li>• no {sharp/clear/distinct} change in colour</li> <li>• gradual colour change</li> <li>• there are too many different colours</li> </ul>	ignore not as accurate/reliable allow too difficult to see when it is {neutral/reaction is complete} ignore speed of colour change	<b>(1)</b>

Question Number		Indicative Content	Mark
<b>QWC</b>	<b>* 5(c)</b>	<p>A description including some of the following points</p> <p><b>titration experiment</b></p> <ul style="list-style-type: none"> <li>• rinse pipette with alkali and burette with acid</li> <li>• measure alkali using a pipette</li> <li>• into suitable container e.g. flask/beaker</li> <li>• add a few drops of indicator / suitable named indicator (eg methyl orange/phenolphthalein)</li> <li>• flask on a white tile</li> <li>• fill burette with acid</li> <li>• read level/volume (of acid) in burette</li> <li>• add acid from burette to the flask slowly / swirl the flask</li> <li>• until {indicator just changes colour/correct colour change for named indicator (eg methyl orange yellow to peach/orange, phenolphthalein pink to colourless)/solution is neutral}</li> <li>• read level/volume (of acid) in burette</li> <li>• repeat experiment</li> <li>• until concordant results</li> </ul> <p><b>salt preparation</b></p> <ul style="list-style-type: none"> <li>• mix the same volume of alkali with the volume of acid determined from the first experiment but do not add indicator (or add (activated) charcoal to remove indicator, then filter)</li> <li>• pour solution into an evaporating basin</li> <li>• {heat solution/leave the water to evaporate} until pure salt crystals are left</li> </ul>	<b>(6)</b>
<b>Level</b>	<b>0</b>	No rewardable content	
<b>1</b>	<b>1 - 2</b>	<ul style="list-style-type: none"> <li>• a limited description of titration and/or salt preparation e.g. add hydrochloric acid to sodium hydroxide solution in a flask, then evaporate the water from solution.</li> <li>• the answer communicates ideas using simple language and uses limited scientific terminology</li> <li>• spelling, punctuation and grammar are used with limited accuracy</li> </ul>	
<b>2</b>	<b>3 - 4</b>	<ul style="list-style-type: none"> <li>• a simple description of titration and/or salt preparation e.g. pipette sodium hydroxide solution into flask, add indicator, place hydrochloric acid in burette, add acid to alkali until colour change.</li> <li>• the answer communicates ideas showing some evidence of clarity and organisation and uses scientific terminology appropriately</li> <li>• spelling, punctuation and grammar are used with some accuracy</li> </ul>	
<b>3</b>	<b>5 - 6</b>	<ul style="list-style-type: none"> <li>• a detailed description including titration <b>and</b> salt preparation e.g. pipette sodium hydroxide solution into flask, add indicator, hydrochloric acid in burette, add acid to alkali until colour change, repeat until concordant results, evaporate water.</li> <li>• the answer communicates ideas clearly and coherently uses a range of scientific terminology accurately</li> <li>• spelling, punctuation and grammar are used with few errors</li> </ul>	

Question Number	Answer	Acceptable answers	Mark
<b>5(d)(i)</b>	$\frac{22.6 + 22.8}{2}$ (1) (= 22.7)		<b>(1)</b>

Question Number	Answer	Acceptable answers	Mark
<b>5(d)(ii)</b>	<p>marks are for the working</p> <p>no. moles HCl = <math>\frac{23.2 \times 0.1}{1000}</math> (1) ( = <math>2.32 \times 10^{-3}</math>)</p> <p>no. moles NaOH = no. moles HCl (1)</p> <p>conc NaOH = <math>\frac{2.32 \times 10^{-3} \times 1000}{25.0}</math> (1) ( = <math>0.0928 \text{ mol dm}^{-3}</math>)</p> <p>mark consequentially OR</p> <p><math>\frac{\text{no. moles NaOH reacting}}{\text{no. moles HCl reacting}} = \frac{1}{1}</math> (1)</p> <p><math>\frac{25.0 \times \text{conc}}{23.2 \times 0.1} = \frac{1}{1}</math> (1)</p> <p>conc NaOH = <math>\frac{0.1 \times 23.2}{25.0}</math> (1) ( = <math>0.0928</math>) <math>\text{mol dm}^{-3}</math></p> <p>OR</p> <p>use of <math>c_1V_1 = c_2V_2</math> (1)</p> <p><math>0.1 \times 23.2 = \text{conc} \times 25.0</math> (1)</p> <p>conc NaOH = <math>\frac{0.1 \times 23.2}{25.0}</math> (1) ( = <math>0.0928</math>) <math>\text{mol dm}^{-3}</math></p>	<p>0.0928/0.093 with or without working (3)</p> <p>0.09 with no working (2)</p> <p>common incorrect answers with working</p> <p>0.108/0.1077 (2) – used 1:1 ratio but <math>25 \times 0.1 / 23.2</math></p> <p>0.928 (2) – used 1:1 ratio but missed out 0.1</p>	<b>(3)</b>

Question Number	Answer	Acceptable answers	Mark
<b>6(a)(i)</b>	A carbonate ion $\text{CO}_3^{2-}$		<b>(1)</b>

Question Number	Answer	Acceptable answers	Mark
<b>6(a)(ii)</b>	A description including  warm / heat / boil (1)  { <b>gas/ammonia</b> } turns (damp red/pink) litmus blue / (damp red/pink) litmus turns blue when held above (the mixture)(1)	maximum (1) if additional reagents added  ignore any ppt  allow pungent smell / smell of { ammonia/wet nappies} /alkaline <b>gas</b> / effect of ammonia on other named indicators /dense white fumes with conc hydrochloric acid  ignore litmus turns blue in ammonium ions/sodium hydroxide/mixture  do not allow gas/ammonia if blue litmus turns red/pink	<b>(2)</b>

Question Number	Answer	Acceptable answers	Mark
<b>6(b)</b>	$\text{Al}^{3+} + 3\text{OH}^- \rightarrow \text{Al}(\text{OH})_3$  $\text{OH}^-$ (1)  $\text{Al}(\text{OH})_3$ (1)  balancing 3, conditional on correct formulae (1)	allow multiples  allow $\text{HO}^-$ (1)  allow $\text{Al}(\text{HO})_3$ (1) do not allow $\text{Al}(\text{HO})^3$ /lower case h  ignore state symbols/ $3\text{Na}^+$ on both sides	<b>(3)</b>

Question Number	Indicative Content	Mark
QWC	<p><b>*6(c)</b></p> <p>An explanation including some of the following points</p> <p><b>test for cation</b></p> <ul style="list-style-type: none"> <li>• flame test</li> <li>• if the flame is yellow/not lilac, sodium ions are present</li> <li>• if the flame is lilac/not yellow, potassium ions are present</li> </ul> <p><b>test for iodide ions</b></p> <ul style="list-style-type: none"> <li>• make a solution of the crystals in water</li> <li>• add dilute nitric acid</li> <li>• add silver nitrate solution</li> <li>• if there is a yellow precipitate, iodide ions are present</li> <li>• if there is no precipitate, sulfate ions are present</li> <li>• <math>\text{Ag}^+ + \text{I}^- \rightarrow \text{AgI}</math></li> </ul> <p>OR</p> <ul style="list-style-type: none"> <li>• make a solution of the crystals in water</li> <li>• add chlorine water</li> <li>• then cyclohexane</li> <li>• if the cyclohexane/top layer turns purple, iodide ions were present</li> <li>• if there is no colour change, sulfate ions are present</li> <li>• <math>\text{Cl}_2 + 2\text{I}^- \rightarrow 2\text{Cl}^- + \text{I}_2</math></li> </ul> <p><b>test for sulfate ions</b></p> <ul style="list-style-type: none"> <li>• make a solution of the crystals in water</li> <li>• add dilute {hydrochloric/nitric} acid</li> <li>• add barium {chloride/nitrate} solution</li> <li>• if there is a white precipitate, sulfate ions are present</li> <li>• if there is no precipitate, iodide ions are present</li> <li>• <math>\text{Ba}^{2+} + \text{SO}_4^{2-} \rightarrow \text{BaSO}_4</math></li> </ul>	<b>(6)</b>
<b>Level</b>	<b>0</b>	No rewardable content
<b>1</b>	<b>1 - 2</b>	<ul style="list-style-type: none"> <li>• a limited description of test for any 1 ion e.g. flame test, yellow flame, sodium ions are present.</li> <li>• the answer communicates ideas using simple language and uses limited scientific terminology</li> <li>• spelling, punctuation and grammar are used with limited accuracy</li> </ul>
<b>2</b>	<b>3 - 4</b>	<ul style="list-style-type: none"> <li>• a simple description to identify a cation and an anion e.g. if the substance is sodium sulfate, it will give a yellow flame in a flame test and a white precipitate with barium chloride solution.</li> <li>• the answer communicates ideas showing some evidence of clarity and organisation and uses scientific terminology appropriately</li> <li>• spelling, punctuation and grammar are used with some accuracy</li> </ul>
<b>3</b>	<b>5 - 6</b>	<ul style="list-style-type: none"> <li>• a detailed description to identify at least 3 ions e.g. carry out a flame test, yellow flame, sodium ions present, lilac flame, potassium ions present, add silver nitrate solution to solution of substance, yellow precipitate, iodide ion.</li> <li>• the answer communicates ideas clearly and coherently uses a range of scientific terminology accurately</li> <li>• spelling, punctuation and grammar are used with few errors</li> </ul>

Further copies of this publication are available from  
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467

Fax 01623 450481

Email [publication.orders@edexcel.com](mailto:publication.orders@edexcel.com)

Order Code UG036881 Summer 2013

For more information on Edexcel qualifications, please visit our website  
[www.edexcel.com](http://www.edexcel.com)

Pearson Education Limited. Registered company number 872828  
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE

Ofqual  




Llywodraeth Cynulliad Cymru  
Welsh Assembly Government

