

# Mark Scheme (Results)

November 2011

GCSE Physics  
5PH1H/01

Edexcel is one of the leading examining and awarding bodies in the UK and throughout the world. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers.

Through a network of UK and overseas offices, Edexcel's centres receive the support they need to help them deliver their education and training programmes to learners.

For further information, please call our GCE line on 0844 576 0025, our GCSE team on 0844 576 0027, or visit our website at [www.edexcel.com](http://www.edexcel.com).

If you have any subject specific questions about the content of this Mark Scheme that require the help of a subject specialist, you may find our **Ask The Expert** email service helpful.

Ask The Expert can be accessed online at the following link:  
<http://www.edexcel.com/Aboutus/contact-us/>

Alternatively, you can contact our Science Advisor directly by sending an email to Stephen Nugus on [ScienceSubjectAdvisor@EdexcelExperts.co.uk](mailto:ScienceSubjectAdvisor@EdexcelExperts.co.uk). You can also telephone 0844 576 0037 to speak to a member of our subject advisor team.

November 2011

Publications Code UG029812

All the material in this publication is copyright

© Pearson Education Ltd 2011

5PH1H/01 Mark Scheme  
November 2011

Question Number	Answer	Acceptable answers	Mark
1(a)	A		(1)

Question Number	Answer	Acceptable answers	Mark
1(b)(i)	(number of waves =) 7 (1)  (distance between floats =) $7 \times 0.8$ (1)	<b>Accept</b> 5.6 (m) give full marks for correct answer, no working e.c.f from number of waves if clear  6.4 (m) for 1 mark	(2)

Question Number	Answer	Acceptable answers	Mark
1(b)(ii)	C		(1)

Question Number	Answer	Acceptable answers	Mark
1(b)(iii)	Any <b>one</b> from the following points <ul style="list-style-type: none"> <li>• size (1)</li> <li>• mass (1)</li> <li>• speed (1)</li> <li>• direction of travel (1)</li> </ul>	small light slow fast momentum how far away weight power ke	(1)

Question Number	Answer	Acceptable answers	Mark
1(c)	<ul style="list-style-type: none"> <li>• change of direction (1)</li> <li>• towards the normal (1)</li> <li>• <math>\lambda</math> shorter than in deep water (1)</li> </ul>	Ignore reflection  of EITHER ray or wave  must not reach normal if ray and wave contradict then no mark  $\lambda$ shorter for all complete waves in shallow water, at least $2 \lambda$ drawn, judge by eye	(3)

Question Number	Answer	Acceptable answers	Mark
<b>2(a)</b>	C		<b>(1)</b>

Question Number	Answer	Acceptable answers	Mark
<b>2(b)(i)</b>	<p>Any <b>two</b> from the following points</p> <ul style="list-style-type: none"> <li>cover box with transparent material (1)</li> <li>use of reflector (1)</li> <li>method to increase energy supplied (1)</li> <li>method to reduce energy loss (1)</li> <li>paint (box) black/dull/matt (1)</li> </ul>	<p>use glass box</p> <p>mirror / foil</p> <p>{angle to sun} / {warmer place}/lens</p> <p>use insulating box / wooden box / lagging</p> <p>Ignore answers to do with hosepipe</p>	<b>(2)</b>

Question Number	Answer	Acceptable answers	Mark
<b>2(b)(ii)</b>	<p>An explanation linking the following points</p> <ul style="list-style-type: none"> <li>pipe / water absorbs heat (1)</li> <li>pipe radiates heat (1)</li> <li>radiation (rate) increases with temperature(1)</li> <li>(at constant temperature) absorption <u>rate</u> = radiation <u>rate</u> (1)</li> </ul>	<p>accept takes in for absorbs</p> <p>accept emits for radiates</p> <p>If no other marks given accept output = input or water boils for 1 mark</p>	<b>(3)</b>

Question Number	Answer	Acceptable answers	Mark
2(c)	4000 (1)  (4000)/200 (1)	20 (W)  give full marks for correct answer, no working  accept for 1 mark 4000 10000/200 6000/200 16000/200	(2)

Question Number	Answer	Acceptable answers	Mark
3(a)(i)	D		(1)

Question Number	Answer	Acceptable answers	Mark
3(a)(ii)	B		(1)

Question Number	Answer	Acceptable answers	Mark
3(b)	substitution: (1) $3.0 \times 10^8 = 1.5 \times 10^{10} \times \lambda$ transposition: (1) $\lambda = c/f$ or $(\lambda =) \frac{3.0 \times 10^8}{1.5 \times 10^{10}}$ evaluation: (1) 0.02 (m)	Give full marks for correct answer, no working <b>Allow</b> substitution and transposition in either order if clear  <b>Ignore</b> powers of 10 until evaluation  e.g. 3/1.5 2 marks $\lambda = f/c$ (0) then 1.5/3 1 mark bald 1.5/3 0 mark  $2 \times 10^{-2}$ (m) ignore formula triangle	(3)

Question Number	Answer	Acceptable answers	Mark
3(c)	An explanation linking <b>two</b> of the following points <ul style="list-style-type: none"> <li>wavelength / frequency (1)</li> <li>are different (1)</li> </ul> <b>OR</b> <ul style="list-style-type: none"> <li>toaster on for longer (1)</li> <li>(so) much more energy (1)</li> </ul>	wavelength for toaster different from wavelength for remote. Scores 2  power / intensity of toaster greater than for remote for 2 marks	(2)

Question Number	Answer	Acceptable answers	Mark
<b>3(d)</b>	<p>An explanation linking <b>three</b> of the following points</p> <ul style="list-style-type: none"> <li>• gammas change cell growth / eq (1)</li> <li>• (so can) cause uncontrolled growth (1)</li> <li>• (but also can) be focussed to (kill cancer cells)(1)</li> <li>• without damaging other cells</li> </ul>	<p>kill / damage cells</p> <p>mutate/damage DNA</p> <p>concentrated / aimed at tumour / penetrate</p>	<b>(3)</b>

Question Number	Answer	Acceptable answers	Mark
4(a)	C		(1)

Question Number	Answer	Acceptable answers	Mark
4(b)	5 (cm)	5.0, +5, -5, $\pm 5$ ignore unit	(1)

Question Number	Answer	Acceptable answers	Mark
4(c)	<ul style="list-style-type: none"> <li>A difference in <math>f</math> or <math>\lambda</math> (however described) (1)</li> </ul> <p>This difference correctly qualified by one of</p> <ul style="list-style-type: none"> <li>Relationship to each other (1)</li> <li>Relationship to audible sound (1)</li> <li>Frequency or wavelength data (1)</li> </ul>	<p>Accept pitch for frequency</p> <p>IS has longer <math>\lambda</math> than audible (1)</p> <p>US &gt; 20kHz (1)</p> <p>IS has lower <math>f</math> (than US) (2 marks)</p> <p>information shown on a labelled sketch of the sound spectrum</p>	(2)

Question Number	Answer	Acceptable answers	Mark
4(d)	<p>An explanation linking the following points</p> <ul style="list-style-type: none"> <li>corks as plates / water as mantle (1)</li> <li>water heated (underneath) (1)</li> <li>convection currents mentioned(1)</li> </ul>	<p>labels on diagram</p> <p>corks as crust / water as magma /lava</p> <p>reference to heat in the Earth</p> <p>arrow on diagram</p>	(3)



Question Number	Answer	Acceptable answers	Mark
4(e)	<p>An evaluation linking the following points</p> <ul style="list-style-type: none"> <li>• (a) statement about either distance travelled or arrival times of any two waves (1)</li> <li>• (b) statement comparing any pair of S-P times (1)</li> <li>• correct comparison between (a) and (b) leading to a conclusion (1)</li> </ul>	<p>quantitative or qualitative</p> <p>quantitative or qualitative</p> <p>quantitative</p> <p>e.g. #1</p> <p>station M is twice as far as station L, the S-P time is double, suggestion is OK. 3 marks</p> <p>e.g. #2</p> <p>station N is (about) <math>3\frac{1}{2}</math> times as far as station L, but S-P time is <math>3\frac{1}{3}</math> times, so maybe not. 3 marks</p>	<b>(3)</b>

(

Question Number	Answer	Acceptable answers	Mark
5(a)(i)	<p>A description including <b>three</b> of the following points</p> <ul style="list-style-type: none"> <li>• {gravitational (potential) energy / GPE} of gas and dust (1)</li> <li>• (GPE) changes to kinetic energy (1)</li> <li>• (ke) changes to thermal/heat/light (1)</li> <li>• (hot enough to release) nuclear energy (1)</li> </ul>	<p>Accept description of the process</p> <p>{gas and dust / it / nebula} pulled together by gravity</p> <p>(particles) move faster</p> <p>core becomes hot</p> <p>(hot enough for) nuclear fusion/reaction</p> <p>accept description shown as chain gpe → ke → thermal → nuclear</p>	<b>(3)</b>

Question Number	Answer	Acceptable answers	Mark
5(a)(ii)	<p>A description including the following points</p> <ul style="list-style-type: none"> <li>• reference to stars of different sizes (1)</li> <li>• {Sun/small/medium} becoming {white / black} dwarf (1)</li> <li>• more massive becoming a neutron star / black hole (1)</li> </ul>	<p>Sun and more massive/bigger star</p> <p>red giant / planetary nebula</p> <p>(red) supergiant / supernova</p>	<b>(3)</b>

Question Number		Indicative content	Mark
QWC	*5(b)	<p>A discussion linking some of the following points</p> <p>red shift</p> <ul style="list-style-type: none"> <li>• linked to movement</li> <li>• both theories have expanding Universe</li> <li>• redshift support both</li> </ul> <p>CMB</p> <ul style="list-style-type: none"> <li>• linked to ageing Universe</li> <li>• Big Bang ageing , SS not</li> <li>• CMB supports Big Bang only</li> <li>• because only Big Bang has single origin</li> </ul>	(6)
Level	0	no rewardable material	
1	1-2	<ul style="list-style-type: none"> <li>• a <b>limited discussion</b> stating both pieces of evidence <b>or</b> limited detail about either red shift or CMB e.g. change in wavelength /red shift shows galaxies / stars moving away</li> <li>• the answer communicates ideas using simple language and uses limited scientific terminology</li> <li>• spelling, punctuation and grammar are used with limited accuracy</li> </ul>	
2	3-4	<ul style="list-style-type: none"> <li>• a <b>simple discussion</b> including both pieces of evidence <b>and</b> simple detail about <b>either</b> red shift <b>or</b> CMB e.g. a change in wavelength shows galaxies / stars moving away</li> <li>• the answer communicates ideas showing some evidence of clarity and organisation and uses scientific terminology appropriately</li> <li>• spelling, punctuation and grammar are used with some accuracy</li> </ul>	
3	5 - 6	<ul style="list-style-type: none"> <li>• a <b>detailed discussion</b> describing both pieces of evidence and drawing a conclusion e.g. a change in wavelength shows galaxies / stars moving away <b>and</b> CMB shows Universe has been changing with time <b>and</b> redshift supports both theories, CMB supports only Big Bang because Steady State has constant Universe</li> <li>• the answer communicates ideas clearly and coherently uses a range of scientific terminology accurately</li> <li>• spelling, punctuation and grammar are used with few errors</li> </ul>	

Question Number	Answer	Acceptable answers	Mark
6(a)	alternating current can take positive and negative values RA (1)	a.c. above and below zero /the line a.c. goes one way and then the other RA	(1)

Question Number	Answer	Acceptable answers	Mark
6(b)(i)	substitution: (1) $\frac{55}{V} = \frac{200}{3000}$ transposition: (1) $V = \frac{3000}{200} \times 55$ evaluation / comment: (1) 825(V) / which is about 800 (V)	<b>Allow</b> substitution and transposition in either order if clear  $\frac{55}{825} = \frac{200}{3000}$ scores 3  $\frac{55}{800} = \frac{200}{3000}$ scores 1  Correct comparison of ratios scores 3 (15 and 14.5, 0.067 and 0.069)	(3)

Question Number	Answer	Acceptable answers	Mark
6(b)(ii)	<ul style="list-style-type: none"> <li>power input = power output (1)</li> <li><math>I = 0.033</math> (A) (1)</li> </ul>	power input = $55 \times 0.5$ (W) power input = 27.5 (W)  $I = 0.034$ (A)  Give full marks for correct answer no working	(2)

Question Number	Indicative content	Mark
QWC	<p>*6(c)</p> <p>An explanation linking some of the following points</p> <p><b>Basic ideas</b></p> <ul style="list-style-type: none"> <li>• transmission lines have resistance</li> <li>• the current warms the transmission wires</li> <li>• energy is wasted as heat</li> <li>• transformers change voltage and/or current</li> <li>• R increase the voltage / RA for S</li> <li>• R decrease the current / RA for S</li> </ul> <p><b>Linked ideas</b></p> <ul style="list-style-type: none"> <li>• the long transmission lines have high resistance</li> <li>• power depends on both current and voltage</li> <li>• power = current × voltage (<math>P = I \times V</math>)</li> <li>• at high voltage, the same power needs less current</li> <li>• correct mention of turns ratio related to voltage change</li> <li>• a smaller current in a wire produces less heat</li> <li>• high voltage transmission saves more energy than is lost in the transformers</li> </ul>	(6)
Level	0	no rewardable material
1	1-2	<ul style="list-style-type: none"> <li>• a limited explanation including some relevant details e.g. R steps up the voltage, S steps it down</li> <li>• the answer communicates ideas using simple language and uses limited scientific terminology</li> <li>• spelling, punctuation and grammar are used with limited accuracy</li> </ul>
2	3-4	<ul style="list-style-type: none"> <li>• a simple explanation relating operation of transformers to heat loss in transmission lines and/or transformers e.g. R steps up the voltage so that less heat is lost in transmission lines <b>or</b> high voltage transmission saves more energy than is lost in the transformers</li> <li>• the answer communicates ideas showing some evidence of clarity and organisation and uses scientific terminology appropriately</li> <li>• spelling, punctuation and grammar are used with some accuracy</li> </ul>
3	5 - 6	<ul style="list-style-type: none"> <li>• a detailed explanation relating operation of transformers to current and energy losses in transmission lines and/or transformers e.g. R steps up the voltage so that, for the same power, I is less meaning less heat is lost in transmission lines</li> <li>• the answer communicates ideas clearly and coherently uses a range of scientific terminology accurately</li> <li>• spelling, punctuation and grammar are used with few errors</li> </ul>

Further copies of this publication are available from  
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467

Fax 01623 450481

Email [publication.orders@edexcel.com](mailto:publication.orders@edexcel.com)

Order Code UG029812 November 2011

For more information on Edexcel qualifications, please visit  
[www.edexcel.com/quals](http://www.edexcel.com/quals)

Pearson Education Limited. Registered company number 872828  
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE

Ofqual  




Llywodraeth Cynulliad Cymru  
Welsh Assembly Government



Rewarding Learning