

**OXFORD CAMBRIDGE AND RSA EXAMINATIONS
GENERAL CERTIFICATE OF SECONDARY EDUCATION**

A333/01/RB

**TWENTY FIRST CENTURY SCIENCE
PHYSICS A**

**Unit 3: Ideas in Context plus P7
(Foundation Tier)**

RESOURCE BOOKLET

JUNE 2009

To be opened on receipt

SUITABLE FOR VISUALLY IMPAIRED CANDIDATES

READ INSTRUCTIONS OVERLEAF

INSTRUCTIONS TO CANDIDATES

- **This booklet contains the article required to answer question 1.**
- **Take this article away and read it through carefully.**
- **Spend some time looking up any technical terms or phrases you do not understand.**
- **For the examination on WEDNESDAY 10 JUNE 2009 you will be given a fresh copy of this article, together with a question paper.**
- **You will NOT be able to take your original copy into the examination with you.**

BLANK PAGE

SHEFFIELD SUPERTRAM SYSTEM

With a length of 34.8 m and a width of 2.65 m, the supertram is one of the largest articulated cars ever built for public transport. An empty supertram has a mass of about 50 000 kg. It can carry 88 people sitting down and an extra 162 passengers standing. The supertram has a top speed of 80 km/h. The momentum change when the supertram pulls away from a stop and reaches top speed is enormous.

The steepest hill the supertram goes up and down has a slope of about 1 in 10. A lot of energy is needed for the tram to go up this hill in Sheffield. Going down the hill, the gravitational potential energy of the supertram is mostly converted to kinetic energy. When the regenerative brakes are used to slow down the tram, the kinetic energy is converted to electrical energy. The electrical energy can be stored in batteries or fed back into the tram circuit.


ELECTRICAL POWER

The tram uses electricity to work, usually from overhead cables. The electricity comes from the power supply, along the overhead cables and then flows down a pole. The pole sticks out of the top of the tram and touches the overhead cables.

The tram driver controls the flow of the electricity. The faster he wants to go, the more electricity he lets flow through.

The electricity flows through the motors, down to the wheels and into the rails. It flows back to the power supply along the rails. This means that if more than one tram is on the tracks at the same time, they are in parallel in the electrical circuit.

Tramway power distribution



The supertrams run on a 750 volt electrical supply. They use electricity from the national grid. This is transmitted as an alternating current (a.c.). The a.c. electricity is produced by generators in the power stations. The electricity is distributed across the tramway network as a.c. At local sub-stations near the rails it is transformed to the correct voltage for the overhead cable (750 volts) and converted to a direct current (d.c.).



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations, is given to all schools that receive assessment material and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1PB.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.