

**GENERAL CERTIFICATE OF SECONDARY EDUCATION
TWENTY FIRST CENTURY SCIENCE
ADDITIONAL SCIENCE A**

A215/01

Unit 1: Modules B4 C4 P4 (Foundation Tier)

Candidates answer on the Question Paper
Calculators may be used for this paper

OCR Supplied Materials:
None

Other Materials Required:

- Pencil
- Ruler (cm/mm)

**Wednesday 26 May 2010
Morning**

Duration: 40 minutes



Candidate Forename		Candidate Surname	
--------------------	--	-------------------	--

Centre Number						Candidate Number				
---------------	--	--	--	--	--	------------------	--	--	--	--

MODIFIED LANGUAGE

INSTRUCTIONS TO CANDIDATES

- Write your name clearly in capital letters, your Centre Number and Candidate Number in the boxes above.
- Use black ink. Pencil may be used for graphs and diagrams only.
- Read each question carefully and make sure that you know what you have to do before starting your answer.
- Answer **all** the questions.
- Do **not** write in the bar codes.
- Write your answer to each question in the space provided. Additional paper may be used if necessary but you must clearly show your Candidate Number, Centre Number and question number(s).

INFORMATION FOR CANDIDATES

- The number of marks is given in brackets [] at the end of each question or part question.
- The total number of marks for this paper is **42**.
- A list of physics equations is printed on page 2.
- The Periodic Table is printed on the back page.
- This document consists of **20** pages. Any blank pages are indicated.

TWENTY FIRST CENTURY SCIENCE EQUATIONS

Useful Relationships

Explaining Motion

$$\text{speed} = \frac{\text{distance travelled}}{\text{time taken}}$$

$$\text{momentum} = \text{mass} \times \text{velocity}$$

$$\text{change of momentum} = \text{resultant force} \times \text{time for which it acts}$$

$$\text{work done by a force} = \text{force} \times \text{distance moved in the direction of the force}$$

$$\text{change in energy} = \text{work done}$$

$$\text{change in GPE} = \text{weight} \times \text{vertical height difference}$$

$$\text{kinetic energy} = \frac{1}{2} \times \text{mass} \times [\text{velocity}]^2$$

Electric Circuits

$$\text{resistance} = \frac{\text{voltage}}{\text{current}}$$

$$\frac{\text{voltage across primary coil}}{\text{voltage across secondary coil}} = \frac{\text{number of turns in primary coil}}{\text{number of turns in secondary coil}}$$

$$\text{energy transferred} = \text{power} \times \text{time}$$

$$\text{power} = \text{potential difference} \times \text{current}$$

$$\text{efficiency} = \frac{\text{energy usefully transferred}}{\text{total energy supplied}} \times 100\%$$


The Wave Model of Radiation

$$\text{wave speed} = \text{frequency} \times \text{wavelength}$$

Answer **all** the questions.

1 Petra roasts a chicken in the oven.

The oven contains a control system that keeps it at 180 °C.



(a) Petra’s body has a control system that keeps it at 37 °C.

Draw a straight line to match each **part** of a control system with its **function**.

part	function
effector	detects stimuli
receptor	produces the responses
processing centre	receives information and coordinates the responses

[2]

(b) Petra becomes too hot while working in the kitchen.

Describe one way her temperature control system cools her down.

.....

.....

..... [2]

[Total: 4]

2 Billy breathes air into his lungs.

Oxygen moves from the air into his red blood cells.

(a) How does the oxygen move into his red blood cells?

Put a **ring** around the correct answer.

active transport

diffusion

homeostasis

osmosis

[1]

(b) Each sentence below has three options to link the beginning of the sentence to the end.

For each sentence put a **ring** around the correct phrase.

The air Billy breathes in contains ...

less oxygen than

the same amount of oxygen as

more oxygen than

... the air he breathes out.

The blood going into Billy's lungs contains ...

less oxygen than

the same amount of oxygen as

more oxygen than

... the blood leaving his lungs.

The air Billy breathes out contains more ...

nitrogen

carbon dioxide

urea

... than the air he breathes in.

[2]

(c) Billy breathes air in through his nose.

This warms the air.

This helps to keep Billy's body at a constant temperature.

Why is it important for Billy's body to have a constant temperature?

Put a tick (✓) in the box next to the **best** answer.

Molecules need energy to collide with proteins.

Chemical reactions go better when the temperature is high.

Enzymes need a specific temperature to work at their best.

Cells change shape at low temperatures.

[1]

[Total: 4]

3 Carl runs a race on a hot day.

He sweats a lot.

(a) What happens to the concentration of his blood plasma during the race?

Put a **(ring)** around the correct answer.

becomes more dilute stays the same becomes more concentrated

[1]

(b) Carl's kidneys filter sugar, urea, salt and water from his blood.

Some of the water is reabsorbed.

How much of the other substances is reabsorbed?

Write about

- sugar
- urea
- salt.

.....

.....

.....

.....

.....

..... [3]

(c) Some drugs would change the volume and concentration of Carl's urine.

Put a **(ring)** around the correct words to complete each sentence.

Alcohol results in a **greater / smaller** volume of **more / less** dilute urine.

Ecstasy results in a **greater / smaller** volume of **more / less** dilute urine.

[2]

[Total: 6]

7
BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

4 Some watch batteries contain lithium atoms.

(a) The symbol for lithium is Li.


Lithium is element number 3.

Find lithium in the Periodic Table.

(i) Which group is lithium in?

Put a **ring** around the correct answer.

1 2 3 4 5 6 7 8



[1]

(ii) Complete the table for the structure of a lithium atom.

relative atomic mass	
number of electrons	
number of protons	

[2]

(iii) Some students suggest why each element is where it is in the Periodic Table.

Who gives the correct answer?

Alex
The elements are arranged alphabetically.



Brenda
The elements are arranged in order of number of protons.



Daisy
The most reactive elements come first.



Charles
The elements are arranged in order of the date they were discovered.



answer [1]

(b) The lithium atoms in the battery give off electrons.



How many electrons does a lithium atom give off when it reacts?

answer [1]

(c) Lithium batteries should not be cut open.

This is because lithium reacts with water.

Put ticks (✓) in the boxes next to the **two** products of this reaction.

reaction with water	first product		second product
	lithium oxide	<input type="checkbox"/>	oxygen <input type="checkbox"/>
	or		or
lithium + water	→	lithium chloride	<input type="checkbox"/> + <input type="checkbox"/>
	or		or
	lithium hydroxide	<input type="checkbox"/>	carbon dioxide <input type="checkbox"/>

[2]

(d) Brenda's teacher drops a small piece of lithium into a beaker of water.

Tick (✓) one box in each column to describe what happens to the lithium.

The first one has been done for you.

tick one from this column		tick one from this column		tick one from this column		tick one from this column	
it floats	✓	no movement at all		it gets smaller		no visible reaction	
it sinks		some movement		it stays the same size		it produces bubbles	
it sinks to the bottom then rises		violent movement		it gets larger		it catches fire	

[2]

[Total: 9]

5 Chlorine gas is added to water to make the water safe to drink.

(a) How does this make the water safe?

.....
 [1]

(b) Chlorine is a very poisonous gas.


Suggest the most important safety precaution for people working with chlorine gas.

.....
 [1]

(c) Chlorine gas reacts with sodium hydroxide solution.

Write state symbols, s, l, g, aq, to complete the equation for this reaction.

Some have been done for you.




(d) Sodium will react with chlorine. The reaction makes sodium chloride.

Write a **word equation** for this reaction.

..... [1]

[Total: 5]

6 Sylvia tries out her motorbike on a race track.



From a standing start, she gets to her top speed in a distance of 200 m.

Her motorbike has to exert a constant horizontal force of 600 N for her to do this.

Sylvia and her motorbike weigh 1500 N.

(a) Calculate the work done on her motorbike as it travels 200 m.

work done = J [2]

(b) Work done on a motorbike increases its kinetic energy.

The work done on Sylvia's motorbike is more than its final kinetic energy.

Write about

- why the work done is more than the kinetic energy
- what happens to the missing energy.

.....

.....

.....


..... [2]

[Total: 4]

13
BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

7 Mel goes bowling.



(a) Mel stands on one foot to deliver the ball.

Two forces act **on** her foot **from** the floor.

Complete the sentences. Choose from this list.

friction

mass

reaction

The horizontal force is called

The vertical force is called

[2]

(b) Mel exerts a force of 40 N on the ball for 0.5 seconds.

Put a **ring** around the correct calculation of the momentum she gives the ball.

$$\frac{40}{0.5}$$

$$40 \times 0.5$$

$$\frac{0.5}{40}$$

[1]

(c) The 10kg ball leaves her hand with a speed of 2 m/s and rolls along the lane at a steady speed.

(i) Here are some statements about the ball as it rolls along the lane at a steady speed.

Put a tick (✓) in the box next to the **one** correct statement.

The weight of the ball decreases as it rolls along the track.


The ball's momentum increases as it moves along the track.

The ball travels a distance of 1.0 metres in every 0.5 second.


The velocity of the ball increases as it moves along the track.

[1]


(ii) Which of these distance-time graphs shows the ball moving at a steady speed?




A



B



C




D

answer [1]

[Total: 5]


8 Matt hits a ball with his bat.



(a) After it has been struck by the bat, the ball **rises** into the air away from Matt.

Which of these arrows shows the direction of the force of the bat on the ball?

Put a **ring** around the correct answer.



[1]

(b) Put a **ring** around the correct phrase to complete each sentence.

The force of the bat on the ball is ...

greater than

smaller than

the same as

... the force of the ball on the bat.

The force of the bat on the ball acts ...

in a direction at right angles to

in the same direction as

in the opposite direction to

... the force of the ball on the bat.

[2]

(c) Correctly complete the sentences.

Choose words from this list.

gravitational potential

kinetic

light

weight

The ball rises into the air, gaining energy.

As it rises, the ball loses energy. [2]

[Total: 5]

END OF QUESTION PAPER

18
BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

PLEASE DO NOT WRITE ON THIS PAGE



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations, is given to all schools that receive assessment material and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of the Elements

	1	2	3	4	5	6	7	0										
	7 Li lithium 3	9 Be beryllium 4	11 Na sodium 11	12 Mg magnesium 12	13 Al aluminium 13	14 Si silicon 14	15 P phosphorus 15	16 S sulfur 16	17 Cl chlorine 17	18 Ar argon 18								
	19 K potassium 19	20 Ca calcium 20	21 Sc scandium 21	22 Ti titanium 22	23 V vanadium 23	24 Cr chromium 24	25 Mn manganese 25	26 Fe iron 26	27 Co cobalt 27	28 Ni nickel 28	29 Cu copper 29	30 Zn zinc 30	31 Ga gallium 31	32 Ge germanium 32	33 As arsenic 33	34 Se selenium 34	35 Br bromine 35	36 Kr krypton 36
	37 Rb rubidium 37	38 Sr strontium 38	39 Y yttrium 39	40 Zr zirconium 40	41 Nb niobium 41	42 Mo molybdenum 42	43 Tc technetium 43	44 Ru ruthenium 44	45 Rh rhodium 45	46 Pd palladium 46	47 Ag silver 47	48 Cd cadmium 48	49 In indium 49	50 Sn tin 50	51 Sb antimony 51	52 Te tellurium 52	53 I iodine 53	54 Xe xenon 54
	55 Cs caesium 55	56 Ba barium 56	57 La* lanthanum 57	72 Hf hafnium 72	73 Ta tantalum 73	74 W tungsten 74	75 Re rhenium 75	76 Os osmium 76	77 Ir iridium 77	78 Pt platinum 78	79 Au gold 79	80 Hg mercury 80	81 Tl thallium 81	82 Pb lead 82	83 Bi bismuth 83	84 Po polonium 84	85 At astatine 85	86 Rn radon 86
	[223] Fr francium 87	[226] Ra radium 88	[227] Ac* actinium 89	[261] Rf rutherfordium 104	[262] Db dubnium 105	[266] Sg seaborgium 106	[264] Bh bohrium 107	[277] Hs hassium 108	[268] Mt meitnerium 109	[271] Ds darmstadtium 110	[272] Rg roentgenium 111	Elements with atomic numbers 112-116 have been reported but not fully authenticated						

1	H
hydrogen	1

relative atomic mass
atomic symbol
name
atomic (proton) number

Key

* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.