



H

Thursday 2 February 2012 – Morning

**GCSE TWENTY FIRST CENTURY SCIENCE
ADDITIONAL SCIENCE A**

A217/02 Unit 3: Modules B6 C6 P6 (Higher Tier)

Candidates answer on the Question Paper.
A calculator may be used for this paper.

Duration: 40 minutes

OCR supplied materials:
None

Other materials required:

- Pencil
- Ruler (cm/mm)



Candidate forename		Candidate surname	
-----------------------	--	----------------------	--

Centre number						Candidate number				
---------------	--	--	--	--	--	------------------	--	--	--	--

MODIFIED LANGUAGE

INSTRUCTIONS TO CANDIDATES

- Write your name, centre number and candidate number in the boxes above. Please write clearly and in capital letters.
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Answer **all** the questions.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Write your answer to each question in the space provided. Additional paper may be used if necessary but you must clearly show your candidate number, centre number and question number(s).
- Do **not** write in the bar codes.

INFORMATION FOR CANDIDATES

- The number of marks is given in brackets [] at the end of each question or part question.
- The total number of marks for this paper is **42**.
- A list of physics equations is printed on page 2.
- The Periodic Table is printed on the back page.
- This document consists of **20** pages. Any blank pages are indicated.

TWENTY FIRST CENTURY SCIENCE EQUATIONS

Useful Relationships

Explaining Motion

$$\text{speed} = \frac{\text{distance travelled}}{\text{time taken}}$$

$$\text{momentum} = \text{mass} \times \text{velocity}$$

$$\text{change of momentum} = \text{resultant force} \times \text{time for which it acts}$$

$$\text{work done by a force} = \text{force} \times \text{distance moved in the direction of the force}$$

$$\text{change in energy} = \text{work done}$$

$$\text{change in GPE} = \text{weight} \times \text{vertical height difference}$$

$$\text{kinetic energy} = \frac{1}{2} \times \text{mass} \times [\text{velocity}]^2$$

Electric Circuits

$$\text{resistance} = \frac{\text{voltage}}{\text{current}}$$

$$\frac{\text{voltage across primary coil}}{\text{voltage across secondary coil}} = \frac{\text{number of turns in primary coil}}{\text{number of turns in secondary coil}}$$

$$\text{energy transferred} = \text{power} \times \text{time}$$

$$\text{power} = \text{potential difference} \times \text{current}$$

$$\text{efficiency} = \frac{\text{energy usefully transferred}}{\text{total energy supplied}} \times 100\%$$

The Wave Model of Radiation

$$\text{wave speed} = \text{frequency} \times \text{wavelength}$$

Answer **all** the questions.

1 Julie has a new digital TV.



(a) Her new TV uses optical fibre cable.

What carries the information through the optical fibre cable?

Put a **ring** around the correct answer.

infrared light

microwaves

sound

ultraviolet

[1]

(b) Julie's old TV received analogue signals through a wire cable.

The picture quality wasn't very good.

This was because the signal picked up noise in the cable.

Her new TV gives a very clear picture.

Explain why noise doesn't affect **digital** TV.

Your answer should include a description of

- a digital signal
- noise.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....

[3]

[Total: 4]

2 Dave does an experiment with sound waves.

He places a loudspeaker and a signal generator behind a gap in a wall.



The loudspeaker sends sound waves towards the gap.

Dave walks in front of the wall with a sound intensity meter.

(a) What does the sound wave carry from the loudspeaker to the meter?


answer [1]

(b) Dave sets the frequency of the signal generator to 680 Hz.

The speed of sound waves is 340 m/s.


Calculate the wavelength of the waves.

Write the answer in the **one** correct box on the diagram of a wave.



[2]

(c) Dave plots this graph to show how the reading on the sound intensity meter changes as he walks in front of the wall from **L** to **R**.




Here are some possible explanations for the shape of the graph.

Put a tick (✓) in the box next to the **best** explanation.

- The sound waves are amplified by the wall.
- The sound waves are diffracted by the gap in the wall.
- The sound waves are transmitted through the wall.
- Sound waves which arrive at the gap pass straight through.

[1]

(d) Suzy explains Dave's results **incorrectly**.




State the wave property which must change for refraction to take place.

answer [1]

[Total: 5]

- 3 A laser is a special high intensity light source.



- (a) All of the photons from the laser are identical.

They have the same colour, direction and energy.

State **two** other properties which will be the same for all of the photons.

..... and [1]

- (b) The beam of laser light has a high intensity.

Here are some properties of the beam.

Which properties will affect the intensity of the beam?

Put ticks (✓) in the boxes next to the **two** correct answers.

The energy of each photon in the beam.

The direction in which the beam travels.

The number of photons emitted per second.

The amplitude of the photons of laser light.

The speed of the photons as they leave the laser.


[2]

(c) Joe does an experiment with a laser.

He places a piece of card in the path of a laser beam.

The card has two slits. The slits let two beams of light pass through to a screen.

Joe sees a pattern of light and dark lines on the screen.



(i) Complete the sentences by putting a **ring** around the correct words in **bold**.

The pattern is due to waves from **both** / **neither** / **one** of the slits.

When they arrive at the screen they **diffract** / **diverge** / **interfere**.

When the waves arrive at a bright line they are **in** / **out of** step.

When the waves arrive at a dark line they **cancel** / **reinforce** each other.

[1]

(ii) Here are some possible conclusions from this experiment.

Put a tick (✓) in the box next to the correct conclusion from this experiment.

The light from the laser has a wavelike nature.

The energy of the laser light is carried by photons.

The photons in the beam are attracted to each other.


The wavelength of the light is very much larger than the slits.

[1]

[Total: 5]

4 Emily does an experiment with woodlice.

She puts 30 woodlice into the centre of a Petri dish so that they can move freely into four chambers, **A**, **B**, **C** and **D**. Each chamber has different conditions.



After five minutes, Emily counts the woodlice in each chamber.

She records her results in a table.

chamber	conditions	number of woodlice
A	light and dry	2
B	dark and dry	10
C	light and moist	6
D	dark and moist	12

(a) What is the percentage of woodlice in chamber **D**?

answer% [1]

(b) Look at Emily's results.

Which condition appears to attract the woodlice most?

Put a **ring** around the correct answer.

dark

dry

light

moist

[1]

(c) The type of behaviour shown by the woodlice helps them to survive.

Suggest two ways that it does this.

Put ticks (✓) in the boxes next to the **two** best answers.

It helps to protect them from birds.

It allows them to respond to new conditions.

It helps them to investigate different habitats.

It prevents the Sun from drying them out.

It allows them to make food.

It helps them to avoid competition with other woodlice.

[2]

(d) In more complex animals, such as dogs, a conditioned reflex action can be learned.

Put ticks (✓) in the boxes next to the **two** correct statements about conditioned reflex actions.

A secondary stimulus is associated with a primary stimulus.

A stimulus is not needed.

More than one secondary stimulus is used.

The final response has no direct link to the primary stimulus.

The final response has no direct link to the secondary stimulus.

[2]

(e) Emily picks up the lamp which was used to light the dish in her experiment.

The lamp has become hot.

Her reflex is to drop the hot lamp.

She holds on to the lamp so it does not break.

Put a tick (✓) in the box next to the correct word to complete each sentence.

In some circumstances the	brain		can modify a reflex.
	spinal cord		
	eye		

This modification involves a	neuron		linking to the arc.
	receptor		
	reflex		

This changes the action of the	sensory		neuron.
	motor		
	synapse		

[2]

[Total: 8]

5 Fergus is ten years old.

He was found after surviving in the wild for most of his life.

He had no human contact in the wild.

(a) When he joins a human family he cannot learn to speak properly.

Which statement best explains this?

Put a tick (✓) in the box next to the correct statement.

His brain has ...

larger neurons than other children.

fewer neurons than other children.

passed the age at which it can acquire language skills.

not developed any synapses.

[1]

(b) Fergus can learn other skills.

Put a tick (✓) in the box next to the correct word to complete each sentence.

As he learns, neuron

axons	<input type="checkbox"/>
pathways	<input type="checkbox"/>
sheaths	<input type="checkbox"/>

will form.

With repetition some of these will be


just as likely	<input type="checkbox"/>
less likely	<input type="checkbox"/>
more likely	<input type="checkbox"/>

to transmit impulses.

[1]

[Total: 2]

6 The diagram shows a synapse between two neurons.



(a) Explain how chemicals found in neuron 1 cause an impulse to be started in neuron 2.

.....

.....

.....

.....

.....

.....

..... [3]

(b) Nerve impulses in the brain are often transmitted between neurons by the chemical serotonin.

The drug Ecstasy can interfere with this process.

Draw **one** line to join the correct **action of Ecstasy** with its correct **effect on the brain**.

action of Ecstasy

blocks release of serotonin into synapse

blocks removal of serotonin from synapse

stimulates release of serotonin into synapse

stimulates the removal of serotonin from the synapse

effect on brain

decreases serotonin concentration, and so enhances mood

increases serotonin concentration and so enhances mood

decreases serotonin concentration and so depresses mood

increases serotonin concentration and so depresses mood.

[1]

[Total: 4]


7 The diagram shows lead nitrate solution being added to potassium iodide solution.

It makes a yellow precipitate of lead iodide.

Lead iodide does not dissolve in water.



The word equation for the reaction is



(a) Julie adds a very small amount of lead nitrate solution to potassium iodide solution.

Which chemicals will be **dissolved** in the water **after** she has done this?

Put ticks (✓) in the boxes next to the correct answers.

lead iodide

lead nitrate








potassium iodide

potassium nitrate

[1]

(b) Julie puts 5 cm³ of potassium iodide solution into each of seven test tubes.

She adds a different amount of lead nitrate solution to each tube.

tube number	1	2	3	4	5	6	7
volume of potassium iodide solution	5 cm ³	5 cm ³	5 cm ³	5 cm ³	5 cm ³	5 cm ³	5 cm ³
volume of lead nitrate solution	2 cm ³	4 cm ³	6 cm ³	8 cm ³	10 cm ³	12 cm ³	14 cm ³
diagram of results							
height of precipitate	1 cm	2 cm	3 cm	4 cm	5 cm	5 cm	5 cm

In this experiment, what is the smallest volume of lead nitrate solution that was needed to use up all of the potassium iodide solution in the reaction?

volume = cm³ [1]

(c) After Julie has filtered off the lead iodide precipitate she washes it with distilled water.

Explain why she washes the precipitate and why she uses **distilled** water.

.....

.....

.....

..... [3]

[Total: 5]

- 8 A chemical company has discovered a new way of making a medicine.

The new method has fewer stages.

The new method gives a higher yield than the old method.

- (a) Suggest reasons why reactions never give 100% yield, and why the yield is lower if there are several stages.

.....

.....

.....

.....

.....

..... [3]

- (b) The starting chemicals should make 5,000 tonnes of the medicine.

They actually make 4,500 tonnes.

- (i) What is the percentage yield for the reaction?

Put a **ring** around the correct answer.

10%

11.1%

45%

80%

90%

[1]

- (ii) Show how you worked out your answer.

[1]

[Total: 5]

9 Magnesium carbonate is sometimes used in acid indigestion tablets to neutralise excess hydrochloric acid in the stomach.

(a) Magnesium carbonate reacts with hydrochloric acid to make magnesium chloride, carbon dioxide and water.

Write a balanced equation for this reaction.

..... [3]

(b) Magnesium hydroxide is also used to help cure acid indigestion.

When magnesium hydroxide dissolves in water it produces an ion which makes the solution alkaline.

Which ion must be present in the solution to make it alkaline?

answer [1]

[Total: 4]

END OF QUESTION PAPER

18
BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

PLEASE DO NOT WRITE ON THIS PAGE



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of the Elements

		1	2	3	4	5	6	7	0										
		1 H hydrogen 1							4 He helium 2										
		Key relative atomic mass atomic symbol name atomic (proton) number																	
		7 Li lithium 3	9 Be beryllium 4	11 Na sodium 11	12 Mg magnesium 12	13 Al aluminium 13	14 N nitrogen 7	16 O oxygen 8	17 Cl chlorine 17	18 Ar argon 18									
		19 K potassium 19	20 Ca calcium 20	21 Sc scandium 21	22 Ti titanium 22	23 V vanadium 23	24 Cr chromium 24	25 Mn manganese 25	26 Fe iron 26	27 Co cobalt 27	28 Ni nickel 28	29 Cu copper 29	30 Zn zinc 30	31 Ga gallium 31	32 Ge germanium 32	33 As arsenic 33	34 Se selenium 34	35 Br bromine 35	36 Kr krypton 36
		37 Rb rubidium 37	38 Sr strontium 38	39 Y yttrium 39	40 Zr zirconium 40	41 Nb niobium 41	42 Mo molybdenum 42	43 Tc technetium [98]	44 Ru ruthenium 44	45 Rh rhodium 45	46 Pd palladium 46	47 Ag silver 47	48 Cd cadmium 48	49 In indium 49	50 Sn tin 50	51 Sb antimony 51	52 Te tellurium 52	53 I iodine 53	54 Xe xenon 54
		55 Cs caesium 55	56 Ba barium 56	57 La* lanthanum 57	72 Hf hafnium 72	73 Ta tantalum 73	74 W tungsten 74	75 Re rhenium 75	76 Os osmium 76	77 Ir iridium 77	78 Pt platinum 78	79 Au gold 79	80 Hg mercury 80	81 Tl thallium 81	82 Pb lead 82	83 Bi bismuth 83	84 Po polonium [209]	85 At astatine [210]	86 Rn radon [222]
		87 Fr francium [223]	88 Ra radium [226]	89 Ac* actinium [227]	104 Rf rutherfordium [261]	105 Db dubnium [262]	106 Sg seaborgium [266]	107 Bh bohrium [264]	108 Hs hassium [277]	109 Mt meitnerium [268]	110 Ds darmstadtium [271]	111 Rg roentgenium [272]	Elements with atomic numbers 112-116 have been reported but not fully authenticated						

* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.