



Mark Scheme (Results)

Summer 2018

Pearson Edexcel GCSE
Combined Science – Paper 4
Chemistry 2 (1SC0 2F)

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2018

Publications Code 1SC0_2CF_1806_MS

All the material in this publication is copyright

© Pearson Education Ltd 2018

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Mark schemes have been developed so that the rubrics of each mark scheme reflects the characteristics of the skills within the AO being targeted and the requirements of the command word. So for example the command word 'Explain' requires an identification of a point and then reasoning/justification of the point.

Explain questions can be asked across all AOs. The distinction comes whether the identification is via a judgment made to reach a conclusion, or, making a point through application of knowledge to reason/justify the point made through application of understanding. It is the combination and linkage of the marking points that is needed to gain full marks.

When marking questions with a 'describe' or 'explain' command word, the detailed marking guidance below should be consulted to ensure consistency of marking.

Assessment Objective		Command Word	
Strand	Element	Describe	Explain
AO1*		An answer that combines the marking points to provide a logical description	An explanation that links identification of a point with reasoning/justification(s) as required
AO2		An answer that combines the marking points to provide a logical description, showing application of knowledge and understanding	An explanation that links identification of a point (by applying knowledge) with reasoning/justification (application of understanding)
AO3	1a and 1b	An answer that combines points of interpretation/evaluation to provide a logical description	
AO3	2a and 2b		An explanation that combines identification via a judgment to reach a conclusion via justification/reasoning
AO3	3a	An answer that combines the marking points to provide a logical description of the plan/method/experiment	
AO3	3b		An explanation that combines identifying an improvement of the experimental procedure with a linked justification/reasoning

*there will be situations where an AO1 question will include elements of recall of knowledge directly from the specification (up to a maximum of 15%). These will be identified by an asterisk in the mark scheme.

Question Number	Answer	Mark
1(a)	R P S Q T R P S as first 3 (1) Q T as last 2 (1)	(2) AO 3 2a AP 3 2b

Question Number	Answer	Mark
1(b)	A always higher The only correct answer is A <i>B is not correct because temperature rise</i> <i>C is not correct because temperature always rises</i> <i>D is not correct because temperature rises</i>	(1) AO 2 2

Question Number	Answer	Additional guidance	Mark
1(c)	use a measuring cylinder	allow pipette/ burette ignore syringe, measuring jug/tube etc.	(1) AO 3 3a

Question Number	Answer	Additional guidance	Mark
1(d)(i)	An explanation including <ul style="list-style-type: none"> the solid {dissolves/ reacts with the water} (1) {takes in /absorbs} heat / is endothermic (1) 	Ignore just 'a (chemical) reaction occurs' etc allow energy for heat ignore reference to temperature change	(2) AO 2 1

Question Number	Answer	Additional guidance	Mark
1(d)(ii)	(reaction) irreversible	allow reaction can only occur once allow reactants are used up / reaction is complete /the reaction has happened allow bag can only burst once/ cannot get water back into bag	(1) AO 3 1a

(Total for Question 1 = 7 marks)

Question Number	Answer	Mark
2(a)	(gas) syringe	(1) AO 1 2

Question Number	Answer	Additional guidance	Mark
2(b)	(splint) (re)lights	allow alternatives indicating that splint burns e.g. flame allow glows more brightly reject squeaky pop	(1) AO 1 1

Question Number	Answer	Mark
2(c)(i)	B water and oxygen are the only products of the reaction The only correct answer is B <i>A is not correct because rate increases</i> <i>C is not correct because catalysts do not get used up</i> <i>D is not correct because amount of product is unaltered by catalyst</i>	(1) AO 1 1

Question Number	Answer	Mark
2(c)(ii)	A dry the filter paper and catalyst before finding their mass The only correct answer is A <i>B this does not remove the water</i> <i>C dry residue is needed, not filtrate</i> <i>D water would still be present</i>	(1) AO 3 3a

Question Number	Answer	Additional guidance	Mark
2(c)(iii)	powder / cut up / break up / use smaller pieces	ignore reference to surface area/ squash / flatten	(1) AO 1 2

Question Number	Answer	Additional guidance	Mark
2(d)	<ul style="list-style-type: none"> • slower • slower • unchanged <p>all 3 rows correct – 2 marks one or two rows correct – 1 mark</p>	<p>may indicate correct answer in any way e.g. by underlining</p> <p>do not credit a row if more than one answer is indicated in a row</p>	(2) AO 1 1

Question Number	Answer	Additional guidance	Mark
2(e)	$2\text{H}_2\text{O}_2(\text{aq}) \rightarrow 2\text{H}_2\text{O}(\text{l}) + \text{O}_2(\text{g})$ (2) OR $2\text{H}_2\text{O}_2$ (1) state symbols l, g (1)	<p>do not allow first marking point if equation unbalanced</p> <p>allow capital or small letters for state symbols</p> <p>do not allow words for state symbols</p>	(2) AO 1 1 AO 2 1

(Total for Question 2 = 9 marks)

Question Number	Answer	Mark
3(a)	<p>A crude oil is a finite resource</p> <p>The only correct answer is A</p> <p><i>B is not correct because crude oil is a mixture of compounds</i></p> <p><i>C is not correct because most molecules are chains</i></p> <p><i>D is not correct because crude oil must be fractionated first</i></p>	(1) AO 1 1

Question Number	Answer	Mark
3(b)	<p>C are in the same homologous series</p> <p>The only correct answer is C</p> <p><i>A is not correct because they have different formulae</i></p> <p><i>B is not correct because they have different bpts</i></p> <p><i>D is not correct because they all form carbon dioxide and water</i></p>	(1) AO 2 1

Question Number	Answer	Mark
3(c) (i)	<ul style="list-style-type: none"> • heated (1) • condensed (1) 	(2) AO 1 1

Question Number	Answer	Additional guidance	Mark
3(c) (ii)	has more carbon atoms per molecule	<p>allow any way of indicating answer e.g. circling</p> <p>reject any answer with two or more underlinings</p>	(1) AO 1 1

Question Number	Answer	Mark
3(d)	fuel oil	(1) AO 3 2b

Question Number	Answer	Additional guidance	Mark
3(e)	<p>380 000 with or without working scores 3</p> <p>382 500 with or without working scores 2</p> <p>OR</p> $\frac{45}{100} (1) = (0.45)$ <p>(0.45) x 850 000 (1) = (382 500)</p> <p>= 380 000 (1)</p> <p>OR</p> $\frac{850\,000}{100} (1) (= 8500)$ <p>(8500) x 45 (1) (= 382 500)</p> <p>380 000 (1)</p> <p>OR</p> <p>4x10% = 340 000 and 1x5% = 42 500 (1)</p> <p>340 000 + 42 500 (= 382 500) (1)</p> <p>380 000 (1)</p>	<p>allow ECF throughout</p> <p>(answers based on 55%)</p> <p>470 000 scores 2</p> <p>467 500 scores 1</p> <p>allow alternative chunking methods that add to 45%</p> <p>The clear <u>rounding of any worked out final answer (using data provided)</u> to 2 sig figs scores 1</p>	(3) AO 2 1

(Total for Question 3 = 9 marks)

Question Number	Answer	Additional guidance	Mark
4(a)	SO ₂	allow O ₂ S reject SO ₂ , SO ²	(1) AO 2 1

Question Number	Answer	Additional guidance	Mark
4(b)(i)	hydrogen + oxygen → water	allow 2H ₂ + O ₂ → 2H ₂ O: this must be fully correct and balanced with correct subscripts reject 'hydrogen and oxygen', hydrogen oxide, hydrogen hydroxide if a word and symbol equation is given or a mixture of symbols and words, ignore all symbols allow = for →	(1) AO 2 1

Question Number	Answer	Additional guidance	Mark
4(b)(ii)	B and D	For B allow SO ₂ For D allow CO ₂ reject answers containing any other letters/ names	(1) AO 3 2a

Question Number	Answer	Additional guidance	Mark
4(c)	An explanation including <ul style="list-style-type: none"> plants (grow/ evolve etc.) (1) photosynthesis occurs (1) 	allow trees or any other reference to plants reject respiration/breathing for MP2 ignore all other information	(2) AO 1 1

Question Number	Answer	Mark
4(d)	<p>change in the amount of carbon dioxide in the atmosphere</p> <p>process causing the change</p> <p>reject multiple lines from a box</p>	(2) AO 1 1

Question Number	Answer	Additional guidance	Mark
4(e)(i)	suitable description of variation (within a year) (1)	<p>allow increases and decreases / goes up and down [or vice-versa]</p> <p>allow fluctuates</p> <p>reject a pattern described for a timescale other than a year e.g. goes up one year and down the next</p>	(1) AO 3 2a

Question Number	Answer	Additional guidance	Mark
4(e)(ii)	increases (over time) (1)	<p>ignore from (number) to (number)</p> <p>allow positive correlation/trend etc</p>	(1) AO 3 2a

Question Number	Answer	Additional guidance	Mark
4(e)(iii)	<p>15 with no working or correct working scores 2</p> <p>figures read from graph 364-366 and 349-351 (1)</p> <p>subtraction of numbers from above (1)</p>	<p>negative answer does not score 2nd mark</p>	<p>(2) AO 2 1</p>

(Total for Question 4 = 11 marks)

Question Number	Answer	Additional guidance	Mark
5(a)(i)	35	reject 35.5	(1) AO 1 1

Question Number	Answer	Additional guidance	Mark
5(a)(ii)	2.8.7	allow any separator including gaps e.g. 2 8 7 send to review any diagrams	(1) AO 1 1

Question Number	Answer	Additional guidance	Mark
5(b)	A description to include <ul style="list-style-type: none"> • (blue litmus) (first turns) red (1) • (then) bleaches / turns white (1) 	allow shades of red and pink but not other colours e.g. red-purple allow colour disappears/goes colourless ignore yellow/ colour fades /discolours white then red = 0; just 'goes white' = 1	(2) AO 1 2

Question Number	Answer	Additional guidance	Mark
5(c)(i)	A description to include <ul style="list-style-type: none"> • shared electron(s) (1) • {a pair of / two} (electrons) (1) 	allow a diagram for both mark points reference to ionic bonding/ions scores 0 e.g. gains two electrons = 0	(2) AO 1 1

Question Number	Answer	Additional guidance	Mark
5(c)(ii)	<p>An explanation linking any two from</p> <ul style="list-style-type: none"> intermolecular forces / forces between molecules (1) (intermolecular) forces {weak / take little energy to break} / little energy to separate molecules (1) boiling point is below room temperature / has a low boiling point (1) 	<p>if answer relates to the breaking of any type of bond first two marking points cannot be scored (but 3rd could)</p> <p>allow "attractions" instead of "forces"</p>	(2) AO 1 1

Question Number	Answer	Additional guidance	Mark
5(d)	(the solution is) acid(ic) / contains {hydrogen ions/ H ⁺ }	<p>allow pH < 7</p> <p>allow hydrogen chloride is acidic</p> <p>if incorrect identity of acidic solution then 0 marks (e.g. chlorine is acidic =0)</p>	(1) AO 2 1

Question Number	Answer	Additional guidance	Mark
5(e)(i)	any value from 20 to 301	<p>allow a range within these numbers e.g.25 to 45</p> <p>answer may be given in the table.</p> <p>if values are given on the answer line and the table mark only the answer on the answer line</p>	(1) AO 1 1

Question Number	Answer	Additional guidance	Mark
5(e)(ii)	fluorine/ chlorine	<p>reject iodine / astatine</p> <p>allow F/F₂/Cl/Cl₂</p>	(1) AO 2 1

(Total for Question 5 = 11 marks)

Question Number	Answer	Additional guidance	Mark
6(a)	Na : O $\frac{0.92}{23} : \frac{0.32}{16}$ (1) 0.04 : 0.02 OR 2 : 1 (1) (empirical formula from ratio) Na ₂ O (1)	formula alone scores 0 2 nd MP is either for working out correct number of moles OR for finding the correct ratio by dividing by the smaller number from an incorrect first step 3 rd MP is for correctly converting a ratio to a formula with whole numbers only example $\frac{23}{0.92} : \frac{16}{0.32}$ (0) 25 : 50 (0) 1 : 2 (1) NaO ₂ (1)	(1) AO 2 1

Question Number	Answer	Additional guidance	Mark
6(b)	$2\text{Na(s)} + 2\text{H}_2\text{O(l)} \rightarrow 2\text{NaOH(aq)} + \text{H}_2\text{(g)}$ 2Na (1) 2NaOH (1) s, l, aq, g (1)	allow S, L, AQ, G ignore words	(3) AO 2 1

Question Number	Answer	Mark
6(c) (i)	<p>C is the most reactive</p> <p>The only correct answer is C</p> <p><i>A is not correct because this is irrelevant</i></p> <p><i>B is not correct because this is irrelevant</i></p> <p><i>D is not correct because this is irrelevant</i></p>	<p>(1) AO 2 1</p>

Question Number	Indicative content	Mark
*6(c)(ii)	<p>Answers will be credited according to candidate's deployment of knowledge and understanding of the material in relation to the qualities and skills outlines in the generic mark scheme.</p> <p>The indicative content below is not prescriptive and candidates are not required to include all the material which is indicated as relevant. Additional content included in the response must be scientific and relevant.</p> <p>Aspect one: METHOD</p> <ul style="list-style-type: none"> • trough/large container of water • equal volumes of water for each experiment • remove metal from container with tongs • remove oil • cut small piece • add metal with tongs/tweezers etc. to water • teacher wears safety glasses • gloves • use of safety screen • class well back • class wear goggles <p>ignore general safety ideas – hair tied back, labcoat etc ignore equal sized pieces of metal</p> <p>Aspect 2: ANALYSIS</p> <ul style="list-style-type: none"> • most vigorous effervescence of hydrogen with potassium and least with lithium • fastest movement with potassium and slowest with lithium • potassium is most reactive, then sodium, then lithium <p>ignore copying of results from table e.g potassium bubbles very fast ignore writing up of results/ put in table etc</p>	<p>(6) AO 2 2 AO 3 1a AO 3 1b</p>
Level	Descriptor	
	No rewardable material.	
Level 1	<ul style="list-style-type: none"> • Demonstrates elements of biological understanding, some of which is inaccurate. Understanding of scientific ideas lacks detail. • Presents an explanation with some structure and coherence. 	
Level 2	<ul style="list-style-type: none"> • Demonstrates biological understanding, which is mostly relevant but may include some inaccuracies. Understanding of scientific ideas is not fully detailed and/or developed. • Presents an explanation that has a structure which is mostly clear, coherent and logical. 	

Level 3	<ul style="list-style-type: none">• Demonstrates accurate and relevant biological understanding throughout. Understanding of the scientific ideas is detailed and fully developed.• Presents an explanation that has a well-developed structure which is clear, coherent and logical.
---------	--

(Total for Question 6 = 13 marks)

