UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the June 2005 question paper

0610 BIOLOGY

0610/05

Paper 5 (Practical), maximum mark 40


This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which Examiners were initially instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began. Any substantial changes to the mark scheme that arose from these discussions will be recorded in the published *Report on the Examination*.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the *Report* on the Examination.

 CIE will not enter into discussion or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the June 2005 question papers for most IGCSE and GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Grade thresholds for Syllabus 0610 (Biology) in the June 2005 examination.

	maximum	minimum mark required for grade:			
	mark available	А	С	E	F
Component 5	40	31	24	18	15

The threshold (minimum mark) for B is set halfway between those for Grades A and C. The threshold (minimum mark) for D is set halfway between those for Grades C and E. The threshold (minimum mark) for G is set as many marks below the F threshold as the E threshold is above it.

Grade A* does not exist at the level of an individual component.

IGCSE

MARK SCHEME

MAXIMUM MARK: 40

SYLLABUS/COMPONENT: 0610/05

BIOLOGY (Practical)

	Page 1		Mark S	cheme			Syllabus	Paper
	J		IGCSE – June 2005		0610	5		
1	(a)		aw higher than boiled; aw chopped highest;	\$1>\$3 <u>an</u> \$2 (A) cm ind	_			[2]
	(b)	[F	Refer to candidate's results	in (a) if not	as exp	ected]		
		h	imilarity ave, froth/bubbles/reaction/increase in volume/description of potato novement;				to	
			ifference 2 more vigorous than S1;					[2]
	(c)	•	53 has) no, reaction/froth/bu 54 has) <u>no/little</u> , reaction/fro		;			
		ʻtl	Refer to candidate's results ney' or 'both' = 2 est 'no reaction' = max 1]	in (a) if not	as exp	ected.		[2]
	(d) (i)	S	labels for axes including usually suitable scale; data plotted;		change (A) cm	<u>e</u> in heigl carried	otion for eac nt <u>and</u> mm over from to lown in tabl	able e]
		В	bars separate and same v	wiatn;				[4]
	(ii)	C	orrect use of terminology;		(e.g.	substrate active senzyme		ins)
		CI	S1 and S2 sutting up the cube allowed <u>more,</u> (enzyme) catalase to escape/surface area exposed;					
		10	<u>dea</u> of <u>more</u> active sites exposed; (e.g. more contact between enzyme and peroxide)					
		[a S b	1 and S3 assume referring to S3 unle 1.] oiling/enzyme heated; enatured/destroyed; nzyme not able to, catalyse		n hydro (A) 1	ogen per	oxide; oning enzyr	
					(R) r	no enzym	ne present	[max 4]

Page 2	Mark Scheme	Syllabus	Paper
	IGCSE – June 2005	0610	5

(e) use same potato;

use range of different sized cubes; (to give) different surface areas;

same/measure, mass of potato; (A) weight (R) amount

more accurate method of cutting; [detail = AVP] standardised chopping;

boil for longer; boil for different times;

set time for reaction; use assistant/alternative suggestion, for accurate time measurement;

use measured volume of hydrogen peroxide;

[x³ or volume implied by apparatus]

quantitative method of gas collection; (e.g. over water) means to accommodate greater quantity of foam/

method to obtain greater difference in foam height;

means of controlling temperature/monitor temperature and consequence; replicates;

AVP;; [(R) pH or other factor affecting enzyme activity that is

not relevant to this investigation]

[max 5]

[Total: 19]

Page 3	Mark Scheme	Syllabus	Paper
	IGCSE – June 2005	0610	5

2 (a) (i) [If not a half flower, max 3]

Drawing - clear outline F1;

at least 5cm in one direction; petals and sepals shown; male and female parts shown;

Labels - petal;

sepal/<u>flower</u> stalk/receptacle/other valid 'floral' label; carpel/stigma/style/ovary/ovule; stamen/filament/anther;

[max 6]

(ii) length of drawing (line) measured correctly (+/- 2mm) with units and clear measurement line shown;

[correct answer for their figures with no working = 2 ticks = 2 marks] (their) drawing length \div (their) specimen length; correct \underline{x} magnification; [max 1 dp Needs 'x' or 'times']

[3]

(b) (i) add Benedicts reagent;

heat/boil;

(A) warmed

(A) even if reagent is correct for 1 mark

[2]

(ii) add iodine (solution);

[(R) if ref. to heat/boil]

[1]

(c) (i)

test	observation
reducing sugar	(turns) orange/red; (A) green/yellow [See Supervisor's report]
starch	(stays) yellow/brown; (A) no change in <u>colour</u> iodine colour does not go blue-black

[2]

(ii) (reducing) sugar/no starch (present);

source of energy;

e.g. use; [for respiration/muscle contraction/flight/etc.] immediate/soluble/no digestion needed; [converse for starch]

[max 3]

Page 4	Mark Scheme	Syllabus	Paper
	IGCSE – June 2005	0610	5

(d) [answer should be written as 'doing' something]

using different coloured flowers

(A) shades (A) petals/

use some coloured shape to represent flower;

same, species/shape/size;

same insect species;

counting insect visits; (A) 'how many'

detail;

keep named, condition/variable, constant;

other, condition/variable;

repeat (whole investigation);

AVP;; (e.g. way of getting insects and flowers in proximity, use a

range of insects) [max 4]

[Total: 21]