

**MARK SCHEME for the October/November 2009 question paper  
for the guidance of teachers**

**0610 BIOLOGY**

**0610/02**

Paper 2 (Core Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2009 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



<b>Page 2</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – October/November 2009</b>	<b>0610</b>	<b>02</b>

### General notes

Symbols used in mark scheme and guidance notes.

/ separates alternatives for a marking point

; separates points for the award of a mark

MP mark point – used in guidance notes when referring to numbered marking points

A accept – as a correct response

R reject – this is marked with a cross and any following correct statements do not gain any marks

I ignore/irrelevant/inadequate – this response gains no mark, but any following correct answers can gain marks.

( ) the word/phrase in brackets is not required to gain marks but sets context of response for credit. e.g. (waxy) cuticle. Waxy not needed but if it was described as a cellulose cuticle then no mark.

Small underlined words – this word only/must be spelled correctly

OWTTE or words to that effect

ORA or reverse argument/answer

ref./refs. answer makes appropriate reference to

<b>Mark Scheme Instructions</b>	<b>Guidance</b>
<p><b>1</b> reptiles; birds; mammals; amphibians; [4]</p> <p style="text-align: right;"><b>[Total: 4]</b></p>	<p>A – singular forms of terms A – reptilia, aves, mammalia, amphibia A - mixed use of common and scientific names R – two or more responses in an answer space unless both correct I – named individual examples</p>
<p><b>2 (a)</b> 1 cell wall added and labelled; 2 nucleus added and labelled; 3 vacuole added and labelled; 4 cytoplasm labelled; 5 mitochondria / mitochondrion added and labelled;</p> <p>Any four – 1 mark each [4]</p> <p><b>(b)</b> 1 in leaves; 2 near upper surface / upper mesophyll layer / above the spongy mesophyll / just below (upper) epidermis; [2]</p> <p style="text-align: right;"><b>[Total: 6]</b></p>	<p>A – nuclear membrane label A – vacuole membrane / tonoplast label</p> <p>I – any shading or stippling to represent cytoplasm / nucleus / vacuole</p> <p>I – refs. to stem A – MP shown on candidate's labelled diagram if attempted</p>
<p><b>3 (a)</b> micronutrient                      deficiency symptom</p> <p>calcium;                                      anaemia vitamin C;                                      rickets vitamin D;                                      scurvy iron;</p> <p>For each correct link – 1 mark [4]</p> <p><b>(b)</b> 1 (iron) used to make / part of haemoglobin; 2 present in red blood cells; 3 used to carry / transport / hold oxygen; 4 component of myoglobin / some enzymes / electron carriers; 5 (myoglobin) present in muscle cells</p> <p>Any three – 1 mark each [3]</p> <p style="text-align: right;"><b>[Total: 7]</b></p>	<p>Award marks on basis of lines leaving the micronutrient</p> <p>R – any micronutrient from which more than one line is drawn</p> <p>I – multiple lines that arrive at a deficiency symptom</p>

<b>Page 4</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – October/November 2009</b>	<b>0610</b>	<b>02</b>

<p><b>4 (a)</b> substrate enzyme product  (fat) lipase; (glycerol +) fatty acids;  protein; (protease) amino acids;  starch; amylase; (maltose)  each correct insertion – 1 mark [6]</p> <p><b>(b) (i)</b> plasma; [1]</p> <p><b>(ii)</b> respiration; [1]</p> <p><b>(iii)</b> <u>glycogen</u>; [1]</p> <p><b>(iv)</b> liver; [1]</p> <p><b>(v)</b> adrenaline / <u>glucagon</u>; [1]</p> <p style="text-align: right;"><b>[Total: 11]</b></p>	<p>R – multiple responses in any box</p> <p>I – qualifications of amylase with salivary or pancreatic</p> <p>I – any qualifications such as cellular / tissue / anaerobic</p> <p>I – starch</p> <p>I – muscles</p> <p>A – epinephrine</p>
<p><b>5 (a) (i) D;</b> [1]</p> <p><b>(ii) A, C / A and C;</b> [1]</p> <p><b>(b) (i)</b> 1 (plenty of) food / water;  2 (plenty of) space;  3 (plenty of) mates;   4 lack / few predators;   Any two – 1 mark each [2]</p> <p><b>(ii)</b> 1 insufficient food available / competition / overcrowding (for food) / OWTTE;  2 arrival of a predator / increase in predators;   3 outbreak of disease / increase in parasites;   Any two – 1 mark each [2]</p> <p style="text-align: right;"><b>[Total: 6]</b></p>	<p>R – <b>A–C / A to C / any ref to B</b></p> <p>A – if no marks gained for MPs 1, 2, 3 or 4 then award 1 mark for ref. to more born than die  A – sensible named example  A – 1 logical ref to seasonal changes</p> <p>A – sensible named example  A – hunting (by humans)  A – sensible named example</p> <p>A – 1 logical ref. to seasonal changes</p>

<b>Page 5</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – October/November 2009</b>	<b>0610</b>	<b>02</b>

<p><b>6 (a) (i)</b> 1 produce / release ova / egg cells / female gametes; 2 produce oestrogen;</p> <p>3 progesterone;</p> <p>Any two – 1 mark each [2]</p> <p><b>(ii)</b> feed / provide oxygen / protect fetus / embryo; [1]</p> <p><b>(iii)</b> receive sperm / semen / intercourse / act as birth canal; [1]</p> <p><b>(b)</b> 1 develop / release new ovum (each cycle) / OWTTE; 2 prepares new uterus lining (prior to ovulation);</p> <p>3 maintains lining if zygote / fertilised ovum / embryo implants / pregnancy; 4 sheds lining (if ovum is not fertilised / no pregnancy);</p> <p>Any three – 1 mark each [3]</p> <p style="text-align: right;"><b>[Total: 7]</b></p>	<p>A – eggs I – refs. to storing A – female hormones for 1 mark if neither hormone named I – hormones unqualified</p> <p>A – refs. to implantation / placenta / place for development / growth A – baby for fetus</p> <p>A – exit for menstrual flow</p> <p>A – descriptions of early changes / lining of womb A – endometrium A – ref. to (lining) thickening / vascularised / OWTTE A – refs. to menstruation / period</p>
--	--

Page 6	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2009	0610	02

<p>7 (a) (i) hogweed → aphids → wrens → kestrels;; ivy → aphids → wrens → kestrels;; oak tree → aphids → wrens → kestrels;; oak tree → caterpillars → wrens → kestrels;;</p> <p>Any one food chain – 1 mark for four organisms in the correct sequence and 1 mark for indicating direction of energy flow [2]</p> <p>(ii) 1 herbivore eats only plant material / producers / OWTTE; 2 named example from food web;</p> <p>3 carnivore eats animal material / meat / consumers; 4 named example from food web;</p> <p>Any three – 1 mark each [3]</p> <p>(iii) fleas; [1]</p> <p>(b) <u>wrens</u> 1 numbers down; 2 same food as ladybirds / competition; 3 amount of aphids drop / less food for wrens;</p> <p><u>bank voles</u> 4 numbers up; 5 kestrels have fewer wrens to feed on; 6 fewer kestrels survive to eat bank voles; <b>OR</b> 7 numbers down; 8 kestrels have fewer wrens to feed on; 9 kestrels eat more bank voles as alternative; (Max 3 from one version of bank vole or one version of wren prediction)</p> <p>Any four – 1 mark each [4]</p> <p style="text-align: right;"><b>[Total: 10]</b></p>	<p>food chains must start with producer</p> <p>pyramid format – <b>MAX</b> 1 mark</p> <p>A – bank voles / goldfinches / aphids / caterpillars I – refs. to food examples</p> <p>A – wrens / kestrels / fleas I – refs. to food examples</p> <p>A – wren numbers stay the same A – eat more caterpillars</p> <p>A – more caterpillars as more food available / aphids eat less oak tree A – alternative approaches that are logical from food web and involve e.g. aphids, hogweed, goldfinches, grass and bank voles. This can be argued for both rise or fall in bank voles</p>
--	--

<b>Page 7</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – October/November 2009</b>	<b>0610</b>	<b>02</b>

<p><b>8 (a)</b> 1 inspired air has more oxygen (than expired air) / ORA;  2 inspired air has less carbon dioxide (than expired air) / ORA;  3 inspired air is (normally) colder (than expired air) / ORA;  4 inspired air is (normally) drier (than expired air) / ORA;</p> <p style="text-align: right;">Any three – 1 mark each [3]</p> <p><b>(b)</b> large surface area;  thin wall / OWTTE;  rich blood supply / OWTTE;</p> <p style="text-align: right;">Any three – 1 mark each [3]</p> <p style="text-align: right;"><b>[Total: 6]</b></p>	<p>R – no oxygen in expired air</p> <p>R – no carbon dioxide in inspired air</p> <p>treat unqualified responses as ref to inspired air  I – refs. to dust, pollen, microorganisms, other gases</p> <p>A – refs. to counter current action  A – moist / wet surface</p>
---	--

<b>Page 8</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – October/November 2009</b>	<b>0610</b>	<b>02</b>

<p><b>9 (a) (i)</b> 1 movement / diffusion of water; 2 from a high (water) concentration to a low / lower one; 3 through a partially permeable membrane;[3]</p> <p><b>(ii)</b> 1 (diffusion) is movement of other particles / ions / molecules / not just water; 2 partially permeable membrane not necessary / OWTTE; [2]</p> <p><b>(b) (i)</b> 1 water concentration (in root hair cell); 2 lower than that in soil / soil water; 3 cell membrane is partially permeable;  Any two – 1 mark each [2]</p> <p><b>(ii)</b> 1 (now) soil water has lower water concentration; 2 because of more salts in sea water / OWTTE; 3 cell has lower salt concentration; 4 water flows out of cell / plant / into soil / exosmosis; 5 plant wilts / dies; 6 ref. to roots waterlogged / anaerobic conditions;  Any four – 1 mark each [4]</p> <p style="text-align: right;"><b>[Total: 11]</b></p>	<p>A – down a concentration gradient</p> <p>A – differentially / selectively / semi-permeable membrane A – across for through A – alternative terminology e.g. water potential if correctly used</p> <p>A – named examples</p> <p>A – semi-permeable membrane</p> <p>A – ref. to cytoplasm / vacuole A – for MP1 and 2 ORA A – vacuole membrane / tonoplast A – alternative terminology as per <b>(a)</b></p> <p>I – refs. to salt being toxic</p> <p>A – MP2 and 3 responses in terms of water concentration / water potential</p>
--	---



<b>Page 9</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – October/November 2009</b>	<b>0610</b>	<b>02</b>

<p><b>10 (a) (i)</b> short (wing); [1]</p> <p><b>(ii)</b></p> <p>1 (phenotypes) long (winged) short (winged);</p> <p>2 (genotypes) <b>RR;</b> <b>rr;</b></p> <p>3 (gametes) <b>R R r r;</b></p> <p>4 (genotypes) <b>Rr Rr Rr Rr;</b> [5]</p> <p><b>(iii)</b> 464 / 4;</p> <p>116; [2]</p> <p><b>(b)</b> 1 (phenotypes) short winged (female) long winged (offspring);</p> <p>2 (genotypes) <b>rr Rr;</b></p> <p>3 (gametes) <b>r R r;</b></p> <p>4 (genotypes) <b>Rr rr Rr rr;</b></p> <p>5 (phenotypes) half with long, half with short wings;</p> <p>Any four – 1 mark each [4]</p> <p style="text-align: right;"><b>[Total: 12]</b></p>	<p>mark each line <u>independently</u></p> <p>R – use of X and Y as alleles</p> <p>A – alternative symbols if clear as to meaning with <b>MAX 4</b></p> <p>l – Rr <b>NB 2 marks for this line</b></p> <p>A – ECF from Rr erroneous genotype (2<sup>nd</sup> row) to 3<sup>rd</sup> row</p> <p>R – ECF from MP 3 to MP 4</p> <p>If candidate ignores printed answer space and uses blank space below accept Punnet's square approach</p> <p>A – If answer correct but no working shown then award 2 marks,</p> <p>A – If answer wrong but correct working shown then award first mark only</p> <p>No ECF from <b>(a) (ii)</b></p> <p>A – Punnet's Square approach</p> <p><b>NB 1 mark this line</b></p> <p>A – r r R r</p> <p>A – 50 : 50 etc.</p>
--	---