

## READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.Write in dark blue or black pen.You may use a pencil for any diagrams or graphs.Do not use staples, paper clips, highlighters, glue or correction fluid.DO **NOT** WRITE IN ANY BARCODES.

Answer **both** questions.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use			
1			
2			
Total			

This document consists of 8 printed pages.



- 1 You are provided with part of a fruit labelled Y1.
  - (a) Make a large, labelled diagram of the fruit to show
    - the arrangement of the seeds,
    - the thickness of the fruit wall.

For Examiner's Use (ii) Test the internal structure of the seeds for fat and starch. Record your observations and conclusion in Table 1.1.

test	initial observation	final observation	conclusion
fat			
starch			

[4]

For

Use

These seeds can germinate, grow, flower and produce seeds within one year.

Fig. 1.1 shows a seedling which has grown from a seed taken from fruit **Y1**.





nplete the labelling of the seedling on Fig. 1.1. testa of this seedling has been labelled for you. [2]	(d) (i)
cribe how you would germinate these seeds. ude the environmental conditions required.	(ii)
[3]	
[Total: 20]	

For Examiner's Use



6

(c) Explain the changes that you have observed in these two chips.

[4]

A similar investigation was carried out by a group of students.

They measured the masses of five chips before putting each chip into a different concentration of sucrose solution.

The chips were left in the solutions for two hours.

After two hours each chip was removed from the sucrose solution and its mass measured.

The results are shown in Table 2.1.

Table 2	2.1
---------	-----

concentration of sucrose solution /gdm <sup>-3</sup>	mass at start / g	mass after two hours / g	difference in mass / g	percentage change
0.0	1.36	1.49	+0.13	9.56
35.0	1.41	1.48	+0.07	4.96
70.0	1.46	1.47	+0.01	0.68
175.0	1.47	1.38	-0.09	-6.12
270.0	1.45	1.31	-0.14	

For Examiner's Use

[1] (ii) Suggest why it is necessary to calculate the percentage change in mass when comparing the chips. ..... ......[1] (iii) Plot a graph to show the percentage change in mass against the concentration of sucrose solution. Use the grid and axes provided. increase

- 7
- (d) (i) Complete Table 2.1 by calculating the percentage change in mass for the most concentrated solution. Show your working. Write your answer in Table 2.1.

For Examiner's Use

concentration of sucrose solution / g dm<sup>-3</sup>

% decrease in mass

%

in mass

For Examiner's Use

(e) (i) Use your graph to find the concentration of sucrose solution in which the mass of the chip would stay the same.

(ii) Explain why the mass would stay the same.
[1]
[1]
[1]
[Total: 20]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.