## MARK SCHEME for the October/November 2006 question paper

## 0620 CHEMISTRY

0620/02

Paper 2 (Core Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

The grade thresholds for various grades are published in the report on the examination for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2006 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Pa	age 2	Mark Scheme IGCSE - OCT/NOV 2006	Syllabus 0620	Paper 02
(a)	С			[1]
(b)	(i)	2;2 (both needed)		[1]
	(ii)	2 from: floats on water/on surface; moves (on surface); forms a ball/r disappears/dissolves ALLOW: spits/explodes (at end of reaction) NOT: reacts violently	nelts;	[2]
	(iii)	blue; solution is alkaline/sodium hydroxide/ (NaOH) is alkaline ALLOW: (solution) is basic/is a base		[2]
	(iv)	2 <sup>nd</sup> and 3 <sup>rd</sup> boxes ticked (1 each)		[2]
(c)	faste	er/more reactive OWTTE (than potassium)		[1]
(d)	(i)	atoms of same element/same number of protons with differen neutrons/different mass numbers NOT: elements/compounds with different mass numbers	nt number of	[1]
	(ii)	11		[1]
	(iii)	19		[1]
	(iv)	energy/nuclear fuel/nuclear power plants NOT: nuclear weapons/unqualified fuel		[1]
				[Total: 13]
(a)	$CO_2$			[1]
(b)	(i)	reduced; metal; endothermic		[3]
	(ii)	carbon		[1]
	(iii)	limewater; turns cloudy/milky/goes white		[2]
(c)	light insol OR	aqueous) sodium hydroxide; blue ppt; luble in excess aqueous ammonia;		[3]
	light	blue ppt; ble in excess/giving dark blue solution		
(d)	(i)	correct diagram (2,4)		[1]
	(ii)	(period) 2		[1]
(e)	(i)	alkane(s)		[1]
	(ii)	ethane		[1]
				[Total: 14]

	Page	e 3	Mark Scheme IGCSE - OCT/NOV 2006	Syllabus 0620	Paper 02
8 (a	<b>)</b> ri	ng aro	ound OH group only		[1]
(b	) <u>u</u>	<u>nsatu</u>	rated because it contains (C=C) double bonds (both points n	eeded)	[1]
(c	) с	arbon	dioxide; water		[2]
(d	) (i	(i) condenser		[1]	
	(i	i) 1	00°C (unit needed)		[1]
	(i	iii) it	is above the water/floats on water		[1]
(e	) (i	i) a	on the origin line and directly below the spots		[1]
	(i	i) 4	L		[1]
	(i		beaker with paper placed correctly and solvent level below the both solvent and origin line labelled	e origin line and	[1]
	(i		andom movement of molecules/molecules move anywhere NOT: molecules move from higher to lower concentration		[1]
	(\		correct formula for ethanol showing all atoms and bonds ALLOW: OH group shown without bond		[1]
	(\	vi) 2	2 <sup>nd</sup> and 4 <sup>th</sup> boxes ticked		[1]
				דז	otal: 13]
(a	) s	ubsta	nce containing different atoms bonded/ joined etc		[1]
(b	N C	treating acid soils/making plaster/any other <u>specific</u> reasonable use NaC <i>l</i> ; CaCO <sub>3</sub> ; in blast furnace/for making iron/making lime/any other <u>specific</u> reasonable use; ammonium nitrate; N = 2, H = 4, O = 3;		se; <b>[6]</b>	
(c	) 8	80		[1]	
				[	Total: 8]
(a	) it	it is (very) reactive/near top of reactivity series		[1]	
(b		gives off bubbles rapidly; dissolves quickly;		[2]	
(c	) fo	or cutt	ing/welding/for oxyacetylene blow torch		[1]
(d	) (i	) 2	2H <sub>2</sub> O		[1]
	(i	ii) n	eutralization		[1]
(e	) (i	i) b	ourette		[1]
	(i	p	tarts alkaline/stated alkaline pH; H decreases/to stated lower pH IOT: becomes more acid		[2]
					Total· 91

aper	Syllabus		Page 4	Pa	
02	0620	IGCSE - OCT/NOV 2006		(a)	L
[1]		PbBr <sub>2</sub>	PbBr <sub>2</sub>		6
[2]		giant; ionic	giant; io	(b)	
[1]		(i) B	(i) B	(c)	
[1]		(ii) platinum	<b>(ii)</b> pl		
[1]		(iii) ions can move/so it can conduct electricity NOT: ions are free	• •		
[2]		(iv) bromine; lead	• •		
[1]		(i) Br <sub>2</sub>	<b>(i)</b> Bi	(d)	
[1]		(ii) orange/brown/red-brown: NOT yellow	(ii) or		
	activity series than	(iii) bromine is more reactive than iodine/bromine is higher in th			
[1]		iodine (must be comparison) ALLOW: ideas about stronger bonding in NaBr			
[1]		(i) correct formula showing all atoms and bonds	(i) co	(e)	
[1]		(ii) D	(ii) D		
13]	[Tota				
[2]		<ul> <li>A + D (both needed);</li> <li>reason: high melting point/coloured chlorides/coloured compound</li> <li>NOT: properties of transition elements not shown in the table</li> </ul>	reason:	(a)	7
[1]		iron sulphate	iron sul	(b)	
		idea of measuring volume of gas/amount of gas;		(c)	
[3]		in measuring cylinder/tube; idea of measuring (volume of gas) with time/time intervals;			
[2]	entration = 2	<ul> <li>doubling concentration doubles rate/rate proportional to con increasing concentration increases rate/speed = 1</li> </ul>		(d)	
[1]		(ii) slower/decreases	(ii) sl		
[1]		(iii) slower/decreases	(iii) sl		
10]	[Tota				
80]	<b>ΑΤΟΤ]</b>				
[ [ 1	[Tota	<ul> <li>in measuring cylinder/tube;</li> <li>idea of measuring (volume of gas) with time/time intervals;</li> <li>(i) doubling concentration doubles rate/rate proportional to con increasing concentration increases rate/speed = 1</li> <li>(ii) slower/decreases</li> </ul>	in meas idea of (i) da in (ii) sl		