

## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CHEMISTRY 0620/11

Paper 1 Multiple Choice October/November 2009

45 Minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

## **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

## Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.


A copy of the Periodic Table is printed on page 16.

You may use a calculator.

This document consists of 16 printed pages.



1 Aqueous lead(II) nitrate and aqueous potassium iodide are added to a dish containing water, as shown.




A yellow precipitate forms after a few minutes.

Which process occurs before the precipitate forms?

- A diffusion
- **B** distillation
- **C** fermentation
- **D** filtration
- 2 A student carries out an experiment to prepare pure magnesium sulfate crystals.

The diagram shows the first stage of the preparation.



He adds magnesium carbonate until no more reacts.

Which process should he use for the next stage?

- A crystallisation
- **B** evaporation
- **C** filtration
- **D** neutralisation

© UCLES 2009 0620/01/O/N/09

3 A student separates salt from a mixture of salt and sand.

What is the correct order of steps for the student to take?

- **A** filter  $\rightarrow$  evaporate  $\rightarrow$  shake with water
- **B** filter  $\rightarrow$  shake with water  $\rightarrow$  evaporate
- **C** shake with water  $\rightarrow$  evaporate  $\rightarrow$  filter
- **D** shake with water  $\rightarrow$  filter  $\rightarrow$  evaporate
- 4 Atom X has 8 more electrons than atom Y.

Student 1 says they are in the same group.

Student 2 says they are unreactive.


Which students can be correct?

|   | student 1 | student 2 |
|---|-----------|-----------|
| Α | ✓         | ✓         |
| В | ✓         | X         |
| С | X         | ✓         |
| D | X         | X         |

- 5 Which number is different for isotopes of the same element?
  - A number of electrons
  - B number of full shells
  - C number of nucleons
  - **D** number of protons
- 6 Which atom has two more electrons than an atom of a noble gas?
  - **A** aluminium
  - **B** bromine
  - **C** calcium
  - **D** rubidium

|    |  |                                      |          |                 |          | -            |            |                                |    |
|----|--|--------------------------------------|----------|-----------------|----------|--------------|------------|--------------------------------|----|
| 7  | Statements 1, 2 and 3 are about diamond and graphite.  |                                      |          |                 |          |              |            |                                |    |
|    | 1 They are different solid forms of the same element.  |                                      |          |                 |          |              |            |                                |    |
|    | 2 They each conduct electricity.                       |                                      |          |                 |          |              |            |                                |    |
|    | 3 They have atoms that form four equally strong bonds. |                                      |          |                 |          |              |            |                                |    |
|    | Whi  | ch statements a                      | re c     | orrect?         |          |              |            |                                |    |
|    | Α  | 1 only                               | В        | 3 only          | С        | 1 and 3      | D          | 2 and 3                        |    |
|    |  |                                      |          |                 |          |              |            |                                |    |
| 8  |  | alent bonds are<br>trical conductivi |          | med when ele    | ectrons  | are1.        | Cov        | ralent compounds have2         |    |
|    | Whi  | ch words correc                      | tly c    | complete gap    | s 1 and  | 12?          |            |                                |    |
|    |  | 1                                    |          | 2               |          |              |            |                                |    |
|    | Α  | shared                               |          | high            |          |              |            |                                |    |
|    | В  | shared                               |          | low             |          |              |            |                                |    |
|    | С  | transferred                          |          | high            |          |              |            |                                |    |
|    | D  | transferred                          |          | low             |          |              |            |                                |    |
|    |  |                                      |          |                 |          |              |            |                                |    |
| 9  | Whi  | ch change to an                      | ato      | m occurs wh     | en it fo | rms a posit  | ive ion?   |                                |    |
|    | Α  | It gains electror                    | ns.      |                 |          |              |            |                                |    |
|    | В  | It gains protons                     | <b>.</b> |                 |          |              |            |                                |    |
|    | С  | It loses electror                    | ıs.      |                 |          |              |            |                                |    |
|    | D  | It loses protons                     |          |                 |          |              |            |                                |    |
| 10 | For  | each atom of c                       | arbo     | on present in   | a mole   | cule there   | is an egu  | al number of atoms of oxygen b | ut |
|    |  | e as many atom                       |          |                 | u        | ou.o,o.o     | io aii oqu | ar name or atoms or extygon so |    |
|    | Wha  | at is the formula                    | of t     | he molecule?    | ?        |              |            |                                |    |
|    | Α  | $C_2H_2O_2$                          | В        | $C_2H_2O_4$     | С        | $C_2H_4O_2$  | D          | $C_2H_6O$                      |    |
| 44 | \\/ot  | or is formed wh                      | on (     | 10 a of overage | n oomb   | ing with 6 a | of budge   | 202                            |    |
| 11 |  | er is formed wh                      |          |                 |          |              | οι πγατοί  | y <del>c</del> ii.             |    |
|    | Wha  | at mass of oxyg                      | en c     | combines with   | n 2g of  | _            |            |                                |    |
|    | Α  | 12 g                                 | В        | 16 g            | С        | 96 g         | D          | 144 g                          |    |


**12** The diagram shows how aluminium is manufactured by electrolysis.



What are the anode and cathode made of?

|   | anode     | cathode   |
|---|-----------|-----------|
| Α | aluminium | aluminium |
| В | aluminium | graphite  |
| С | graphite  | aluminium |
| D | graphite  | graphite  |


13 The diagram shows the electrolysis of concentrated aqueous sodium chloride.



What is the colour of the Universal Indicator at each electrode after five minutes?

|   | colour at anode<br>(+ electrode) | colour at cathode<br>(– electrode) |
|---|----------------------------------|------------------------------------|
| Α | blue/purple                      | red                                |
| В | red                              | blue/purple                        |
| С | red                              | colourless                         |
| D | colourless                       | blue/purple                        |

14 The diagram shows an electrical cable.



Which statement about the substances used is correct?

- A The coating is plastic because it conducts electricity well.
- **B** The core is copper because it conducts electricity well.
- **C** The core is copper because it is cheap and strong.
- **D** The core is iron because it is cheap and strong.
- **15** Substance X requires oxygen in order to produce energy.

It does **not** form carbon dioxide as a result of this energy production.

What is substance X?

- A hydrogen
- B natural gas
- **C** petrol
- **D** 235U
- **16** When an acid is added to an alkali the temperature rises.

Which words describe this reaction?

- **A** decomposition and endothermic
- **B** decomposition and exothermic
- C neutralisation and endothermic
- **D** neutralisation and exothermic

17 When blue copper(II) sulfate is heated, a white solid and water are formed.

The white solid turns blue and gives out heat when water is added to it.

Which terms describe the blue copper(II) sulfate and the reactions?

|   | the blue<br>copper(II) sulfate is | reaction           |
|---|-----------------------------------|--------------------|
| Α | a mixture                         | can be reversed    |
| В | a mixture                         | cannot be reversed |
| С | hydrated                          | can be reversed    |
| D | hydrated                          | cannot be reversed |

18 The equations represent redox reactions.

In which equation is the underlined substance acting as a reducing agent?

- **A**  $CaO + H_2O \rightarrow Ca(OH)_2$
- **B**  $CO_2 + C \rightarrow 2CO$
- C CuO +  $H_2 \rightarrow Cu + H_2O$
- **D**  $3\underline{CO} + Fe_2O_3 \rightarrow 2Fe + 3CO_2$
- **19** Which change does **not** increase the speed of reaction between zinc and hydrochloric acid?
  - A adding a catalyst
  - **B** decreasing the temperature
  - C decreasing the particle size of the zinc
  - **D** using more concentrated acid


**20** An aqueous solution Y contains both barium ions and silver ions.

In separate experiments, dilute sulfuric acid and dilute hydrochloric acid are added to solution Y.

Which of these acids causes a precipitate to form in solution Y?

|   | dilute<br>sulfuric acid | dilute<br>hydrochloric acid |
|---|-------------------------|-----------------------------|
| Α | ✓                       | ✓                           |
| В | ✓                       | X                           |
| С | X                       | ✓                           |
| D | X                       | X                           |


**21** The diagram shows the pH values of four solutions.



Which of these solutions are alkaline?

- A Ponly
- B P and Q only
- C Q, R and S only
- **D** R and S only

**22** The diagram shows the position of an element X in the Periodic Table.



What is the correct classification of element X and its oxide?

|   | Х         | oxide of X |
|---|-----------|------------|
| Α | metal     | acidic     |
| В | metal     | basic      |
| С | non-metal | acidic     |
| D | non-metal | basic      |

23 Salts can be prepared by reacting a dilute acid

- 1 with a metal;
- 2 with a base;
- 3 with a carbonate.

Which methods could be used to prepare copper(II) chloride?

- A 1 and 2 only
- **B** 1 and 3 only
- C 2 and 3 only
- **D** 1, 2 and 3

24 Astatine is an element in Group VII of the Periodic Table. It has only ever been produced in very small amounts.

What is the best description of its likely properties?

|   | colour     | state  | reaction with aqueous potassium iodide |
|---|------------|--------|--|
| Α | black      | solid  | no reaction                            |
| В | dark brown | gas    | brown colour                           |
| С | green      | solid  | no reaction                            |
| D | yellow     | liquid | brown colour                           |

25 Elements in Group 0 of the Periodic Table have uses.

These noble gases are .....1..... and this explains why argon .....2..... be used in lamps.

Which words correctly complete gaps 1 and 2?

|   | 1          | 2      |
|---|------------|--------|
| Α | reactive   | can    |
| В | reactive   | cannot |
| С | unreactive | can    |
| D | unreactive | cannot |

**26** The table gives information about four elements.


Which element is a transition metal?

|   | colour<br>of element | electrical conductivity of element | colour<br>of oxide |
|---|----------------------|------------------------------------|--------------------|
| Α | black                | high                               | colourless         |
| В | colourless           | low                                | white              |
| С | grey                 | high                               | red                |
| D | yellow               | low                                | colourless         |

- 27 Which statement about alloys is **not** correct?
  - A Alloys are more expensive than the metals they are made from.
  - **B** Alloys are mixtures of different metals.
  - **C** Alloys are not as strong as the metals they are made from.
  - D Alloys conduct electricity well.

© UCLES 2009 0620/01/O/N/09

**28** Compound X is heated with carbon using the apparatus shown.



A brown solid is formed in the reaction tube and the limewater turns cloudy.

What is compound X?

- A calcium oxide
- B copper(II) oxide
- C magnesium oxide
- **D** sodium oxide
- 29 Some reactions of three metals are listed in the table.

| metal | reacts with dilute<br>hydrochloric acid | metal oxide is reduced by carbon |
|-------|---|----------------------------------|
| Р     | yes                                     | yes                              |
| Q     | no                                      | yes                              |
| R     | yes                                     | no                               |

What is the order of reactivity of the metals?


|   | most reactive |   | least<br>reactive |
|---|---------------|---|-------------------|
| Α | Р             | R | Q                 |
| В | R             | Р | Q                 |
| С | R             | Q | Р                 |
| D | Q             | Р | R                 |

- 30 Which property do all metals have?
  - A They are soluble in water.
  - **B** They conduct electricity.
  - C They have high melting points.
  - **D** They react with dilute sulfuric acid.
- 31 Which object is least likely to contain aluminium?
  - A a bicycle frame
  - B a hammer
  - C a saucepan
  - **D** an aeroplane body
- 32 A newspaper article claims that carbon dioxide is formed as follows.
  - 1 during respiration
  - 2 when calcium carbonate reacts with hydrochloric acid
  - 3 when methane burns in air


Which statements are correct?

- **A** 1, 2 and 3
- B 1 and 2 only
- C 1 and 3 only
- **D** 2 and 3 only

## 33 Which iron nail rusts?



34 A new planet has been discovered and its atmosphere has been analysed.



The table shows the composition of the atmosphere.

|                | 1                    |  |  |
|----------------|----------------------|--|--|
| gas            | percentage by volume |  |  |
| carbon dioxide | 4                    |  |  |
| nitrogen       | 72                   |  |  |
| oxygen         | 24                   |  |  |

Which gases are present in the atmosphere of the planet in a higher percentage than they are in the Earth's atmosphere?

- A carbon dioxide and oxygen
- **B** carbon dioxide only
- C nitrogen and oxygen
- **D** nitrogen only
- **35** Water must be purified before it is suitable for use in the home.

Which processes are used to remove solid impurities and bacteria?


|   | to remove solid impurities | to remove<br>bacteria |  |  |
|---|----------------------------|-----------------------|--|--|
| Α | chlorination               | chlorination          |  |  |
| В | chlorination               | filtration            |  |  |
| С | filtration                 | chlorination          |  |  |
| D | filtration                 | filtration            |  |  |

**36** Fertilisers are used to provide three of the elements needed for plant growth.

Which two compounds would give a fertiliser containing all three of these elements?


- A  $Ca(NO_3)_2$  and  $(NH_4)_2SO_4$
- **B**  $Ca(NO_3)_2$  and  $(NH_4)_3PO_4$
- C KNO<sub>3</sub> and  $(NH_4)_2SO_4$
- **D** KNO<sub>3</sub> and (NH<sub>4</sub>)<sub>3</sub>PO<sub>4</sub>

37 The apparatus shows an experiment used to test gas X.



The bromine solution quickly becomes colourless.

What is the structure of gas X?



- 38 Which statement about petroleum is not correct?
  - **A** It can be separated into useful substances by fractional distillation.
  - **B** It consists mainly of hydrocarbons.
  - **C** It is found underground in many parts of the world.
  - **D** Its main use is for making lubricants and polishes.
- **39** Butene and hexene belong to the same homologous series.

What is the same for butene and hexene?

- **A** boiling point
- **B** functional group
- **C** number of hydrogen atoms per molecule
- D relative molecular mass

**40** The table shows the formulae of members of the alkane series.

| name of compound | formula                        |  |  |
|------------------|--------------------------------|--|--|
| methane          | CH₄                            |  |  |
| ethane           | C <sub>2</sub> H <sub>6</sub>  |  |  |
| propane          | ?                              |  |  |
| butane           | C <sub>4</sub> H <sub>10</sub> |  |  |
| pentane          | C <sub>5</sub> H <sub>12</sub> |  |  |

What is the formula of propane?

|   | $\sim$ 1 |            |
|---|----------|------------|
| А | U₂F      | <b>1</b> 2 |

**B** 
$$C_3H_7$$
 **C**  $C_3H_8$  **D**  $C_3H_9$ 

$$\mathbf{C}$$
  $\mathbf{C}_3\mathbf{H}$ 

DATA SHEET
The Periodic Table of the Elements

|       | 0 | 4 <b>He</b> Helium        | Neon 10 Argon 18                                      | 84 <b>Kr</b> Krypton 36           | 131<br><b>Xe</b><br>Xenon           | Rn<br>Radon<br>86                 |                                  | 175<br><b>Lu</b><br>Lutetium<br>71                  | Lawrencium  |                                   |
|-------|---|---------------------------|---|-----------------------------------|-------------------------------------|-----------------------------------|----------------------------------|---|---|-----------------------------------|
| Group |   |                           | 19 Fluorine 9 35.5 <b>C1</b> Cthorine                 | 80 <b>Br</b> Bromine              | 127 <b>I</b> lodine                 | At<br>Astatine<br>85              |                                  | 173<br><b>Yb</b><br>Ytterbium<br>70                 | Nobelium  |                                   |
|       | I |                           | 16<br>Oxygen<br>8<br>32<br>\$<br>\$<br>\$<br>\$<br>\$ | 79<br><b>Se</b><br>Selenium<br>34 | 128 <b>Te</b> Tellurium             | Po<br>Polonium<br>84              |                                  | 169<br><b>Tm</b><br>Thullum                         | Mendelevium   |                                   |
|       | > |                           | 14 Nitrogen 7 31 9 Phosphorus 15                      | 75<br><b>AS</b><br>Arsenic<br>33  | Sb<br>Antimony<br>51                | 209<br><b>Bi</b><br>Bismuth       |                                  | 167<br><b>Er</b><br>Erbium<br>68                    | Fm<br>Fermium   |                                   |
|       | 2 |                           |   |                                   | Carbon 6 Carbon 8 8 Silicon 14      | 73 <b>Ge</b> Germanium            | <b>Sn</b>                        | 207 <b>Pb</b> Lead                                  |   | 165<br><b>Ho</b><br>Holmium<br>67 |
|       | = |                           | 11<br><b>B</b> Boron 5 A1 Auminium 13                 | 70 <b>Ga</b> Gallium 31           | 115<br><b>In</b><br>Indium          | 204<br><b>T 1</b><br>Thallium     |                                  | 162<br><b>Dy</b><br>Dysprosium<br>66                | Californium   |                                   |
|       |   |                           |   | 65<br><b>Zn</b><br>Znc<br>30      | Cadmium 48                          | 201<br><b>Hg</b><br>Mercury<br>80 |                                  | 159 <b>Tb</b> Terbium 65                            | <b>BK</b> Berkelium 97  |                                   |
|       |   |                           |   | 64<br><b>Cu</b><br>Copper<br>29   | 108 <b>Ag</b> Silver 47             | 197<br><b>Au</b><br>Gold          |                                  | 157<br><b>Gd</b><br>Gadolinium<br>64                | Carrium<br>Ourium   |                                   |
|       |   |                           |   | 59<br><b>Ri</b><br>Nickel         | 106<br><b>Pd</b><br>Palladium<br>46 | 195 <b>Pt</b> Platinum 78         |                                  | 152<br><b>Eu</b><br>Europium<br>63                  | Am<br>Americium<br>95   |                                   |
|       |   |                           |   | 59<br><b>Co</b><br>Cobalt<br>27   | Rhodium 45                          | 192 <b>Ir</b> Iridium             |                                  | Samarium 62   | <b>Pu</b> Plutonium 94  |                                   |
|       |   | 1<br><b>T</b><br>Hydrogen |   | 56<br><b>Fe</b><br>Iron           | Ruthenium                           | 190<br><b>OS</b><br>Osmium<br>76  |                                  | Pm<br>Prometrium<br>61                              | Neptunium   |                                   |
|       |   |                           |   | Mn<br>Manganese                   | Tc<br>Technetium<br>43              | 186 <b>Re</b><br>Rhenium<br>75    |                                  | 144 <b>Ne</b> Neodymium 60                          | 238<br><b>U</b><br>Uranium<br>92  |                                   |
|       |   |                           |   | 52<br><b>Cr</b><br>Chromium<br>24 | 96<br>Molybdenum<br>42              | 184 <b>W</b> Yangsten 74          |                                  | 141<br><b>Pr</b><br>Praseodymium<br>59              | Pa<br>Protactinium<br>91  |                                   |
|       |   |                           |   | 51<br>V<br>Vanadium<br>23         | Niobium 41                          | 181 <b>Ta</b> Tantalum            |                                  | 140<br><b>Ce</b><br>Cerium                          | 232<br><b>Th</b><br>Thorium   |                                   |
|       |   |                           |   | 48 <b>T</b> Ttanium 22            | 91<br><b>Zr</b><br>Zirconium<br>40  | 178<br><b>Hf</b><br>Hafnium<br>72 |                                  |   | nic mass<br>bol<br>nic) number  |                                   |
|       |   |                           |   | Scandium                          | 89 <b>×</b>                         | 139 <b>La</b> Lanthanum s57 *     | 227 <b>Ac</b> Actinium 89        | series<br>eries                                     | <ul> <li>a = relative atomic mass</li> <li>X = atomic symbol</li> <li>b = proton (atomic) number</li> </ul> |                                   |
|       | = |                           | Beryllium 4 24 Magnesium 12                           | 40 <b>Cal</b>                     | Strontium 38                        | 137<br><b>Ba</b><br>Barium<br>56  | 226<br><b>Ra</b><br>Radium<br>88 | *58-71 Lanthanoid series<br>190-103 Actinoid series | в <b>х</b> а  |                                   |
|       | _ |                           | 7   Lithium 3   23   Na   Sodium 11                   | 39 K                              | 85 <b>Rb</b> Rubidium 37            | 133<br>Cs<br>Caesium<br>55        | <b>Fr</b><br>Francium<br>87      | *58-71 L  | Key   |                                   |

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

0620/01/O/N/09