mmn. Xtremepapers.com

CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the May/June 2014 series

0620 CHEMISTRY

0620/23

Paper 2 (Core Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2014 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



	Page 2	Mark Scheme	Syllabus	Paper
	() ()	IGCSE – May/June 2014	0620	23
1		per sulfate / CuSO ₄		[1]
	. ,	ium oxide / CaO		[1]
	(iii) hyd	rogen chloride / HCl		[1]
	(iv) pota	assium bromide / KBr		[1]
	(v) alun	ninium oxide / Al ₂ O ₃		[1]
	(vi) cop	per sulfate / CuSO ₄		[1]
	(b) chemica (1 mark	lly; different; fixed; each)		[3]
				[Total: 9]
2		loric (acid) / HC <i>l</i> hydroxide / calcium oxide		[1] [1]
	(b) ⇌			[1]
	6H₂O on	right		[1]
	(c) in tube A	A the calcium chloride absorbs the water vapour;		[1]
	In tube E	3 there is both water and air / there is water (vapour	r) in the air;	[1]
	(d) 2 nd box (down ticked (oxidation state of iron)		[1]
		gnesium < zinc < iron < lead ark if one pair reversed / lead > iron > zinc > magne	esium	[2]
	(ii) oxyg	gen removed from the copper oxide / it loses oxygen;	/gen / hydrogen gains	[1]
				[Total: 10]
3	(a) (i) carr	ots; potatoes;		[1]
	(ii) (pH)) 7;		[1]
	(b) (i) Any • •	two from: plants won't grow if (conditions too) acid to raise the pH / to make the soil less acidic / lime high pH; to neutralise (the soil) / neutralisation;	e is alkaline / lime has	[2]

(ii) lime is alkaline / lime is a base / lime reacts with ammonium salts; ammonia produced; (ammonia) escapes (into air) / (ammonia) is a gas; (c) (i) Any two from:	
ammonia produced; (ammonia) escapes (into air) / (ammonia) is a gas; (c) (i) Any two from:	
(ammonia) escapes (into air) / (ammonia) is a gas; (c) (i) Any two from:	[1]
 (c) (i) Any two from: increases; up to pH 7.5 / up to quoted values between pH 7 and 8; then levels off / evens out / then stays at the same pH (ii) pH 9.5 / between 9 and 10 [Total 4 (a) (i) capillary tube / very narrow tube; (ii) ink would undergo chromatography / ink would run up the paper / ink masks the results / ink would smear / ink mixes with spot ORA for pencil / lead (iii) B (iv) A (v) C (b) (i) 4 (ii) 212; For 1 mark one row correct e.g. H = 12 × 1 = 12 N = 4 × 14 = 56 (c) (i) idea of substance formed by (addition of) monomers or simple units / idea of many monomers or simple units (joined); 	[1]
 increases; up to pH 7.5 / up to quoted values between pH 7 and 8; then levels off / evens out / then stays at the same pH (ii) pH 9.5 / between 9 and 10 (iii) capillary tube / very narrow tube; (iii) ink would undergo chromatography / ink would run up the paper / ink masks the results / ink would smear / ink mixes with spot ORA for pencil / lead (iii) B (iv) A (v) C (b) (i) 4 (ii) 212; For 1 mark one row correct e.g. H = 12 × 1 = 12 N = 4 × 14 = 56 (c) (i) idea of substance formed by (addition of) monomers or simple units / idea of many monomers or simple units (joined); 	[1]
 (ii) capillary tube / very narrow tube; (iii) ink would undergo chromatography / ink would run up the paper / ink masks the results / ink would smear / ink mixes with spot ORA for pencil / lead (iii) B (iv) A (v) C (b) (i) 4 (ii) 212; For 1 mark one row correct e.g. H = 12 × 1 = 12 N = 4 × 14 = 56 (c) (i) idea of substance formed by (addition of) monomers or simple units / idea of many monomers or simple units (joined); 	[2]
 (i) capillary tube / very narrow tube; (ii) ink would undergo chromatography / ink would run up the paper / ink masks the results / ink would smear / ink mixes with spot ORA for pencil / lead (iii) B (iv) A (v) C (b) (i) 4 (ii) 212; For 1 mark one row correct e.g. H = 12 × 1 = 12 N = 4 × 14 = 56 (c) (i) idea of substance formed by (addition of) monomers or simple units / idea of many monomers or simple units (joined); 	[1]
 (ii) ink would undergo chromatography / ink would run up the paper / ink masks the results / ink would smear / ink mixes with spot ORA for pencil / lead (iii) B (iv) A (v) C (b) (i) 4 (ii) 212; For 1 mark one row correct e.g. H = 12 × 1 = 12 N = 4 × 14 = 56 (c) (i) idea of substance formed by (addition of) monomers or simple units / idea of many monomers or simple units (joined); 	l: 10
the results / ink would smear / ink mixes with spot ORA for pencil / lead (iii) B (iv) A (v) C (b) (i) 4 (ii) 212; For 1 mark one row correct e.g. H = 12 × 1 = 12 N = 4 × 14 = 56 (c) (i) idea of substance formed by (addition of) monomers or simple units / idea of many monomers or simple units (joined);	[1]
 (iv) A (v) C (b) (i) 4 (ii) 212; For 1 mark one row correct e.g. H = 12 × 1 = 12 N = 4 × 14 = 56 (c) (i) idea of substance formed by (addition of) monomers or simple units / idea of many monomers or simple units (joined); 	[1]
 (v) C (b) (i) 4 (ii) 212; For 1 mark one row correct e.g. H = 12 × 1 = 12 N = 4 × 14 = 56 (c) (i) idea of substance formed by (addition of) monomers or simple units / idea of many monomers or simple units (joined); 	[1]
 (b) (i) 4 (ii) 212; For 1 mark one row correct e.g. H = 12 × 1 = 12 N = 4 × 14 = 56 (c) (i) idea of substance formed by (addition of) monomers or simple units / idea of many monomers or simple units (joined); 	[1]
 (ii) 212; For 1 mark one row correct e.g. H = 12 × 1 = 12 N = 4 × 14 = 56 (c) (i) idea of substance formed by (addition of) monomers or simple units / idea of many monomers or simple units (joined); 	[1]
For 1 mark one row correct e.g. H = 12 × 1 = 12 N = 4 × 14 = 56 (c) (i) idea of substance formed by (addition of) monomers or simple units / idea of many monomers or simple units (joined);	[1]
many monomers or simple units (joined);	[2]
	[1]
(ii) poly(etherie) / polyetherie,	[1] [1: 10]
5 (a) (i) increases as number of (carbon) atoms increase / both increase at the same time / proportional / more carbon the higher the boiling point;	[1]
(ii) boiling point allow: between 130 and 150 °C; (actual = 141)	[1]
Density allow: between 0.80 and 1.00; (actual = 0.96)	[1]

Page	4		
		IGCSE – May/June 2014 0620	Paper 23
(iii)		id because melting point below room temperature and boiling point above m temperature / room temperature is between melting and boiling point;	[1
(b)			
(C) — 0	—н	[1
(c) (i)	bure	ette;	[1
(ii)	sod	ium hydroxide;	[1
(iii)	indi	cator in flask / reference to indicator;	[1
	run	liquid from burette (until indicator changes colour);	[′
			[Total: 9
(a) Pb	Br ₂ / I	Pb ²⁺ 2Br ⁻	[′
(b) (i)	to n	nelt the lead bromide / to allow ions to move;	[′
(ii)	gra	phite;	[′
(iii)		de: bromine and cathode: lead; th required)	[′
(c) (i)	A;		[1
(ii)	(and	ode): decreases in size / becomes eroded;	[′
	cath	node: increases in size;	[′
(iii)	134	;	[2
			[Total: 9
(a) (i)	Any	four suitable differences e.g.:	[4
	•	no noble gases / only 7 (standard) Groups ORA; hydrogen / H in same column as Li ORA; some elements missing / named element missing / empty spaces ORA groups are horizontal rather than vertical / reference to groups or periods being different ORA not ordered according to atomic number / no proton numbers Zn put in same group as Be and Mg ORA	
(ii)		two from:	[

fluorine, chlorine, bromine, oxygen , nitrogen , hydrogen

Page 5		Mark Scheme	Syllabus	Paper
		IGCSE – May/June 2014	0620	23
(b)	denscatastrerhardelect	ing points / boiling points; sity; lytic activity;		[3]
(c)	2 (C <i>l</i> ₂); CO ₂ (on	right);		[1] [1]
(d)	exclude (vapour)	nt sodium reacting with air / to stop the Ti reaction air / to stop the hydrolysis of the titanium oxide ; argon is inert / unreactive / inactive / does not reaction argon is inert / unreactive / inactive / does not reaction argon is inert / unreactive / inactive / does not reaction argon is inert / unreactive / inactive / does not reaction argon is inert / unreactive / inactive / does not reaction argon is inert / unreactive / inactive / does not reaction argon is inert / unreactive / inactive / does not reaction argon is inert / unreactive / inactive / does not reaction argon is inert / unreactive / inactive / does not reaction argon is inert / unreactive / inactive / does not reaction argon is inert / unreactive / inactive / does not reaction argon is inert / unreactive / inactive / does not reaction argon is inert / unreactive / inactive / does not reaction argon is inert / unreactive / inactive / does not reaction argon is inert / unreactive / inactive / inact	e / to exclude wa	ater [1]
				[Total: 12]
8 (a)	3 rd box d	own ticked (giant ionic);		[1]
(b)	add bariu	um chloride / barium nitrate;		[1]
	white pre (both red note: see	•		[1]
(c)	 conn mixto idea wate on h easil stea wate sodio sodio wate 	from: denser nected to flask ure in flask of heating the solution / boil the solution er has lower boiling point than sodium sulfate / sodiu er is liquid (at rtp) neating water boils more easily / forms vapour more ly / water boils first / water will evaporate (not sodium m / water vapour goes to top of the flask and into co er vapour gets into condenser um sulfate does not turn to gas um sulfate remains in flask / sodium sulfate is left er vapour / steam goes to liquid in condenser er collected in receiver	m sulfate)	[5] and
(d)	turns pin	k;		[1]

Page 6	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2014	0620	23

(e) filtered; [1]

chlorine added / chlorination;

[1]

allow: other stages e.g. sedimentation / flocculation (use of iron chloride / aluminium sulfate etc.) / treatment with sulfur dioxide

[Total: 11]