UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the May/June 2010 question paper for the guidance of teachers

0653 COMBINED SCIENCE

0653/22

Paper 22 (Core Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Pag	Page 2		Mark Scheme: Teachers' version	Syllabus	Paper
			IGCSE – May/June 2010	0653	22
	excretion; sensitivity;				
(b)	(i)	tissu	ie;		[
	(ii)	they	ume answer refers to onion cells have cell walls ; have, vacuoles / cell sap ;		[:
(c)	(i)	ref. t	ents must get through wall of alimentary canal ; to absorption ; t be broken into small molecules to allow this to hap	ppen ;	[max
	(ii)	•	ch) break down large pieces of food to small ones / ymes) break down large molecules of food to small		rea ; [
					[Total:
(a)	(i)	perio	od;		[
	(ii)	Ge;			[
. ,	aluminium; chlorine; helium;				
(c)	(i)	white	es / energy / heat / light given off ; e product / new substance formed ; rine colour disappears ;		[max
	(ii)	pota	ssium + chlorine → potassium chloride ;		[
((iii)	sulfu prop prop in mi	ur and iron cannot be simplified / iron sulfide can be ur and iron properties retained in mixture / iron perties (from iron and sulfur); portions of iron and sulfur are fixed in iron sulfide / c ixture; ur not joined to iron / only atoms of same type are b	sulfide has diffe	ons ther;
		colo	ur;		[max 2

 (a) (i) IR / UV / X-rays / gamma / radio / microwave ;; (one mark for any correct from list) (ii) damages eyes / cataracts / sunburn / cancer / brain damage ; (b) (i) no difference ; (ii) weight is 6 times greater on Earth (accept answers showing numbers) ; (c) particle ; 	[2] [1] [1]
(b) (i) no difference;(ii) weight is 6 times greater on Earth (accept answers showing numbers);(c) particle;	[1] [1]
(ii) weight is 6 times greater on Earth (accept answers showing numbers);(c) particle;	[1]
(c) particle ;	
• • •	101
vibration ;	[2]
(d) work = force × distance ; = 6 × 2 = 12 J ;	[2]
Γ	Total: 9]
(a) (i) age of seeds;	[1]
(ii) water; air / oxygen; warm temperature; any additional factors negate correct ones	[3]
(b) (i) (young plants / seedlings) will be able to photosynthesis / allows them to grow in a space / less competition with other trees;	[1]
(ii) D;	[1]
(c) (i) (different species of trees provide) many different habitats; many different food sources;	[2]
(ii) increased soil erosion;because roots no longer hold soil in place;because no leaf cover to stop rain hitting soil directly;	
increased carbon dioxide in atmosphere ; because less photosynthesis ; if trees are burnt carbon dioxide released into the air ;	
decreased rainfall; because less transpiration; so less water vapour returned to the atmosphere;	
(these are the answers I would expect them to be able to give, but accept others such as loss of soil fertility, silting of rivers and flooding) (candidate could get all 3 marks from one idea, or from 2 or 3 ideas)	[max 3]
[Т-	otal: 11]

Mark Scheme: Teachers' version IGCSE – May/June 2010

Page 3

Syllabus 0653 Paper 22

Page 4		1	Mark Scheme: Teachers' version	Syllabus	Paper	
				IGCSE – May/June 2010	0653	22
5	(a)	(i)	then very has	/ methane ; n one from: r long time period to form ; required action of pressure / heat / bacterial action ; ned underground / under rocks / within the Earth ;		[max 2]
		(ii)	(ii) C ₂ H ₂ ; hydrocarbons contain hydrogen and carbon only / are made from hydro and carbon;			
	(b)	frac hea boil	[3]			
	(c)	(i)		ewater ; s cloudy / milky ;		[2]
		(ii)	etha	anol reacts with / joins with oxygen ;		[1]
						[Total: 10]
6	(a)	(i)	ruler	r / metre rule ;		[1]
		(ii)	8 cm	n ³ ;		[1]
		(iii)		sity = mass / volume ; 5 / 8 = 2.7 g / cm ³ ;		[2]
	(b)			ost particles touching and irregular arrangement; paces between particles and irregular arrangement;		[2]
	(c)	(i)	parti	icles slightly further apart – definitely not bigger!;		[1]
		(ii)	-	olem; e.g. bridges expand in hot weather ; olification; e.g. causes damage – leave gaps ;		[2]
						[Total: 9]

Р	Page 5		Mark Scheme: Teachers' version	Syllabus	Paper
			IGCSE – May/June 2010	0653	22
(a) →	magnesium	chloride; + hydrogen;		[2
(b) (i)	(in expering of gas / O\	nent 2) it took a shorter time to collect th	ne same volume / amou	nt [1
	(ii)	increase th	ne temperature (of the acid); ne concentration of the acid; ne surface area of the magnesium;		[max 2
	(iii)		o fast / sodium too reactive ; to hazard / explosion / health and safety ;	;	[2
					[Total: 7]
(a) (i)	resistance = 3/0.3 =	= PD/current ; 10 ;		
		Ω / ohms ;			[3]
	(ii)	ammeter a	and voltmeter correctly positioned;		[1]
(b	•	mical ; ctrical ;			
	ligh	t ;			[4]
	hea	ι,			[4]
					[Total: 8]
(a) (i)	contracts; ref to pump squeezes	oing ; blood out of heart ;		[max 2]
	(ii)	coronary a	rteries ;		[1]
	(iii)	C and D ;			[1]
(b) (i)	loss of wat	er from leaves ; apour :		[2]
	(ii)	xylem;			[1]
	()	,,			Γ.1

[Total: 7]

© UCLES 2010