



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS  
International General Certificate of Secondary Education

CANDIDATE  
NAME

CENTRE  
NUMBER

--	--	--	--	--

CANDIDATE  
NUMBER

--	--	--	--



**COMBINED SCIENCE**

**0653/21**

Paper 2 (Core)

**October/November 2010**

**1 hour 15 minutes**

Candidates answer on the Question Paper.

No Additional Materials are required.

**READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

**DO NOT WRITE IN ANY BARCODES.**

Answer **all** questions.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.


The number of marks is given in brackets [ ] at the end of each question or part question.

For Examiner's Use	
1	
2	
3	
4	
5	
6	
7	
8	
9	
<b>Total</b>	

This document consists of **20** printed pages.



1 (a) State the word equation for photosynthesis.



[2]

(b) (i) Name the green pigment found in plant leaves which absorbs energy from sunlight.

..... [1]

(ii) Fig. 1.1 is a diagram of a plant cell.

On the diagram, draw a label line to where this green pigment would be found, and label it **P**.




Fig. 1.1

[1]

- (c) A student fixed a piece of black paper over a leaf, which was still attached to the plant. He left the plant in the sun for two days.

For  
Examiner's  
Use

He then removed the leaf from the plant and tested it for starch, after removing the paper.

- (i) Using the letters given, list the correct sequence of the steps he took.

A Add iodine solution to the leaf.

B Place the leaf in boiling water.


C Dip the leaf into water to soften it.

D Place the leaf in hot ethanol.

E Spread the leaf on a white tile.

..... [3]

- (ii) Fig. 1.2 shows the leaf before and after he did the starch test.



**Fig. 1.2**

Iodine solution is orange-brown. It turns blue-black when it is in contact with starch.

Complete the diagram of the leaf after testing in Fig. 1.2. Do **not** colour the diagram.

Use labels to show which parts would look orange-brown and which parts would look blue-black. [2]

- 2 Fig. 2.1 shows the apparatus a student used to measure the rate of reaction between some powdered metal and dilute hydrochloric acid.

For  
Examiner's  
Use




Fig. 2.1

When the student tilted the conical flask, the acid mixed with the powdered metal. If a reaction occurred, any gas which was produced bubbled up into the test-tube, pushing the water out. The student timed how long it took for the test-tube to fill with gas.

- (a) Describe how the student could test the gas to show that it was hydrogen.

.....  
..... [2]

- (b) The student used the apparatus in Fig. 2.1 to compare the rates of reaction between dilute hydrochloric acid and three powdered metals, X, Y and Z.

The results the student obtained are shown in Table 2.1.

Table 2.1

metal	mass of metal / g	time for gas to fill the test-tube / seconds
X	1.0	150
Y	1.0	45
Z	1.0	no gas was produced

- (i) One of the metals used was copper.

State and explain which metal, X, Y or Z, was copper.

metal .....

explanation .....

..... [2]

- (ii) Suggest **two** ways, other than using a catalyst, in which the student could **increase** the rate of reaction between metal **X** and dilute hydrochloric acid.

1 .....

.....

2 .....

..... [2]

- (c) Fig. 2.2 shows another experiment in which the student added zinc carbonate to dilute sulfuric acid. A gas was given off and, when the bubbling stopped, some solid zinc carbonate remained in the mixture.




Fig. 2.2

- (i) State the chemical formula of sulfuric acid.

..... [1]

- (ii) Explain why the reaction eventually stopped even though some zinc carbonate powder remained.

.....

..... [1]

3 Fig. 3.1 shows a rock that is falling from the top of a cliff into the river below.

For  
Examiner's  
Use




Fig. 3.1

(a) (i) As the rock falls, it gains kinetic energy.

Name the form of energy the rock had at the top of the cliff.

..... [1]

(ii) Suggest what happens to the kinetic energy of the rock when the rock hits the water.

.....  
..... [2]

(b) Fig. 3.2 shows a speed-time graph for the motion of the rock.




Fig. 3.2

(i) After how many seconds was the speed of the rock 15 m/s?

.....s [1]

(ii) The rock is accelerating. Explain the meaning of the term *accelerating*.

.....  
..... [1]

(c) The rock contains radioactive substances emitting high levels of ionising radiation.

(i) State how the radioactivity could be detected.

..... [1]

(ii) Explain why it would be dangerous for a person to handle this rock without proper protection.

.....  
..... [1]

4 Copper metal reacts with oxygen gas to form the black solid, copper oxide.

(a) (i) Use this example to describe **one** difference between *elements* and *compounds*.

.....  
 .....  
 ..... [2]

(ii) State why this reaction is an example of *oxidation*.

.....  
 ..... [1]

(iii) Name the type of chemical bonding found in copper oxide.

..... [1]

(b) Fig. 4.1 shows apparatus used in the electrolysis of copper chloride solution.




Fig. 4.1

(i) On the diagram, clearly label the **anode** and the **electrolyte**. [2]

(ii) Copper chloride solution contains copper ions and chloride ions in water.

State briefly **two** differences between a chlorine *atom* and a chloride *ion*.

.....  
 .....  
 ..... [2]

For  
Examiner's  
Use



- (iii) Copper is a pink/orange metal and chlorine is a gas.

Describe what would be **observed** at the positive and negative electrodes during electrolysis of copper chloride solution.

observation at positive electrode .....

.....

observation at negative electrode .....

..... [2]

For  
Examiner's  
Use

5 (a) Fig. 5.1 shows some of the different types of radiation in the electromagnetic spectrum.

gamma		ultra-violet	visible light	infra-red		radio waves
-------	--	--------------	---------------	-----------	--	-------------

Fig. 5.1

Write the names of the missing types of radiation in the two empty spaces. [2]

(b) Fig. 5.2 shows a ray of light hitting a mirror.




Fig. 5.2


- (i) On Fig. 5.2, label the normal. [1]
- (ii) On Fig. 5.2, draw the reflected ray. [1]
- (iii) State the value of the angle of reflection. .....° [1]

(c) A sound wave has a frequency of 500 Hz.


- (i) Explain the meaning of the term *frequency*.  
.....  
..... [1]
- (ii) State the approximate range of audible frequencies detected by the normal human ear.  
..... [1]

(d) Fig. 5.3 shows the wave traces made by four sounds.


For  
Examiner's  
Use




trace A



trace B



trace C



trace D

Fig. 5.3

(i) Which trace shows the sound wave with the lowest pitch?

..... [1]

(ii) Which trace shows the sound wave with the smallest amplitude?

..... [1]

6 (a) Complete the sentences about the human nervous system, using some of the words in the list.

- biceps**
- brain**
- detectors**
- effectors**
- nerves**
- receptors**

Specialised cells in the human nervous system detect external stimuli. These cells are called ..... They convert the stimulus into electrical impulses in ....., which carry the impulse to the central nervous system.

The central nervous system then sends impulses to parts of the body that respond to the stimulus, such as muscles or glands. These parts are called ..... [3]

(b) When we smell food, the salivary glands respond by secreting saliva.

Saliva contains the enzyme amylase, which breaks down large starch molecules to smaller sugar molecules.

(i) Explain what is meant by the term *enzyme*.

.....  
.....  
..... [2]

(ii) Name the process by which large molecules are broken down to small ones in the alimentary canal.

..... [1]

(iii) Explain why this process is necessary.

.....  
.....  
..... [2]

- 7 (a) Complete Table 7.1 to show the correct symbols of these electrical components. One symbol has been drawn for you.

For  
Examiner's  
Use

Table 7.1

component	electrical symbol
lamp	⊗
ammeter	
fixed resistor	

[2]

- (b) A student set up the electric circuit in Fig. 7.1.

It contained three lamps L1, L2 and L3.

It contained three switches S1, S2 and S3.




Fig. 7.1

In Table 7.2, write the words 'on' or 'off' to show when each lamp is lit or not lit for each set of switch positions.

Table 7.2

switch position			lamp 'on' or 'off'		
S1	S2	S3	L1	L2	L3
closed	closed	closed			
closed	closed	open			
closed	open	open			

[3]

(c) The student then set up another electric circuit shown in Fig. 7.2.

For  
Examiner's  
Use




Fig. 7.2

She noticed that neither lamp **A** nor lamp **B** lit up. She found nothing wrong with lamp **A** but the filament in lamp **B** was broken.

(i) Explain why lamp **A** did not light up.

.....  
 ..... [1]

(ii) She replaced lamp **B** with a new lamp **C**. The resistance of both lamp **A** and lamp **C** was 5 ohms when lit.

Calculate the combined resistance of both lamps in the working circuit.

State the formula that you use and show your working.

formula used

working

..... ohms [2]

(d) Fig. 7.3 shows an electrical device.




Fig. 7.3

For  
Examiner's  
Use

(i) Name the device. .... [1]

(ii) Calculate the output voltage.


Use the formula  $V_p/V_s = N_p/N_s$ .

Show your working.

..... V [1]

- 8 In jet engines, hydrocarbon molecules from the jet fuel mix with air and burn. This releases a large amount of energy and produces a mixture of waste gases. These waste gases pass out through the back of the jet engine into the atmosphere.

For  
Examiner's  
Use



- (a) Fig. 8.1 shows a molecule of octane, which is a typical hydrocarbon molecule in jet fuel.




Fig. 8.1

- (i) State the chemical formula of octane.

..... [1]

- (ii) Complete the word equation below for the complete combustion of octane.



[2]

- (iii) Explain why the mixture of gases coming from the rear of the jet engine contains a large amount of nitrogen.

.....  
 .....  
 ..... [2]

- (iv) Explain why the metallic parts of the jet engine become hot when it is working.

.....  
 ..... [1]



- (b) (i) A carbon atom has a proton (atomic) number 6 and a nucleon (mass) number 12.

State the number of neutrons and electrons in this carbon atom.

number of neutrons .....

number of electrons ..... [2]


- (ii) State the chemical symbol of another element which is in the same **group** in the Periodic Table as carbon.

..... [1]

For  
Examiner's  
Use

9 The gray wolf is a predator that lives in North America.

For  
Examiner's  
Use



(a) The gray wolf's diet consists mainly of white-tailed deer, beavers and snowshoe hares.

These are all herbivores. They eat plants.

(i) Construct a food web including all the organisms mentioned above.

[3]

(ii) State what the arrows in your food web represent.

..... [1]

(iii) Name the producers in the food web you have drawn.

..... [1]

(b) Some of the chemicals in a gray wolf's body contain carbon. When a wolf dies, its body is broken down by decomposers and the carbon is returned to the air.

(i) Name **one** type of chemical in a wolf's body that contains carbon.

..... [1]

(ii) Explain how the carbon from a wolf's body is returned to the air after the wolf dies.

.....  
.....  
..... [2]

(c) Some gray wolves are born with darker fur than others. They can pass this fur colour to their offspring.

If wolves live in cold places, they grow longer fur than wolves that live in warm places. They cannot pass their fur length to their offspring.

Tick **two** boxes to show the cause of each of these types of variation in wolves' fur.

cause	fur colour	fur length
genes only		
environment only		
genes and environment		

[2]

**DATA SHEET**  
**The Periodic Table of the Elements**

		Group												
I	II	III	IV	V	VI	VII	0							
		1 <b>H</b> Hydrogen 1						4 <b>He</b> Helium 2						
7 <b>Li</b> Lithium 3	9 <b>Be</b> Beryllium 4							20 <b>Ne</b> Neon 10						
23 <b>Na</b> Sodium 11	24 <b>Mg</b> Magnesium 12	11 <b>B</b> Boron 5	12 <b>C</b> Carbon 6	14 <b>N</b> Nitrogen 7	16 <b>O</b> Oxygen 8	19 <b>F</b> Fluorine 9		35.5 <b>Cl</b> Chlorine 17						
39 <b>K</b> Potassium 19	40 <b>Ca</b> Calcium 20	27 <b>Al</b> Aluminium 13	28 <b>Si</b> Silicon 14	31 <b>P</b> Phosphorus 15	32 <b>S</b> Sulfur 16	79 <b>Se</b> Selenium 34		84 <b>Kr</b> Krypton 36						
85 <b>Rb</b> Rubidium 37	88 <b>Sr</b> Strontium 38	70 <b>Ga</b> Gallium 31	73 <b>Ge</b> Germanium 32	75 <b>As</b> Arsenic 33	115 <b>In</b> Indium 49	128 <b>Te</b> Tellurium 52		131 <b>Xe</b> Xenon 54						
133 <b>Cs</b> Caesium 55	137 <b>Ba</b> Barium 56	65 <b>Zn</b> Zinc 30	64 <b>Cu</b> Copper 29	59 <b>Ni</b> Nickel 28	106 <b>Pd</b> Palladium 46	197 <b>Au</b> Gold 79		207 <b>Pb</b> Lead 82	209 <b>Bi</b> Bismuth 83	210 <b>Po</b> Polonium 84	85 <b>At</b> Astatine 85	86 <b>Rn</b> Radon 86		
226 <b>Ra</b> Radium 88	227 <b>Ac</b> Actinium 89	56 <b>Fe</b> Iron 26	59 <b>Co</b> Cobalt 27	55 <b>Mn</b> Manganese 25	101 <b>Ru</b> Ruthenium 44	186 <b>Os</b> Osmium 76	201 <b>Hg</b> Mercury 80	112 <b>Cd</b> Cadmium 48	122 <b>Sb</b> Antimony 51	127 <b>I</b> Iodine 53	153 <b>Te</b> Tellurium 52	168 <b>Er</b> Erbium 68	173 <b>Yb</b> Ytterbium 70	175 <b>Lu</b> Lutetium 71
140 <b>Ce</b> Cerium 58	141 <b>Pr</b> Praseodymium 59	144 <b>Nd</b> Neodymium 60	145 <b>Pm</b> Promethium 61	150 <b>Sm</b> Samarium 62	152 <b>Eu</b> Europium 63	157 <b>Gd</b> Gadolinium 64	162 <b>Dy</b> Dysprosium 66	163 <b>Tb</b> Terbium 65	167 <b>Er</b> Erbium 68	169 <b>Tm</b> Thulium 69	171 <b>Yb</b> Ytterbium 70	173 <b>No</b> Nobelium 102	175 <b>Lu</b> Lutetium 71	103 <b>Lr</b> Lawrencium 103
232 <b>Th</b> Thorium 90	238 <b>U</b> Uranium 92	91 <b>Pa</b> Protactinium 91	93 <b>Np</b> Neptunium 93	94 <b>Pu</b> Plutonium 94	95 <b>Am</b> Americium 95	96 <b>Cm</b> Curium 96	98 <b>Cf</b> Californium 98	97 <b>Bk</b> Berkelium 97	100 <b>Fm</b> Fermium 100	101 <b>Md</b> Mendelevium 101	102 <b>No</b> Nobelium 102	103 <b>Lr</b> Lawrencium 103		

\*58-71 Lanthanoid series  
†90-103 Actinoid series

a	<b>X</b>	b
Key	a = relative atomic mass X = atomic symbol b = proton (atomic) number	

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.