



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS  
International General Certificate of Secondary Education

CANDIDATE  
NAME

CENTRE  
NUMBER

--	--	--	--	--

CANDIDATE  
NUMBER

--	--	--	--	--

\* 5 7 2 7 6 6 1 4 8 0 \*

**COMBINED SCIENCE**

**0653/33**

Paper 3 (Extended)

**October/November 2011**

**1 hour 15 minutes**

Candidates answer on the Question Paper.

No Additional Materials are required.

**READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

**DO NOT WRITE IN ANY BARCODES.**

Answer **all** questions.

A copy of the Periodic Table is printed on page 24.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

For Examiner's Use	
1	
2	
3	
4	
5	
6	
7	
8	
9	
<b>Total</b>	

This document consists of **20** printed pages.



1 There are three states of matter – solid, liquid and gas.

Fig. 1.1 shows the arrangement of particles in a solid.






Fig. 1.1

(a) (i) Draw similar diagrams for a liquid and a gas.



liquid



gas

[2]

(ii) Explain the arrangements you have drawn in terms of the forces between the particles.

.....

.....

..... [2]

(b) Explain the following using the ideas of conduction, convection and radiation.

*For  
Examiner's  
Use*

(i) Houses in hot climates are often painted white.

.....  
..... [1]

(ii) A saucepan has a metal base but a plastic or wooden handle.

.....  
..... [1]

(iii) In a kettle, the water is heated at the bottom but all of the water in the kettle becomes hot.

.....  
.....  
..... [2]

2 (a) Fig. 2.1 shows a flowering plant, and two cells from the plant.




Fig. 2.1

(i) On Fig. 2.1, draw a line from each cell to a part of the plant in which it could be found. [2]

(ii) Explain why cell A contains the structures labelled X, but cell B does not.

.....

.....

.....

.....

..... [3]

(iii) Suggest how the shape of cell B adapts it for its function.

.....

.....

..... [2]

(b) The colour of the flower petals is determined by a gene with two alleles, **R** and **r**. Allele **R** is dominant and produces red flowers, and allele **r** produces white flowers.

For  
Examiner's  
Use

(i) Complete Table 2.1 to show the phenotype produced by each of the three possible genotypes.

**Table 2.1**

genotype	phenotype
<b>RR</b>	
<b>Rr</b>	
<b>rr</b>	

[1]

(ii) On Table 2.1, draw a circle around **one heterozygous** genotype. [1]

(iii) Predict the ratio of red to white flowers that would be produced if two plants with the genotypes **Rr** were crossed.

..... [1]

(c) A grower has a rare variety of orchid with unusual flowers. She decides to produce new plants from this orchid using an asexual method of propagation.

Suggest the advantages to the grower of using asexual propagation to produce new plants, rather than sowing seeds she has collected from the orchid plant.

.....  
 .....  
 ..... [2]

- 3 (a) Fig. 3.1 shows apparatus a student used to investigate the electrolysis of a solution of potassium sulfate.

For  
Examiner's  
Use




Fig. 3.1

During the experiment shown in Fig. 3.1, two different colourless gases, **Q** and **R**, collected in the small test-tubes. Neither of these gases contained any sulfur.

- (i) Name gases **Q** and **R**.

**Q** .....

**R** .....

[2]

- (ii) Choose **one** of the gases, **Q** or **R**, and describe how the student should test it for the gas you have named.

chosen gas .....

test .....

..... [1]

- (b) Potassium sulfate solution is made in a neutralisation reaction between an acid and an alkali.

For  
Examiner's  
Use





Fig. 3.2

- (i) Suggest a **word** chemical equation for a reaction between a suitable acid and alkali that would produce potassium sulfate.



[2]

- (ii) Describe how a **neutral** solution of potassium sulfate could be obtained using suitable solutions of an acid and an alkali.

.....

.....

.....

.....

.....

.....

[3]

- (iii) State the **ionic** equation which describes the neutralisation reaction between any aqueous acid and any aqueous alkali.

..... [2]

4 (a) Five types of radiation are listed below.

alpha radiation

beta radiation

gamma radiation

infra-red radiation

ultraviolet radiation

(i) State which of these types of radiation is a stream of electrons.

..... [1]

(ii) State which of these types of radiation are forms of electromagnetic radiation.

.....  
 ..... [2]

(iii) State **one** use for gamma radiation.

..... [1]

(iv) Complete Table 4.1 to compare alpha, beta and gamma radiations.

Tick **one** box in each row of the table.

**Table 4.1**

	alpha	beta	gamma
most penetrating			
most ionising			
not deflected by an electric field			

[2]

- (b) Some students measured the level of radiation from a radioactive source for 42 days. Table 4.2 shows the results corrected for background radiation.

*For  
Examiner's  
Use*

**Table 4.2**

<b>time / days</b>	<b>0</b>	<b>7</b>	<b>14</b>	<b>21</b>	<b>28</b>	<b>35</b>	<b>42</b>
<b>level of radiation / average counts per minute</b>	64	45	33	23	16	12	8

Describe and explain the pattern in these results.

.....

.....

..... [2]

- 5 PTFE is an important plastic which has many uses in the home and industry. PTFE is made of polymer molecules.

For  
Examiner's  
Use

Fig. 5.1 shows the displayed formula of the monomer that reacts to produce PTFE.




Fig. 5.1

- (a) (i) Explain why the molecule shown in Fig. 5.1 is **not** a hydrocarbon.

.....  
..... [1]

- (ii) Fig. 5.2 shows the outer shell electrons in a carbon atom and a fluorine atom.





Fig. 5.2

Complete the bonding diagram below to show how the outer electrons are arranged in the molecule whose displayed formula is shown in Fig. 5.1.



[2]

- (iii) Complete the diagram below to show the displayed formula of a small section of a PTFE molecule.

Your completed formula must contain eight fluorine atoms.



[3]

- (b) The element, fluorine, is a halogen in Group 7 of the Periodic Table.

- (i) Use your knowledge of the physical states of the other halogens to predict and explain whether fluorine is a solid, a liquid or a gas at room temperature.


prediction .....

explanation .....

.....

..... [2]

- (ii) Use your knowledge of the reactivities of the other halogens to predict and explain whether or not the following halogen displacement reaction will occur.



.....

.....

..... [2]

For  
Examiner's  
Use

6 Fig. 6.1 shows the human digestive system.

For  
Examiner's  
Use




Fig. 6.1

(a) On Fig. 6.1, use label lines to label  
the stomach,  
the colon.

[2]


(b) On Fig. 6.1, label and name **one** part of the digestive system that food does **not** pass through on its way from mouth to anus. [1]

(c) Describe how digestion takes place inside the stomach.

.....  
.....  
..... [2]

(d) Fig. 6.2 shows a food web involving humans.

For  
Examiner's  
Use



**Fig. 6.2**

If there are a lot of whitefly feeding on the tomato plants, there will be fewer tomatoes for humans to eat.

(i) Use the information in Fig. 6.2 to suggest how biological control could be used to control the whitefly population.

.....  
..... [1]

(ii) State **two** reasons, other than cost, why this could be a better way of controlling the whitefly than using pesticides.

1 .....  
.....  
2 .....  
..... [2]

7 Some coffee drinks are sold in self-heating cans.

Fig. 7.1 shows a cross-sectional diagram of one design of self-heating can.




Fig. 7.1

Fig. 7.2 shows the can after it has been turned upside down and the pin pushed through the thin metal sheet. This allows the water to fall into the calcium oxide.




Fig. 7.2

(a) Explain briefly why the coffee drink in the self-heating can becomes hot when the water and calcium oxide mix.

.....

.....

.....

.....

[2]

(b) (i) Use the position of calcium in the Periodic Table to explain why the electrical charge of a calcium ion is +2.

For  
Examiner's  
Use

.....  
.....  
.....  
.....  
..... [3]

(ii) The reaction between calcium oxide and water produces the ionic compound calcium hydroxide,  $\text{Ca(OH)}_2$ .

Deduce the electrical charge of the hydroxide ion.

Show how you obtained your answer.

.....  
..... [2]

- 8 (a) A student set up the circuit shown in Fig. 8.1 to investigate the relationship between the voltage across resistor **R** and the current through resistor **R**.

For  
Examiner's  
Use




Fig. 8.1

- (i) Name the meters labelled **X** and **Y**.

**X** .....

**Y** .....


[1]

- (ii) Explain the purpose of the variable resistor in the circuit.

.....

..... [1]

(iii) Fig. 8.2 shows a graph of the results.



**Fig. 8.2**

Use the data on the graph to calculate the resistance of resistor **R**.

State the formula that you use and show your working.

formula used

working

..... [2]

**(b)** Two 10 ohm resistors are placed in parallel in a circuit.

Calculate their total resistance.

State the formula that you use and show your working.

formula used


working

..... [3]

For  
Examiner's  
Use

- (c) Fig. 8.3 shows a battery-operated d.c. electric motor driving a fan. When an electric current passes through the coil it rotates.

For  
Examiner's  
Use



**Fig. 8.3**

- (i) Describe what happens to the coil if the poles of the magnets are reversed and the rest of the circuit remains the same.  
 ..... [1]
- (ii) Describe what happens if a greater electric current is passed through the coil.  
 ..... [1]
- (iii) Explain the purpose of the split rings.  
 .....  
 .....  
 ..... [2]

9 A man walking along a road decided to cross to the other side. As he was walking across the road, a car sounded its horn, which made him jump. He then crossed the rest of the road more quickly.

(a) For each of the actions that the man took, state whether it was a **reflex** action or a **voluntary** action.

- walking along the road .....
- walking across the road .....
- jumping in response to the car horn .....
- crossing the road more quickly ..... [2]

(b) Explain **one** advantage and **one** disadvantage of reflex actions over voluntary actions.

- advantage .....
- .....
- disadvantage .....
- ..... [2]

(c) State the roles of each of the following parts of the nervous system in a reflex action.

- receptor .....
- .....
- motor neurone .....
- ..... [2]

**DATA SHEET**  
**The Periodic Table of the Elements**

		Group										
I	II	III	IV	V	VI	VII	0					
		1 <b>H</b> Hydrogen 1						4 <b>He</b> Helium 2				
7 <b>Li</b> Lithium 3	9 <b>Be</b> Beryllium 4							20 <b>Ne</b> Neon 10				
23 <b>Na</b> Sodium 11	24 <b>Mg</b> Magnesium 12	11 <b>B</b> Boron 5	12 <b>C</b> Carbon 6	14 <b>N</b> Nitrogen 7	16 <b>O</b> Oxygen 8	19 <b>F</b> Fluorine 9		35.5 <b>Cl</b> Chlorine 17				
39 <b>K</b> Potassium 19	40 <b>Ca</b> Calcium 20	27 <b>Al</b> Aluminium 13	28 <b>Si</b> Silicon 14	31 <b>P</b> Phosphorus 15	32 <b>S</b> Sulfur 16			79 <b>Se</b> Selenium 34	80 <b>Br</b> Bromine 35	127 <b>I</b> Iodine 53	131 <b>Xe</b> Xenon 54	
85 <b>Rb</b> Rubidium 37	88 <b>Sr</b> Strontium 38	70 <b>Ga</b> Gallium 31	73 <b>Ge</b> Germanium 32	75 <b>As</b> Arsenic 33	76 <b>Se</b> Selenium 34			115 <b>In</b> Indium 49	119 <b>Sn</b> Tin 50	207 <b>Pb</b> Lead 82	209 <b>Bi</b> Bismuth 83	
133 <b>Cs</b> Caesium 55	137 <b>Ba</b> Barium 56	65 <b>Zn</b> Zinc 30	64 <b>Cu</b> Copper 29	59 <b>Ni</b> Nickel 28	59 <b>Co</b> Cobalt 27	64 <b>Cu</b> Copper 29	65 <b>Zn</b> Zinc 30	112 <b>Cd</b> Cadmium 48	108 <b>Ag</b> Silver 47	201 <b>Hg</b> Mercury 80	204 <b>Tl</b> Thallium 81	
226 <b>Ra</b> Radium 88	227 <b>Ac</b> Actinium 89	56 <b>Fe</b> Iron 26	55 <b>Mn</b> Manganese 25	59 <b>Co</b> Cobalt 27	56 <b>Fe</b> Iron 26	59 <b>Co</b> Cobalt 27	56 <b>Fe</b> Iron 26	106 <b>Pd</b> Palladium 46	108 <b>Ag</b> Silver 47	195 <b>Pt</b> Platinum 78	197 <b>Au</b> Gold 79	
		51 <b>V</b> Vanadium 23	52 <b>Cr</b> Chromium 24	59 <b>Co</b> Cobalt 27	56 <b>Fe</b> Iron 26	59 <b>Co</b> Cobalt 27	56 <b>Fe</b> Iron 26	103 <b>Rh</b> Rhodium 45	106 <b>Pd</b> Palladium 46	192 <b>Ir</b> Iridium 77	195 <b>Pt</b> Platinum 78	
		48 <b>Ti</b> Titanium 22	45 <b>Sc</b> Scandium 21	51 <b>V</b> Vanadium 23	56 <b>Fe</b> Iron 26	59 <b>Co</b> Cobalt 27	56 <b>Fe</b> Iron 26	101 <b>Ru</b> Ruthenium 44	108 <b>Ag</b> Silver 47	190 <b>Os</b> Osmium 76	195 <b>Pt</b> Platinum 78	
		91 <b>Zr</b> Zirconium 40	89 <b>Y</b> Yttrium 39	51 <b>V</b> Vanadium 23	56 <b>Fe</b> Iron 26	59 <b>Co</b> Cobalt 27	56 <b>Fe</b> Iron 26	101 <b>Ru</b> Ruthenium 44	108 <b>Ag</b> Silver 47	190 <b>Os</b> Osmium 76	195 <b>Pt</b> Platinum 78	
		178 <b>Hf</b> Hafnium 72	139 <b>La</b> Lanthanum 57	51 <b>V</b> Vanadium 23	56 <b>Fe</b> Iron 26	59 <b>Co</b> Cobalt 27	56 <b>Fe</b> Iron 26	101 <b>Ru</b> Ruthenium 44	108 <b>Ag</b> Silver 47	190 <b>Os</b> Osmium 76	195 <b>Pt</b> Platinum 78	
		181 <b>Ta</b> Tantalum 73	184 <b>W</b> Tungsten 74	51 <b>V</b> Vanadium 23	56 <b>Fe</b> Iron 26	59 <b>Co</b> Cobalt 27	56 <b>Fe</b> Iron 26	101 <b>Ru</b> Ruthenium 44	108 <b>Ag</b> Silver 47	190 <b>Os</b> Osmium 76	195 <b>Pt</b> Platinum 78	
		140 <b>Ce</b> Cerium 58	141 <b>Pr</b> Praseodymium 59	51 <b>V</b> Vanadium 23	56 <b>Fe</b> Iron 26	59 <b>Co</b> Cobalt 27	56 <b>Fe</b> Iron 26	101 <b>Ru</b> Ruthenium 44	108 <b>Ag</b> Silver 47	190 <b>Os</b> Osmium 76	195 <b>Pt</b> Platinum 78	
		232 <b>Th</b> Thorium 90	238 <b>U</b> Uranium 92	51 <b>V</b> Vanadium 23	56 <b>Fe</b> Iron 26	59 <b>Co</b> Cobalt 27	56 <b>Fe</b> Iron 26	101 <b>Ru</b> Ruthenium 44	108 <b>Ag</b> Silver 47	190 <b>Os</b> Osmium 76	195 <b>Pt</b> Platinum 78	
		162 <b>Dy</b> Dysprosium 66	159 <b>Tb</b> Terbium 65	51 <b>V</b> Vanadium 23	56 <b>Fe</b> Iron 26	59 <b>Co</b> Cobalt 27	56 <b>Fe</b> Iron 26	101 <b>Ru</b> Ruthenium 44	108 <b>Ag</b> Silver 47	190 <b>Os</b> Osmium 76	195 <b>Pt</b> Platinum 78	
		169 <b>Tm</b> Thulium 69	167 <b>Er</b> Erbium 68	51 <b>V</b> Vanadium 23	56 <b>Fe</b> Iron 26	59 <b>Co</b> Cobalt 27	56 <b>Fe</b> Iron 26	101 <b>Ru</b> Ruthenium 44	108 <b>Ag</b> Silver 47	190 <b>Os</b> Osmium 76	195 <b>Pt</b> Platinum 78	
		173 <b>Yb</b> Ytterbium 70	171 <b>Lu</b> Lutetium 71	51 <b>V</b> Vanadium 23	56 <b>Fe</b> Iron 26	59 <b>Co</b> Cobalt 27	56 <b>Fe</b> Iron 26	101 <b>Ru</b> Ruthenium 44	108 <b>Ag</b> Silver 47	190 <b>Os</b> Osmium 76	195 <b>Pt</b> Platinum 78	
		102 <b>No</b> Nobelium 102	101 <b>Md</b> Mendelevium 101	51 <b>V</b> Vanadium 23	56 <b>Fe</b> Iron 26	59 <b>Co</b> Cobalt 27	56 <b>Fe</b> Iron 26	101 <b>Ru</b> Ruthenium 44	108 <b>Ag</b> Silver 47	190 <b>Os</b> Osmium 76	195 <b>Pt</b> Platinum 78	
		99 <b>Es</b> Einsteinium 99	98 <b>Cf</b> Californium 98	51 <b>V</b> Vanadium 23	56 <b>Fe</b> Iron 26	59 <b>Co</b> Cobalt 27	56 <b>Fe</b> Iron 26	101 <b>Ru</b> Ruthenium 44	108 <b>Ag</b> Silver 47	190 <b>Os</b> Osmium 76	195 <b>Pt</b> Platinum 78	
		86 <b>Rn</b> Radon 86	85 <b>At</b> Astatine 85	51 <b>V</b> Vanadium 23	56 <b>Fe</b> Iron 26	59 <b>Co</b> Cobalt 27	56 <b>Fe</b> Iron 26	101 <b>Ru</b> Ruthenium 44	108 <b>Ag</b> Silver 47	190 <b>Os</b> Osmium 76	195 <b>Pt</b> Platinum 78	

\*58-71 Lanthanoid series  
†90-103 Actinoid series

a	<b>X</b>	b
---	----------	---

Key  
a = relative atomic mass  
X = atomic symbol  
b = proton (atomic) number

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.