UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the October/November 2010 question paper for the guidance of teachers

0420 COMPUTER STUDIES

0420/11

Paper 1, maximum raw mark 100

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2010	0420	11

1 (a) check digit

- validation check
- single digit appended to a number
- calculated from digits and their position
- re-calculated after data transfer
- e.g. bar codes, ISBN, credit/debit cards

[2]

(b) RAM

- random access memory
- memory lost on switching off/volatile/temporary
- stores user programs/data (etc.)
- usually on a chip
- can be read/changed by user

e.g. SRAM, DRAM etc.

[2]

(c) macro

- macro instruction
- new command created by combining number of existing ones
- can combine effects of pressing several individual keys on k/board
- can be programmed by user to customise software
- e.g. single key stroke to insert a logo into a document

[2]

(d) USB flash memory

- (memory data) storage device
- removable/portable
- uses universal serial bus connector
- re-writable device
- contains printed circuit board
- allows transfer of data/files between computers
- draws power from the computer port
- contains EEPROM (electrically erasable programmable ROM)/ non-volatile memory
- e.g. pen drive/memory stick/thumb drive

[2]


(e) printer buffer

- temporary storage/memory
- compensates for the difference in speed of printer and CPU
- e.g. holds data whilst computer completes a job, recovering from error (e.g. paper jam)

[2]

	Pa	ge 3	Mark Scheme: Teachers' version	Syllabus	Paper
			IGCSE – October/November 2010	0420	11
2	(a)	softvvirusopeihardpowinco	ches in the software" e.g. divide by zero ware conflicts	processor fans fa	iling etc.) [3]
	(b)	backpara	ndfather-Father-Son (GFS)/file generation system	pies	[1]
	(c)		from: ryption rypt files		[1]
3	(a)	STAR, B	BUS		[2]
	(b)	cancan	from: use any station to access files, etc. share files etc. share resources (e.g. printer) ws easier communication between users		[1]
	(c)	- file (from: eeasily/more rapid transfer of viruses from compute (etc.) security is more difficult a infrastructure costs e.g. cabling	er to computer	[1]

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2010	0420	11



- 1 Access not allowed
- 2 Allow access
- 3 Do user id and password match
- 4 Enter password
- 5 Error message
- 6 Error message
- 7 Three attempts [3]

(b) verification [1]

5	(a)	2 marks (max) for RTTP points; 2 marks (m	ax) for RTPC points	
		real time transactions	real time processing	
		 individual transaction processed as it occurs 	 physical quantities continuously monitored inputs compared with pre-set values 	
		 files/fields/records updated immediately 	 processed fast enough to affect input 	
			uses sensors, ADC, DAC, etc.	
		 e.g. <u>online</u> booking of seats 	 e.g. <u>temperature</u> control in air con 	[4]
	(b)	Any two points from: - file management - input/output control - spooling - memory management - multiprogramming - multitasking/JCL/batch processing - handling interrupts - error reporting/handling - security (e.g. virus checking) - user interface (e.g. WIMP) - processor management - loads/runs programs		
		user accountsutilities		[2]
6	(a)	Any one from: - reduced costs (no/less printing, no/less - faster/easier updating procedure - raising profile of company	distribution of directories)	[1]
	(b)	Any two from: - faster/easier to find information - more accurate/up-to-date - more information/data available - could easily extend to international dire	actories	[2]
		- could easily exterio to international dire	Ciones	[4]
	(c)	Any one from: - more likely to get calls from call centres - unsolicited calls - mis-use of details	s/sales companies	[1]
	(d)	Any one from: - number changed and not registered - errors in the information		[1]

Mark Scheme: Teachers' version IGCSE – October/November 2010

Page 5

Syllabus 0420 Paper 11

	Pa	ge 6	<u> </u>	Mark Scheme: Teachers' version	Syllabus	Paper
		J		IGCSE – October/November 2010	0420	11
7	(a)	(i)	_	one from: interview customers hand out questionnaires to customers		[1]
		(ii)		ark for method and 1 mark for reason:		
				DIRECT must have only one way of conveying/updating the	information	
				PILOT could adopt new system at one terminal only to tria	ıl new system	
				PARALLEL Check new system is working correctly/back up in	case of system failure	[2]
	(b)	Any - - - -	curre term date bage nam	from: ent time ninal number/name gage reclaim/carousel number ne of airline sfers/connections		[1]
	(c)	Any –		from: ch screens/touch pad/mouse/tracker ball		[1]
	(d)	Any - - - -	fewer coul faste no la	from: er errors d be linked to website for live updates er/more accurate updating of information anguage problems for customers need to wait in a queue at manned help desks		[2]
8	(a)		dware web micr large route com	or hardware and 1 mark for software: e cam cophone e TV/monitor/screen er/broadband modem amunications cables akers		

<u>sonware</u>

compression software/CODEC

communications software

[2]

	Pa	ge 7	Mark Scheme: Teachers' version IGCSE – October/November 2010	Syllabus 0420	Paper 11
				0.20	
	(b)	timecontposs	from: guage differences e differences trolling a 3-way conversation sible poor communications/loss of connection/slow or	connection	[2]
	(c)	cansafe	from: time lost in travelling hold meetings with little notice or (<i>must be qualified</i> e.g. terrorism risk, less travelli involve more people company-wide	ng, etc.)	[2]
9	1 m	nark for ea	ach error and 1 mark for reason why it is an error		
	-	line 1/ne	egative=1 and/or line 2/positive=1		
	-	negative	and/or positive should be set to zero		
	_ _ _	don't nee	ount=count+1 ed a count within a for to next loop loop with a repeatuntil loop		
		-	int negative, positive or line 9/next count should come after the next count statement		[6]
10	(a)	6 (fields))		[1]
	(b)	3002, 20	002, 3003, 3004		[2]
	(c)	(Length ((m) > 74) OR (Max Speed (kph) < 900)		
		← - (1 m	nark) - → ← (1 mark) →		
		OR			
		(Max Spe	eed (kph) < 900) OR (Length (m) > 74)		
		← ($(1 \text{ mark}) \rightarrow \leftarrow (1 \text{ mark}) \rightarrow$		[2]
11	(a)	- (cou ai - put c a - look - look	ee points from: unt) number of vehicles ut various times of day/at different positions/in differe data into computer and try out different scenarios at effect of accidents/break downs at at effect of heavy traffic	ent directions	
			ermine optimum timings of lights ct of emergency vehicles/public transport		[3]

© UCLES 2010

	,	_	IGCSE – October/November 2010	0420	11
	(b)	Any two	from:		
		muccan	s expensive (<i>must be qualified</i>) ch safer prevents accidents/traffic problems through in try out many scenarios first (to give optimum settings ch faster than doing actual "experiments" on real light	s)	times [2]
	(c)	Any two	from:		
		sendcomif ancom	sors detect cars at each junction ds signals/data to computer nputer software counts number of cars nalogue data, need an ADC npares sensor data with stored data/simulation results nges light timings/sequences as required	S	
		•	es DAC) to send signals back to lights (control) tinuously monitors		[2]
12	(a)	= AVER	B2:M2)/12 OR AGE(B2:M2) OR C2+D2+E2+F2+G2+H2+I2+J2+K2+L2+M2)/12 d]		[1]
	(b)	= (L5 – l	L4) * L3 (must use cell references)		[1]
	(c)		ph "B" since rainfall usually measured as a height/bar ph "B" since the information is clearer	rs	[1]
		(ii) – –	draw a line at value 8 include a row with all values 8 and add this data		[1]
	(d)	weaattraonlinmapbuttvidesean	o from e.g. ather forecast for 7/14 days actions/facilities in the area ne booking e.g. hotels os/how to get there cons linking to other web pages/site eos/multimedia presentations rch facility ges of resort/virtual tours		[2]

Mark Scheme: Teachers' version

Syllabus

Paper

Page 8

Page 9	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2010	0420	11

13 Any **four** from:

- collect information from expert(s)
- put information into the/create knowledge base
- develop YES/NO dialogue/user interface
- output screens designed
- fully tested with known expected outputs
- produce user manuals
- fully train users of the system
- reference to inference engine being created
- reference to rules base being created

[4]

14 (a) <u>delete</u>

- customer leaves the bank/close account
- customer dies

amend

- change of address
- change of telephone number
- change account details
- change name after marriage
- transactions on account e.g. deposits, withdrawals

insert

new customer joins bank/opens new account

[3]

(b) (i) Any **one** from:

- saves memory/less space required on the file
- faster/easier to type in
- faster to search for information
- fewer errors
- (ii) 1 mark for name, 1 mark for reason and 1 mark for improvement
 - AGE
 - always changing
 - need to keep updating each year
 - date of birth

15 EACH RESPONSE MUST BE DIFFERENT

- (a) (i) Any one from:
 - character/type check
 - length check
 - Boolean check
 - presence check

© UCLES 2010

Page 1	10	Mark Scheme: Teachers' version	Syllabus	Paper
		IGCSE – October/November 2010	0420	11
(ii)		one from: format check character/type check length check presence check		
(iii)	_	one from: range check character/type check presence check		[-
(b) Ar - - -	drop use use	from: o down lists showing M or F only, possible dates, etc of touch screens with only certain data options of restricted lists o buttons	c .]
(c) (i)	_	one from: lock computer log off the system if in an office, lock the door put into sleep/hibernate mode with password]
(ii)	_	one from: to prevent RSI to prevent neck/back problems possible to prevent eye sight problems/headaches]
6 (a) Ar - - - - - -	sate sat i depe eac sat i at le	ee from: ellites transmit signals to computer/sat nav in car hav system in car receives these signals ends on very accurate time references/atomic clock h satellite transmits data indicating location and time hav system car calculates position based on at lease east 24 satellites in operation world wide hav system combines satellite information with map	e t 3 satellites	[
(b) Ar	no r drive	need to read/own maps er doesn't need to memorise route	arages/speed	

- can give useful information such as location of garages/speed cameras/points of interest/traffic congestion
- allows driver to concentrate on driving (therefore safer)
- can find shortest/fastest route
- easier to re-route in case of road closures, etc.
- updateable[2]

Page 11	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2010	0420	11
inaclosserrolseno	from: ed maps out of date (instructions go to incorrect recurate positioning of signal rs in original data/setting up ds vehicles down inappropriate routes r reliance by driver on the sat nav	oads)	[:
(d) Any one - ship - aero			['
Marking Poi	<u>nts</u>		
correct loterror traperror trapsum totasum tota	ion of running totals pop control p for height input p for weight input l1 and average1 (i.e. height) calculation l2 and average2 (i.e. weight) calculation utput (only if some processing attempted, must b	e outside loop)	(1 mark)
Sample pseu	<u>udocode</u>		
total1 = 0: tot	al2 = 0		(1 mark)
for x = 1 to 1	000		(1 mark)
input he	ight, weight		
if he	eight > 2 or height < 0 then print "error": input he	ight	(1 mark)
if we	eight > 130 or weight < 0 then print "error": input	: weight	(1 mark)
	else total1 = total1 + height: total2 = total2 + weig	ght	
next x			
average1 = to	otal1/1000		(1 mark)

(1 mark)

(1 mark)

[5]

average2 = total2/1000

print average1, average2