

## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

	CANDIDATE NAME			
	CENTRE NUMBER	CANDIDATI	E	
*776385	<b>CO-ORDINATE</b> Paper 2 (Core)		Ma	0654/02 ay/June 2007 2 hours
2 0 4 4		wer on the Question Paper. aterials are required.		
*	READ THESE I	NSTRUCTIONS FIRST		
	Write in dark blu	re number, candidate number and name on all the work you hand ir ie or black pen. soft pencil for any diagrams, graphs, tables or rough working.	1.	
	Do not use stap	les, paper clips, highlighters, glue or correction fluid.	For Exami	ner's Use
		E IN ANY BARCODES.	1	
	Answer <b>all</b> ques A copy of the Pe	tions. eriodic Table is printed on page 24.	2	
	At the end of the	e examination, fasten all your work securely together.	3	
		marks is given in brackets [ ] at the end of each question or part	4	
	question.	-	5	
		-	6	
			7	
			8	
			9	
			10	
			11	
			Total	

This document consists of 23 printed pages and 1 blank page.



For Examiner's Use

**1** (a) Fig. 1.1 shows the arrangement of molecules of water when it is a solid (ice), a liquid (water) and a gas (steam).




Fig.	1.	.1
------	----	----

Complete the table by putting ticks into the appropriate boxes.

state	molecules have least energy	molecules have most energy	molecules are least strongly attracted to each other	molecules occupy fixed positions
ice				
water				
steam				[ [ ]

```
[4]
```

(b) A beaker contains warm water.

Some of the water evaporates.

Describe and explain what is happening to the molecules as the water evaporates.

[2]

(c) Fig. 1.2 shows an ice cube with sides of 2 cm. The ice cube has a mass of 7.36 g.

## 2 cm 2 cm 2 cm

3

Fig. 1.2

Calculate the density of ice.

Show your working.

\_\_\_\_\_g/cm<sup>3</sup>

For Examiner's Use

**2** Fig. 2.1 shows the contents of the thorax and details of one alveolus.





Fig. 2.1

- (a) On diagram A, write the letter X in a place where the alveolus in diagram B could be found.
- (b) As air is drawn into the lungs, it flows through tubes lined with a tissue containing goblet cells and ciliated cells.
  - (i) Explain the meaning of the term *tissue*.

		[2]
(ii)	On diagram <b>A</b> , write the letter <b>Y</b> where this tissue could be found.	[1]
(iii)	Explain how this tissue helps to prevent infections in the lungs.	
		•••••
		[2]



For

Use

**3** The following list shows some properties of the element copper.

electrical conductor	shiny
high density	sonorous
malleable	unreactive

- (a) Choose one property from the list which explains each of the following statements.
  - (i) Copper metal sometimes occurs uncombined (native) in the Earth's crust.

		[1]
(ii)	Copper can be rolled into thin sheets.	
		[1]
(iii)	Copper is widely used in the form of wire.	
		[1]

(b) A student carried out an experiment involving the black solid, copper(II) oxide. Fig. 3.1 shows details of her experiment.




Fig. 3.1

During the reaction the student recorded the following observations.

				observations
			1.	After much heating, the mixture suddenly glowed even when the bunsen burner was removed.
			2.	The drop of limewater went cloudy.
			3.	When the mixture stopped glowing it contained traces of a brown solid.
	(i)	State which occurred.	obsei	rvation, <b>1</b> , <b>2</b> or <b>3</b> , showed that an exothermic reaction had
				[1]
	(ii)	Name the ga	as whic	ch is produced in this reaction.
	( )			
				[1]
	(iii)	Write a word	equat	tion for the reaction which occurred in the experiment in Fig. 3.1.
			+	→ + [2]
(c)		oper is a tra erent from tho		n metal. State two properties of transition metals which are alkali metals.
	1.			
	2.	•••••		
	•••••			[2]

Examiner's Use (a) A car of mass 1200 kg is travelling forward at a constant speed of 20 m/s. 4 Fig. 4.1 shows the driving force and the frictional force acting on the car. frictional force driving force 800 N 800 N Fig. 4.1 (i) Explain why the car does not accelerate. ..... [1] ..... (ii) Calculate the distance travelled by the car in 30 seconds. State the formula that you use and show your working. formula used working [2] m (iii) Calculate the work done by the driving force in 30 seconds. State the formula that you use and show your working. formula used working [2] J

8

For

(b) A pedestrian steps into the path of the moving car. Fig. 4.2 shows a graph of how the speed of the car changes from the moment when the driver sees the pedestrian until the car stops.




Fig. 4.2

How long does it take between the driver seeing the pedestrian and the brakes being applied?

Explain your answer.


time taken	seconds	
explanation		
	[.	2]

- (c) A police car uses a siren and a blue light to alert people.
  - (i) Explain why sound needs a medium, such as air, to travel through.

			•••
		[	[2]
	(ii)	How will the sound of the siren change if the amplitude of the sound waves emitter is increased?	эd
		[	[1]
(d)		e police communicate using radio waves. Both blue light and radio waves are part electromagnetic spectrum.	of
	(i)	State one property which all electromagnetic waves have in common.	
		[	[1]
	(ii)	State one difference between blue light waves and radio waves.	
		[	[1]



**5** Fig. 5.1 shows three bones from the arm and shoulder.



- 6 (a) Glucose and starch are carbohydrates.
  - (i) The chemical formula of glucose is  $C_6H_{12}O_6$ .

State the total number of atoms which are combined in one molecule of glucose.


[1]

(ii) Starch is a polymer which has been formed from glucose.

Explain the meaning of this statement.

[2]

(b) Proteins are polymers which have been formed from amino acids. Fig. 6.1 shows an amino acid called cysteine.





(i) Give one reason why the molecule in Fig. 6.1 is not a carbohydrate.

[1]

(ii) Cysteine was present in the bodies of sea creatures that long ago were changed into petroleum (crude oil). This means that petroleum contains sulphur.

Explain why sulphur should be removed from fuels made from petroleum.

[3]

- (c) Salicin is an analgesic which was first extracted from the bark and leaves of the willow tree. Chemists converted salicin into the more effective drug, aspirin.
  - (i) Why would a person take an analgesic?

		[1]
(ii)	Suggest one reason why drugs like aspirin must be highly purified.	
		[1]

© UCLES 2007

7 In many power stations very hot steam under pressure is used to transfer energy to turn the turbines. The turbines then turn the generators.

The heat energy to change water into steam may come from nuclear fuel or a fossil fuel.

When fossil fuels are burned to release their energy, waste products including carbon dioxide are produced.

- (a) (i) Name the gas in the atmosphere which reacts with the elements in fossil fuels when they are burned.
  - (ii) Waste gases from power stations contribute to higher levels of carbon dioxide in the atmosphere.

What effect are these rising levels of carbon dioxide thought to have on the environment?

[1]

(b) (i) Fossil fuels are non-renewable.


Explain the meaning of the term non-renewable.

[1]

- (ii) Name **one** renewable energy resource.
- [1]
- (c) Gas fired power stations are said to be 60% energy-efficient.

Explain what this means.


[1]



(a) (i) Name a part of the cell in which chromosomes are found.
[1]
(ii) What is the chemical from which chromosomes are made?
[1]

If fruit flies are exposed to X-rays, mutations may take place in the cells of their testes and ovaries.

An experiment was carried out into the effect of different doses of X-rays on the sperm cells produced by male fruit flies. Fig. 8.1 shows the results.





(b) (i) State what is meant by a *mutation*.

[1]
(ii) Describe the effect of increasing the X-ray dose on the percentage of mutated sperms.

For

8

	17	For Examiner's
(iii)	If 200 sperms were exposed to an X-ray dosage of 1000 rads, use the graph to estimate the number that would have mutations.	Use
	[1]	
(iv)	Explain how X-rays cause mutations.	
	[2]	
<b>(c)</b> Fr	uit flies have four pairs of chromosomes in their cells.	
Sc	me of the mutations in the experiment above involved the loss of one chromosome.	
(i)	How many chromosomes are there in a normal sperm of a fruit fly?	
	[1]	
(ii)	A fruit fly sperm that had lost one chromosome fertilised a normal egg.	
	How many chromosomes would there be in the zygote?	
	[1]	

In many	y countries supplies of clean water for drinking are obtained from river water.
	ate two processes that are used to convert river water into water which is safe for mans to drink.
1.	
2.	[2]
<b>(b)</b> Sat	fe drinking water may still contain dissolved compounds which make the water hard.
(i)	Name a metallic element whose compounds cause hardness in water.
	[1]
(ii)	Suggest a reason why some natural water supplies are hard and others are not.
	[1]
(iii)	Describe how a soap solution can be used to find out whether a sample of water is hard.
	[2]
(iv)	Some types of water are said to contain temporary hardness. Describe <b>one</b> way in which temporary hardness may be removed from water.
	[1]


For Examiner's Use

9

Examiner's (c) Some types of salt used to flavour food are mixtures of sodium chloride and potassium chloride. Sodium chloride and potassium chloride are both ionic compounds. (i) Describe and explain the difference between a sodium atom and a sodium ion. [2] Sodium chloride and potassium chloride are both very soluble in water. Fig. 9.1 shows how the solubilities of these salts change with temperature. 60 50 potassium chloride 40 sodium maximum chloride mass which dissolves in 30 100 cm<sup>3</sup> of water/g 20 10 0 10 20 30 40 50 60 70 0 temperature/°C

19

- Fig. 9.1
- (ii) What conclusions can be drawn from Fig. 9.1 about the effect of temperature on the solubilities of the two salts?



°C [1] For

Use

**10** Fig. 10.1 shows a circuit containing four ammeters,  $A_1$ ,  $A_2$ ,  $A_3$  and  $A_4$ .




Fig. 10.1

Table 10.1 shows the readings on each ammeter.

## Table 10.1

ammeter	reading on ammeter / amps					
<b>A</b> <sub>1</sub>	0.5					
<b>A</b> <sub>2</sub>	0.2					
<b>A</b> <sub>3</sub>	0.3					
<b>A</b> <sub>4</sub>	0.5					

(a) Electric current is a flow of electrical charge.


(i) State the name of the particle that carries charge around an electrical circuit.

[1]

(ii) State the unit of electrical charge.

......[1]

		21	For Examiner's					
(b)	(i)	) Which <b>one</b> of the following statements about the resistor <b>R</b> <sub>1</sub> in Fig. 10.1 is correct? Tick the correct box.						
		The resistance of $\mathbf{R}_1$ is less than 40 $\Omega$ .						
		The resistance of $\mathbf{R}_1$ is equal to 40 $\Omega$ .						
		The resistance of $\mathbf{R}_1$ is greater than 40 $\Omega$ . [1]						
	(ii)	Explain your answer.						
		[1]						
(c)	(i)	Write down the equation connecting resistance ${f R},$ potential difference ${f V}$ and current I.						
		[1]						
	(ii)	Calculate the reading on the voltmeter.						
		Show your working.						
	(iii)	V [1] State the potential difference across the power supply.						
		······································						



22

For Examiner's Use

## **BLANK PAGE**

0654/02/M/J/07

	0 IIV	Heilum Heilum	19 20 Fluctine Ruen 35.5 40 Ct Argen	80 84 Br Krypton 36	127 131 I Xeon Iddine 54	At Radon Astatine 86 Radon		173 175 Yb Lu Ytterbium 71	<b>No</b> obelium
	N		16 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	79 Selenium 34 35	128 Tellurium 52 53	Po Polonium 85		169 Thulium 69 70	<b>Md</b> <sup>ndelevium</sup>
	>		14 Nitrogen 7 31 Phosphorus 15	75 <b>AS</b> Arsenic 33	122 <b>Sb</b> Antimony 51	209 Bismuth 83		167 Er Erbium 68	Fermium 100
	N		12 C Carbon 6 28 28 Silicon	73 <b>Ge</b> Germanium 32	119 <b>Sn</b> 50	207 <b>Pb</b> 82 <sup>Lead</sup>		165 <b>Ho</b> Holmium 67	Einsteinium
	=		11 5 Boron 5 27 27 Auminium 13	70 <b>Ga</b> 31	115 <b>In</b> Indium 49	204 <b>T 1</b> 81		162 Dysprosium 66	Celifornium Californium
				65 <b>Zn</b> 30	112 Cadmium 48	201 Hg <sup>Mercury</sup>		159 <b>Tb</b> <sup>Terbium</sup> 65	BK Berkelium
				64 Copper 29	108 <b>Åg</b> Silver	197 <b>Au</b> 79 Gold		157 <b>Gd</b> Gadolinium 64	Corrium Courium
Group				59 Nickel 28	106 Pd Palladium 46	195 Pt 78		152 Eu 63	Americium
			_	59 <b>Co</b> 27	103 <b>Rh</b> odium 45	192 <b>Ir</b> 77		150 Samarium 62	
		Hydrogen	_	56 F <b>e</b> Iron 26	101 <b>Ruthenium</b> 44	190 <b>OS</b> <sup>Osmium</sup> 76		Promethium 61	Neptunium
				55 Mn Manganese 25	Tc Technetium 43	186 <b>Re</b> Rhenium 75		144 Neodymium 60	Uranium U
				52 Chromium 24	96 Molybdenum 42	184 <b>V</b> Tungsten 74		141 Pr Praseodymium 59	Protactinium
				51 Vanadium 23	93 Niobium 41	181 <b>Ta</b> 73		140 <b>Ce</b> Cerium 58	232 Thorium
				48 Titanium 22	91 Zr Zirconium 40	178 Hafnium 72		1	a = relative atomic mass X = atomic symbol b = proton (atomic) number
			· · · · · ·	45 Scandium 21	89 Yttrium	139 Lanthanum 57 *	Actinium 89 †	d series series	a = relative atomic mass X = atomic symbol b = proton (atomic) numb
	=		9 Beryllium 4 24 Magnesium	40 Calcium 20	88 Strontium 38	137 <b>Ba</b> 56 226	Radium 88	*58-71 Lanthanoid series 190-103 Actinoid series	• × ∞
	_		Lithium 3 23 23 23 23 23 23 23 23 23 23 23 23 2	39 <b>K</b> Potassium 19	85 <b>Rb</b> Rubidium 37	133 <b>CS</b> Caesium 55	<b>Fr</b> Francium 87	8-71 L 0-103	ہ Key

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.