

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME		
CENTRE NUMBER		CANDIDATE NUMBER
CO-ORDINATE Paper 3 (Extend Candidates ans		0654/33 May/June 2010 2 hours
No Additional M	aterials are required.	
Write in dark blu You may use a	re number, candidate number and name on all the work le or black pen. soft pencil for any diagrams, graphs, tables or rough wo les, paper clips, highlighters, glue or correction fluid.	rking.
•	E IN ANY BARCODES.	For Examiner's Use
Answer all ques A copy of the Pe	tions. priodic Table is printed on page 24.	2
The number of	e examination, fasten all your work securely together. marks is given in brackets [] at the end of each questi	on or part
question.		4
		5
		6
		8

This document consists of 23 printed pages and 1 blank page.

WWW.XTREMEPAPERS.NET



UNIVERSITY of CAMBRIDGE International Examinations 9


Total

BLANK PAGE

0654/33/M/J/10

1	(a)	Nai	me the proteins that carry out each of the following functions.	For Examiner's Use
		(i)	transports oxygen inside red blood cells [1]	
		(ii)	reduces the level of glucose in the blood if it goes too high	
			[1]	
		(iii)	catalyses the reaction that breaks down starch to maltose	
			[1]	
		(iv)	attaches to antigens, making it easier for phagocytes to destroy them	
			[1]	
	(b)		en a person eats more protein than can be immediately used in the body, the cess protein is broken down to produce the waste product urea.	
		(i)	Name the organ in which urea is produced. [1]	
		(ii)	Describe how urea is removed from the body. You do not need to give any details of what happens in a kidney tubule.	
			[3]	
	(c)		ggest how a nitrogen atom in a molecule of nitrogen gas in the atmosphere, could come part of a protein in a person's body.	
			[4]	

2 The industrial electrolysis of concentrated sodium chloride solution (brine) produces three important chemicals, **X**, **Y** and **Z**, as shown in Fig. 2.1.






(a) Write the names or chemical formulae of X, Y and Z.



(b) Fig. 2.2 shows a diagram of one atom of chlorine.





(i) Every electron has a negative electrical charge.

Explain why the chlorine atom does not have an overall electrical charge.

[2]

For Examiner's

Use

[2]

0654/33/M/J/10

WWW_XTREMEPHPERS_NET

(ii) Describe, in terms of electrons, what happens when a chlorine atom bonds with an atom of the metallic element potassium. You may wish to draw diagrams to help you answer this question.

For Examiner's Use

0654/33/M/J/10

(c) A sweetener such as sucrose, $C_{12}H_{22}O_{11}$, (sugar) is sometimes added to food and drinks to make them taste sweeter.

Sucralose, $C_{12}H_{19}O_8Cl_3$, is a synthetic compound which is used in some other types of sweetener.

Verisweet is a sweetener which contains sucralose mixed with other compounds.

Some information about sucrose and Verisweet is shown in Table 2.1.

Table 2.1

sweetener	mass in a typical spoonful/g	kilojoules per 100 g
sucrose	5.0	1700
Verisweet	0.5	1600

A typical spoonful of Verisweet tastes as sweet as an identical spoonful of sucrose.

(i) Verisweet contains 1% by mass of sucralose.

Calculate the mass of sucralose in a typical spoonful of Verisweet weighing 0.5g.

[1]

(ii) Use your answer to (i) to calculate the number of moles of sucralose in a typical spoonful of Verisweet.

Show your working.

[3]

© UCLES 2010

0654/33/M/J/10

WWW_XTREMEPHPERS_NET

(iii) A typical spoonful of sucrose contains 85 kilojoules.							
	Calculate the number of kilojoules in a typical spoonful of Verisweet.	Examiner's					
	[1]						
(iv)	Verisweet is much more expensive than sucrose.						
	Suggest why some people might choose to use Verisweet rather than sucrose.						
	[2]						

(a) Describe how heat energy from a nuclear reactor is used to produce electricity.
For Examiner's Use
(b) Describe two advantages of a nuclear power station over a coal-burning power station.
1
2
[2]

- (c) A transformer at a power station steps up the voltage from 25000 V to 400000 V.
 - (i) Use the equation

3

 $\frac{Vp}{Vs} = \frac{Np}{Ns}$

to calculate the number of turns on the primary coil if there are 20000 turns on the secondary coil.

Show your working.

8

0654/33/M/J/10

(ii)	Explain why electricity is transmitted at such a high voltage.
	e of the waste products formed in nuclear power stations is the isotope ontium-90. Details of this isotope of strontium are:
	nucleon (mass) number 90 proton (atomic) number 38 half-life 28.8 years
	ontium-90, like other waste products from nuclear reactors, has been produced by clear fission.
(i)	State what happens to atoms during nuclear fission.
	[1]
(ii)	Use the information about strontium-90 to work out:
	the number of protons in a strontium-90 atom,
	the number of neutrons in a strontium-90 atom. [2]
(iii)	Strontium-90 decays by beta particle emission.
	Use the copy of the Periodic Table on page 24 to deduce the identity of the element formed when strontium-90 atoms decay.


0654/33/M/J/10

[Turn over

For Examiner's Use

For Examiner's Use

4 (a) Fig. 4.1 shows how light intensity affects the rate of photosynthesis of a plant.






Fig. 4.2

0654/33/M/J/10

WWW_XTREMEPAPERS_NET

	(i)	Leaf B has larger palisade cells than leaf A .	For
		Suggest an advantage of this to the tree.	Examiner's Use
	(ii)	Describe two ways, other than the size of the palisade cells, in which leaf B differs from leaf A .	
		1	
		2	
		[2]	
	(iii)	Describe how carbon dioxide travels to a palisade cell in a leaf.	
		١٥٦	
		[3]	
(c)	The	differences between leaf A and leaf B are an example of variation.	
	Stat	e whether this variation is caused by	
	•	genes,	
	•	the environment,	
	•	both genes and environment together.	
	Exp	lain your answer.	
	cau	se of variation	
	exp	lanation	
	•••••	[2]	

0654/33/M/J/10

13

5 (a) Solutions of substances in water are acidic, neutral or alkaline.


Choose pH values from the list to complete Table 5.1.

list of pH values 2 5 7

Table 5.1

liquid	description	рН
sodium chloride solution	neutral	
acid rain	weakly acidic	

(b) A student used the apparatus shown in Fig. 5.1 to investigate the reaction between dilute hydrochloric acid and magnesium.




- Fig. 5.1
- At the start of the experiment, the inverted measuring cylinder was full of water.
- The student started the reaction by dropping a weighed piece of magnesium into a known volume of dilute hydrochloric acid.
- She replaced the bung and started a stopwatch.
- She recorded the time taken for gas to collect in the inverted measuring cylinder.
- Her results are shown as a graph in Fig. 5.2.

0654/33/M/J/10

WWW.XTREMEPHPERS.NET

[2]

For Examiner's Use



(i) Write a balanced symbolic equation for the reaction between magnesium and dilute hydrochloric acid.

13

[3]

(ii) Explain, in terms of collisions between particles, why the rate of the reaction is greatest near the beginning, and then slows down.

[3]

(iii) The student carried out a second experiment in which she used dilute hydrochloric acid that had a higher temperature. She kept all of the other reaction conditions the same as in the first experiment.

On the graph in Fig. 5.2, sketch a line which the student might obtain when she plots the results of this second experiment. [2]

0654/33/M/J/10

[Turn over

NWW_XTREMEPAPERS_NET

6	(a)	(i)	A block of metal has a mass of 720 g and a volume of 80 cm ³ .	For Examiner's
			Calculate the density of the block.	Use
			State the formula that you use and show your working.	
			formula	
			working	
			WORKING	
			[2]	
		(ii)	The block has a specific heating capacity of 400 J/kg °C. It is heated and the temperature rises by 50 °C.	
			Calculate the minimum amount of energy required to do this.	
			State the formula that you use and show your working.	
			formula	
			working	
			[3]	
		(iii)	A force of 100 N acts on this block.	
			Calculate the acceleration of the block.	
			State the formula that you use and show your working.	
			formula	
			working	
			working	
			[2]	
				•

0654/33/M/J/10

(b) A student tested the block to see if it conducted electricity.

Draw a simple circuit which the student could build for this purpose. Use the correct circuit symbols.

For Examiner's Use

[2]

0654/33/M/J/10

7 (a) Fig. 7.1 shows a motor neurone.




 Fig. 7.1

 (i) Use a label line and the appropriate letter to label each of these structures:

 A axon,

 B nucleus of neurone.
 [2]

 (ii) A motor neurone may be part of a reflex arc.

 Describe the role of a motor neurone in a reflex arc.

 (iii) (ii) (iii) (


For Examiner's Use

0654/33/M/J/10

WWW_XTREMEPAPERS_NET

(b) Sprinters need fast reflexes to make a good start in a 100 m race. The time between the starting gun being fired and the runner pushing off from the starting blocks is known as the reaction time.

For Examiner's Use





The reaction time is made up of:

- the time taken for the sound from the starting gun to reach the runner's ear,
- plus the time taken for a nerve impulse to pass from the ear to the brain,
- plus the time taken for a nerve impulse to pass from the brain to the leg muscles.
- (i) A runner in lane 1 is 2 m from the starting gun. Sound travels at 330 m/s.

Calculate the time taken for the sound to reach the runner's ear.

Show your working.

......[2]

0654/33/M/J/10

WWW XTREMEPH

[Turn over

Table 7.1 shows the reaction times of the runners in lane 1 and lane 8 in the heats (qualifying races) for a 100 m race.

For Examiner's Use

	heat 1	heat 2	heat 3	heat 4	heat 5	heat 6	heat 7	heat 8
lane 1	0.133	0.146	0.170	0.160	0.186	0.176	0.149	0.147
lane 8	0.228	0.223	0.188	0.195	0.178	0.199	0.163	0.167

Table 7.1

(ii) Draw a ring around the heat that shows anomalous results.

[1]

(iii) Describe the relationship between the reaction time and the lane.

Use your answer to (b)(i) to suggest an explanation for this relationship.

relationship ______ explanation ______[2]


(c) Nerve impulses pass along neurones from the brain to the leg muscles at about 70 m/s.

Suggest whether this is likely to produce a significant difference between the reaction times of a runner who is 1.9 m tall and a runner who is 1.6 m tall.

Explain your answer.



0654/33/M/J/10



8

(a) A racing car is being driven in a race.

© UCLES 2010


0654/33/M/J/10

WWW_XTREMEPAPERS_NET

[Turn over

(b) A wheel on a car needs changing. Fig. 8.2 shows a spanner being used to turn a wheel nut.

For Examiner's Use



0654/33/M/J/10

WWW_XTREMEPAPERS_NET

(c) During a race the air in the tyre is at a temperature of 400 K and a pressure of 120000 N/m^2 . After the race, the air in the tyre cools down to a temperature of 300 K.

Calculate the new air pressure in the tyre.

State the formula that you use and show your working.

formula

working

[3]

For

Examiner's Use


21

0654/33/M/J/10

[Turn over

9 Fig. 9.1 shows part of the water cycle.

Arrow **Q** shows where rain is falling. The rainwater collects in streams and rivers which flow over rocks in the Earth's crust.






(a) Describe the processes which are represented by arrow P in Fig. 9.1.

[2]

(b) Water molecules contain the elements hydrogen and oxygen.

Complete the bonding diagram below to show

- the chemical symbols of the elements in a molecule of water,
- the arrangement of the outer electrons of each atom.



[2]

For Examiner's Use

22

0654/33/M/J/10

WWW_XTREMEPAPERS_NET

(c) Fig. 9.2 shows a simplified diagram of a machine for washing dishes (dishwasher) which is used in a hard water area.

For

Examiner's Use




Fig. 9.2

In this machine, the water which is to be used to clean the dishes is first passed through an ion-exchange resin. The water is then heated to a high temperature by the electrical heating element.

(i) One type of hardness in water may be removed simply by boiling.

State the name or chemical formula of the compound which causes this type of hardness.

[1]

(ii) Describe, in terms of ions, what happens when the cold hard water flows through the ion-exchange resin.

(iii) Explain why it is important that the water passes through the ion-exchange resin before it enters the dishwasher.

23

0654/33/M/J/10

WWW_XTREMEPHPERS_NET

	0	4 Helium 2	20 Neon 10	Ar Argon 18	84	Krypton 36	131	Xenon	54	Rn	Radon 86		175	Lutetium 71	د	Lawrencium 103
	II>		9 35.5 35.5	Chlorine	80	Bromine 35	127	-	53	At	Astatine 85		173 Vh	Ytterbium 70	Ň	Nobelium 102
	>		32 ^{Oxygen} 33	Sultur 16	62	Selenium 34	128		52	Ро	Polonium 84		169 Tm		Md	Mendelevium 101
	>		14 7 Nitrogen 31	Phosphorus 15	75	Assenic 33	122	Sb Antimony	51	Bi	Bismuth 83		167 F	Erbium 68	Fm	Fermium 100
	2		6 Carbon 6 28	Silicon	73	Ge Germanium 32	119	Sn ⊧	50	Pb	Lead 82		165 HO	Holmium 67	Es	Einsteinium 99
	≡		11 5 ^{Boron} 27	Aluminium 13	70	Ga Gallium 31	115	In Indium	49	τ <i>ι</i>	Thallium 81		162	Dysprosium 66	ŭ	Californium 98
					65	Zn ^{Zinc}	112	Cadmium Cadmium	48	Hg	Mercury 80		159 T	Terbium 65	Bk	Berkelium 97
					64	Copper 29	108	Ag Silver	47	Au	Gold 79		157 GA	Gadolinium 64	C	
Group					59	Nickel 28	106	Pd Palladium	46	5	Platinum 78		152 F	Europium 63	Am	Americium 95
Ğ			_		59	Cobalt ²⁷	103	Rhodium Rhodium	45	Ir	Iridium 77		150 Cm	_	Pu	E
		¹ Hydrogen			56	Fe Iron 26	101	Ruthenium	44	0 S	Osmium 76		2 M	Promethium 61	dN	Neptunium 93
					55	Manganese 25			43	Re Be	Rhenium 75		144 N	ž 09		Uranium 92
					52	Chromium 24	96	Molybdenum	42	⁵⁸	Tungsten 74		141 Dr	Praseodymium 59	Ра	Protactinium 91
					51	V Vanadium 23	93	Niobium	41	Ta	Tantalum 73		140 C	Cerium 58	²³² Th	Thorium 90
					48	Titanium 22	91	Zrconium	40	Hf	Hafnium 72				nic mass bol	nic) number
					45	Scandium 21	89	Yttrium	39	La	Lanthanum 57 *	227 Act 89	series	eries	a = relative atomic mass X = atomic symbol	b = proton (atomic) number
	=		9 Beryllium 24	Mg Magnesium 12	40	Calcium 20	88	Sr rontium	38	Ba	Barium 56	226 Ra Radium 88	*58-71 Lanthanoid series	†90-103 Actinoid series	× a	= q
		1				Potassium 19		Rb Rubidium		Cs Cs	Caesium	Fr Francium	Ľ	3		q

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© UCLES 2010

0654/33/M/J/10

WWW.XTREMEPAPERS.NET

24