



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

| CANDIDATE NAME | | | | |
|-------------------|--|---------------------|--|--|
| CENTRE NUMBER | | CANDIDATE NUMBER | | |

CO-ORDINATED SCIENCES

0654/23

Paper 2 (Core)

October/November 2010

2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 24.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

| | For Exam | iner's Use |
|---|----------|------------|
| | 1 | |
| t | 2 | |
| L | 3 | |
| | 4 | |
| | 5 | |
| | 6 | |
| | 7 | |
| | 8 | |
| | 9 | |
| | 10 | |
| | Total | |
| | | |

This document consists of 22 printed pages and 2 blank pages.



1 Fig. 1.1 shows a section through the human thorax.






Fig. 1.1

| (8 | a) | On the diagram, | use label | lines to I | abel each of | of the fo | llowing | structures |
|----|----|-----------------|-----------|------------|--------------|-----------|---------|------------|
| | | | | | | | | |

the trachea

the heart

1

5

a bronchiole [3]

(b) List the structures through which blood passes as it flows from the heart to the lungs and back to the heart again.

Choose from these words:

aorta artery capillaries left atrium left ventricle pulmonary artery pulmonary vein right atrium right ventricle vena cava

The first structure has been done for you.

| 1 | right ventricle |
|---|-----------------|
| 2 | |
| 3 | |
| 4 | |
| | |


[4]


| (c) | Describe how the blood transports oxygen. | Ex |
|-----|---|----|
| | | |
| | | |
| | [2] | |
| (d) | Describe how oxygen is supplied to a developing fetus in its mother's uterus. | |
| | | |
| | | |
| | [3] | |

2 In electrochemical cells (batteries), electrical energy is obtained from chemical reactions.

For Examiner's Use

(a) Fig. 2.1 shows some uses of electrochemical cells.





torch (flashlight)

Fig. 2.1

| (i) | Electrochemical cells like those in Fig. 2.1 have to be replaced when they have stopped working. |
|------|--|
| | Explain briefly what has happened inside the cells to cause them to stop working. |
| | [1 |
| (ii) | State one reason why different cells are used in the watch and the torch (flashlight). |
| | [1] |

(b) Some types of digital clocks use electrical energy which is obtained from an electrochemical cell. These cells can be made by placing metal electrodes into a potato.

For Examiner's Use

Fig. 2.2 shows a simplified diagram of such a clock.




Fig. 2.2

| (i) | Suggest why a potato can be used as part of an electrochemical cell. | |
|------|--|---------|
| | | [1] |
| (ii) | State how the voltage supplied by the cell can be changed. | |
| | | [1] |

(c) Some modern cars, known as hybrids, have two engines.

For Examiner's Use

In one of these engines, hydrocarbon fuel is burnt to provide the energy required to move the car. In the other, electrical energy is provided by a powerful electrochemical cell.

| At I | lower speeds, the electric engine drives the car and the other engine is switched | off. |
|------|---|-----------------|
| (i) | Name a liquid hydrocarbon which is used as car fuel. | |
| | | [4 ⁻ |

| | | [1] |
|-------|--|-----|
| (ii) | Name the process which is used to separate car fuel from petroleum. | |
| | | [1] |
| (iii) | Name two compounds which are produced when hydrocarbon fuel is burnt in a cengine. | car |
| | 1 | |
| | 2 | [2] |
| (iv) | Suggest why air pollution in towns and cities might be reduced if hybrid careplaced ordinary cars. | ars |
| | | |
| | | |
| | | |
| | | |

© UCLES 2010 0654/23/O/N/10

| | tudent wrote down some properties of alp aw a line from each property to the correc | - - |
|-------|--|---|
| | property | radiation |
| | has no charge | |
| | has no mass | alpha |
| | passes through paper but stopped by a few millimetres of aluminium | |
| | passes through several centimetres of lead | beta |
| | contains positively charged particles | gamma |
| | stopped by paper | |
| | | [3] |
| Alp | ha, beta and gamma radiations are know | n as ionising radiations. |
| (i) | Explain the meaning of the term ionising | g radiation. |
| | | [1] |
| (ii) | Explain why alpha radiation is more effe | ective at ionising than beta radiation. |
| | | [1] |
| (iii) | State two effects of ionising radiation or | n the human body. |
| | 1 | |
| | 2 | [2] |

0654/23/O/N/10 [Turn over © UCLES 2010

4 Nitrogen compounds in soil are taken up by growing crops.

For Examiner's Use

Fig.4.1 shows two ways in which nitrogen compounds may be added to soil used for growing crops.




Fig. 4.1

| (a) | (i) | State the meaning of the term <i>nitrogen fixation</i> . |
|-----|-------|---|
| | | [1] |
| | (ii) | Outline one way in which nitrogen fixation occurs. |
| | | |
| | | [2] |
| (| (iii) | Explain why nitrogen molecules taken directly from the air cannot be used by most growing crops. |
| | | |
| | | [1] |

(b) Table 4.1 shows how much of three elements, nitrogen, phosphorus and potassium, was removed from the soil by different crops. In this table, the elements are shown by their chemical symbols.

Table 4.1

| | mass removed in kg/hectare | | | | |
|------------|----------------------------|----|-----|--|--|
| crop | N | Р | К | | |
| oats | 72 | 13 | 18 | | |
| sugar beet | 86 | 14 | 302 | | |
| wheat | 115 | 22 | 26 | | |

| (i) | State the crop in Table 4.1 which took up the highest mass of potassium per hectare. |
|------|---|
| | [1] |
| (ii) | The sugar beet was planted in a field of 2.5 hectares. |
| | Calculate the combined mass of nitrogen and phosphorus taken up by the crop of sugar beet. |
| | Show your working. |
| | |
| | |
| | |
| | |
| | kg [1] |

For Examiner's Use

| | | e nitrogen in NPK fertiliser exists in the form of compounds such as the salts monium nitrate, NH ₄ NO ₃ , and diammonium phosphate, (NH ₄) ₂ HPO ₄ . | | | | |
|------------|--|---|-----|--|--|--|
| A | ٩m | monium nitrate is made by reacting ammonia with nitric acid. | | | | |
| (| (i) | Name the type of chemical reaction which occurs between ammonia and nitric acid. | | | | |
| | | [| | | | |
| (1 | (ii) State the total number of atoms which are shown combined in the formula diammonium phosphate. | | | | | |
| | | | [1] | | | |
| (ii | ii) | Describe a chemical test to show whether a solution contains ammonium ions. | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | [3] | | | | | |
| (d) S | Sta | rch molecules are polymers of glucose. | | | | |
| | (i) Draw a small section of a molecule of starch, using the symbol | | | | | |
| | — G to represent a glucose molecule. | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | [1] | | | | | |
| (i | ii) | Name the elements that are combined in glucose. | | | | |
| | [1] | | | | | |

© UCLES 2010 0654/23/O/N/10

BLANK PAGE

Please turn over for Question 5.

WWW.XTREMEPAPERS.NET

5 (a) A student investigated the relationship between the potential difference across a lamp and the current in the lamp.

| (i) | List the apparatus she would need to carry out this investigation. |
|-----|--|
| | |
| | |
| | [2] |

Fig. 5.1 shows a graph of the results of this investigation.




Fig. 5.1

| (ii) | Calculate the resistance of the lamp when the current was 0.6A. | For Examiner's | | |
|---------|--|----------------|--|--|
| | State the formula that you use and show your working. | | | |
| | formula used | | | |
| | working | | | |
| | | | | |
| | | | | |
| | | | | |
| | ohms [2] | | | |
| (b) (i) | The generator at a power station supplies a current of 50 A at a voltage of $25000\mathrm{V}$. | | | |
| | Use the formula | | | |
| | power = voltage × current | | | |
| | to calculate the power output of the generator. | | | |
| | Show your working. | | | |
| | | | | |
| | | | | |
| | | | | |
| | W [1] | | | |
| (ii) | Electrical energy is transmitted along cables at a very high voltage of 400 000 V. | | | |
| | Explain how this reduces the cost of supplying the electricity. Use the ideas of energy loss and current in your answer. | | | |
| | | | | |
| | | | | |
| | | | | |
| | [3] | | | |
| (iii) | State two properties of aluminium which make it suitable for overhead power cables. | | | |
| | 1 | | | |
| | 2 [2] | | | |

6 Fig. 6.1 shows two plant cells. One has been placed in a blue dye and the other in a red dye.





Fig. 6.1

| | G | | | | |
|---------|--|-----|--|--|--|
| (a) (i) | Name the part of the cell that has been stained by each dye. | | | | |
| | he blue dye | | | | |
| | he red dye | | | | |
| (ii) | Which dye(s) has passed through a cell membrane? Tick the correct box. | | | | |
| | neither blue or red | | | | |
| | both blue and red | | | | |
| | blue only | | | | |
| | red only | | | | |
| (iii) | Which dye(s) would stain part of an animal cell? Tick the correct box. | | | | |
| | neither blue or red | | | | |
| | both blue and red | | | | |
| | blue only | | | | |
| | red only | [1] | | | |

| (b) (| (i) | Cells from the palisade layer of a leaf contain structures not shown in Fig. 6.1. | | | |
|------------|-----|---|--|--|--|
| | | These structures contain a green pigment that absorbs energy from sunlight. This energy is used to help the plant to make its own food. | | | |
| | | On the cell in blue dye in Fig. 6.1, draw and name one of these structures. [2] | | | |
| (i | ii) | Describe how a plant makes its own food. | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | [3] | | | |
| (ii | ii) | Explain how the process you have described in (ii) benefits animals. | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | [3] | | | |

(a) Fig. 7.1 shows the athlete's speed during the race.



| | | | time/s | | |
|-----|----------|---|----------|-----|--|
| | Fig. 7.1 | | | | |
| | (i) | Describe the athlete's motion between B and C . | | | |
| | | | | | |
| | | | | [1] | |
| | (ii) | Describe the athlete's motion between C and D . | | | |
| | | | | | |
| | | | | [1] | |
| (b) | Со | mplete the sentence by choosing suitable words. | | | |
| | As | the athlete runs, the energy in the food he h | as eaten | l | |
| | cha | anges to energy and heat energy. | | [2] | |
| (c) | At 1 | the end of the race, evaporation helps to cool the athlete. | | | |
| | (i) | Use the idea of particles to explain how evaporation helps the athlete to | cool dov | vn. | |
| | | | | | |
| | | | | | |
| | | | | [2] | |

| (ii) | At the end of a long race, an athlete may be wrapped in a shiny foil blanket to prevent him cooling down too quickly. | 0 Ex |
|------|---|--------|
| | Explain how the shiny foil blanket helps reduce energy losses. Use ideas about conduction, convection and radiation in your answer. | ıt |
| | | |
| | | |
| | [3 | 3] |

| 3 (a | | | disease cystic fibrosis is caused by a recessive allele, ${\bf f}$, of a gene. The symbol for normal, dominant allele is ${\bf F}$. | For Examiner's Use |
|------|-----|----|---|--------------------------|
| | (| i) | State the genotype of a person with cystic fibrosis. | |
| | | | [1] | |
| | (i | i) | State the phenotype of a person who is heterozygous for cystic fibrosis. | |
| | • | • | [4] | |
| | | | | |
| | (ii | | Explain why a person who has the alleles FF cannot have a child with cystic fibrosis. | |
| | | | You can use a genetic diagram as part of your answer if it helps your explanation. | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | [3] | |
| (1 | • | | erson with cystic fibrosis often has a blockage of the duct that leads from the creas into the alimentary canal. | |
| | | | s duct usually carries pancreatic juice, which contains the enzymes amylase, lease and lipase. | |
| | (| i) | Describe the function of amylase. | |
| | | | | |
| | | | [2] | |
| | (i | i) | Explain why a person with a blocked pancreatic duct will not be able to absorb as many nutrients from their food as a person with a normal pancreatic duct. | |
| | | | | |
| | | | | |
| | | | [2] | |

© UCLES 2010 0654/23/O/N/10 **9** Fig. 9.1 shows the driving force and frictional force acting on a car of mass 1200 kg travelling at a constant speed of 18 m/s.

For Examiner's Use

[1]




Fig. 9.1

| 4 | ۱۵۱ | /:\ | Calculate the | diatanaa t | المالمين | n ana minuta |
|---|-----|-----|---------------|-------------|------------|--------------|
| 1 | aj | (1) | Calculate the | uistarice t | iavelleu i | n one minute |

| | | m | [1] |
|------|---|-------|-----|
| (ii) | Calculate the work done by the driving force in one min | nute. | |
| | State the formula that you use and show your working. | | |
| | formula used | | |
| | working | | |
| | | | |
| | | | |
| | | | |
| | | J | [2] |
| | | | |

(b) Explain, in terms of forces, why the car is travelling at a constant speed.

(c) Fig. 9.2 shows a car on a hydraulic lift in a garage. The total weight being lifted is 18 000 N. The lift uses four large pistons. Each large piston has an area of 0.03 m². The smaller piston **X** has an area of 0.01 m².



| | Fig. 9.2 | |
|-------|---|-----|
| (i) | Calculate the total area of the four large pistons. | |
| | m² | [1] |
| (ii) | Use the formula | |
| | pressure = force / area | |
| | to calculate the pressure in the hydraulic fluid used in the lift. | |
| | Show your working. | |
| | | |
| | | |
| | N/m² | [1] |
| (iii) | This pressure is caused by piston X . | |
| | Calculate the minimum force which piston X must exert to lift the car. | |
| | Show your working. | |
| | | |
| | | |
| | N | [2] |

BLANK PAGE

Please turn over for Question 10.



10 Table 10.1 shows some properties of five elements, **P** to **T**. The code letters are **not** the chemical symbols of the elements.

For Examiner's Use

Table 10.1

| element code letter | melting point /°C | boiling point /°C | conduction of electricity | number of outer electrons in an atom | |
|------------------------|----------------------|----------------------|---------------------------|--|--|
| P | -89 | -186 | insulator | 8 | |
| Q | 650 | 1090 | conductor | 2 | |
| R | -7 | 58 | insulator | 7 | |
| s | 181 | 1342 | conductor | 1 | |
| Т | -220 | -188 | insulator | 7 | |

Answer the following questions, using **only** the elements shown in the table.

| (a) | (i) |) State and explain which elements are from the same group of the Periodic Tab | | |
|-----|---|---|-----|--|
| | | elements | | |
| | | explanation | | |
| | | | [1] | |
| | (ii) State and explain which elements are metals. | | | |
| | | elements | | |
| | | explanation | | |
| | | | [1] | |
| | (iii) | State and explain which elements are gases at a room temperature of 20 °C. | | |
| | | elements | | |
| | | explanation | | |
| | | | [1] | |

(b) Fig. 10.1 shows atoms of the two elements **R** and **S**. Only the outer electron shells are shown.

For Examiner's Use




Fig. 10.1

When element ${\bf R}$ reacts with element ${\bf S}$ the atoms of both elements change and become **ions**.

| (i) | Describe, in terms of electrons, how an atom of element ${\bf S}$ would change into an ion. | | | |
|---|--|--|--|--|
| | | | | |
| | [1] | | | |
| (ii) | Predict and explain whether the compound formed between elements ${\bf S}$ and ${\bf R}$ is likely to be a solid, liquid or gas at room temperature. | | | |
| | Explain your answer. | | | |
| | state | | | |
| | explanation | | | |
| | | | | |
| | [3] | | | |
| The element bromine is produced when compounds dissolved in seawater react with chlorine. | | | | |
| The | word equation for a typical reaction producing bromine is shown below. | | | |
| | chlorine + sodium bromide → sodium chloride + bromine | | | |
| (i) | State the colour change which would show that bromine is produced in this reaction. | | | |
| | [1] | | | |
| (ii) | Explain briefly, in terms of reactivity, why these reactants produce bromine. | | | |
| | | | | |

(c)

DATA SHEET
The Periodic Table of the Elements

| | 0 | 4 He Helium | 20 Ne Neon 10 Ar Argan 18 | 84 K rypton 36 | 131 Xe Xenon | Rn Radon 86 | | 175 Lu Lutetium 71 | Lr Lawrencium 103 |
|-------|-------------|--------------------|--|----------------------------------|-------------------------------------|------------------------------------|----------------------------------|---|---|
| | II / | | 19 Fluorine 9 35.5 C1 | 80 Br Bromine | | At Astatine 85 | | Yb Ytterbium | Nobelium |
| | IN | | 16 Oxygen 8 32 Sulfur 16 | Selenium Selenium 34 | | Po Polonium 84 | | 169 Tm Thulium | Md Mendelevium 101 |
| | > | | 14 Nitrogen 7 31 9 Phosphorus 15 | 75 AS Arsenic 33 | Sb Antimony 51 | 209 Bi Bismuth 83 | | 167 Er Erbium 68 | Fm Fermium |
| | Λ | | 12 Carbon 6 Silicon 14 | 73 Ge Germanium | 119 Sn Tin 50 | 207 Pb Lead 82 | | 165 Ho Holmium 67 | |
| | ≡ | | 11 B Boron 5 27 A1 Aluminium | 70 Ga Gallium 31 | 115 In Indium | 204 T t Thallium | | 162 Dy Dysprosium 66 | Cf Californium 98 |
| | | | | 65 Zn Zinc 30 | Cd Cadmium 48 | Hg Mercury 80 | | 159 Tb Terbium 65 | BK Berkelium 97 |
| | | | | 64 Copper | 108 Ag Silver 47 | 197 Au Gold | | 157 Gd Gadolinium 64 | Cm Curium 96 |
| dno | | | | 59 X Nickel 28 | 106 Pd Palladium 46 | 195 Pt Platinum 78 | | 152 Eu Europium 63 | Am Americium |
| Group | | | | 59 Co Cobalt 27 | 103 Rh Rhodium 45 | 192 I r Iridium | | Samarium 62 | Pu Plutonium 94 |
| | | Hydrogen 1 | | 56 Fe Iron 26 | 101 Ru Ruthenium 44 | 190 Os Osmium 76 | | Pm Promethium 61 | Neptunium |
| | | | | Manganese | Tc Technetium 43 | 186 Re Rhenium 75 | | 144 Nd Neodymium 60 | 238 U Uranium 92 |
| | | | | Cr Chromium 24 | Molybdenum | 184 W Tungsten 74 | | Pr Praseodymium 59 | Pa Protactinium 91 |
| | | | | 51 Vanadium 23 | 93 Nb Niobium | 181 Ta Tantalum 73 | | 140 Ce Cerium | 232 Th Thorium |
| | | | | 48 T tranium 22 | 2r Zrconium 40 | 178 Hf Hafnium 72 | | | nic mass bol nic) number |
| | | | | Scandium 21 | 89 ≺ Yttrium | 139 La Lanthanum 57 * | 227 AC Actinium 89 | Series | a = relative atomic mass X = atomic symbol b = proton (atomic) number |
| | = | | Beryllium 4 24 Magnesium 12 | 40 Ca Calcium | Sr Strontium | 137 Ba Barium 56 | 226 Ra Radium 88 | *58-71 Lanthanoid series 190-103 Actinoid series | œ × ö |
| | _ | | 7 | 39 K Potassium | Rubidium 37 | Caesium 55 | Fr Francium 87 | *58-71 L | Key |

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.