



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

CANDIDATE
NAME

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--	--

* 8 8 1 3 0 0 1 3 3 7 *

CO-ORDINATED SCIENCES

0654/32

Paper 3 (Extended)

October/November 2010

2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

A copy of the Periodic Table is printed on page 28.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use	
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
Total	

This document consists of **25** printed pages and **3** blank pages.



- 1 (a) Fig. 1.1 shows apparatus used in the electrolysis of copper chloride solution.




Fig. 1.1

- (i) Describe what is observed at the cathode.

..... [1]

- (ii) Chloride ions have a single negative electrical charge, Cl^- .

For every copper ion in the solution, two chloride ions are present.

Deduce the electrical charge of a copper ion.

Show how you obtained your answer.

..... [2]

- (iii) Fig. 1.2 shows diagrams of two particles **L** and **M**. Each of these particles have 17 protons in their nucleus. Only the outer shell of each particle is shown.

For
Examiner's
Use




Fig. 1.2

State and explain which one of these particles, **L** or **M**, would move towards the anode during electrolysis.

particle


.....

.....

..... [2]

- (iv) The bubbles of gas which rise from the anode contain diatomic molecules of chlorine.

Complete the bonding diagram below to show how the outer electrons are arranged in a chlorine molecule.



[2]

- (b) The apparatus shown in Fig. 1.3 can be used to investigate the reaction between lead oxide, PbO, and carbon.

For
Examiner's
Use




Fig. 1.3

When the mixture is heated, a redox reaction occurs in which lead oxide is reduced.

The drop of limewater suspended on the glass rod turns cloudy.

- (i) Name the gas which is produced in this redox reaction.

..... [1]

- (ii) Suggest the balanced symbolic equation for the redox reaction between lead oxide and carbon.

..... [2]

- (iii) A student suggested carrying out a similar redox reaction to that shown in Fig. 1.3, using potassium oxide instead of lead oxide.

Potassium is an alkali metal in Group 1 of the Periodic Table.

Predict and explain whether or not there would be a redox reaction between potassium oxide and carbon.

.....

 [2]

BLANK PAGE

Please turn over for Question 2.

2 (a) Fig. 2.1 shows an electric circuit.




Fig. 2.1

Complete Table 2.1 to show the reading on each ammeter.

Table 2.1

ammeter	current/ amps
A ₁	0.7
A ₂	
A ₃	
A ₄	0.3

[2]

(b) Fig. 2.2 shows how the current in a circuit varies with voltage.




Fig. 2.2

(i) Is Ohm's Law obeyed in this circuit?

Explain your answer.

.....

[1]

(ii) Predict the current in the circuit when the voltage is 13V.

Explain your answer.

.....
 [2]

(c) Fig. 2.3 shows a transformer.




Fig. 2.3

(i) Explain why the core of the transformer is made of iron.

.....

 [2]

(ii) The transformer has 10 000 turns on the primary coil and 1000 turns on the secondary coil.

The voltage across the primary coil is 200V.

Use the formula

$$V_p / V_s = N_p / N_s$$

to calculate the voltage across the secondary coil.

Show your working.

..... [1]

- 3 A healthy plant growing in a pot was watered and placed in a sunny window. A transparent plastic bag was placed over the plant, as shown in Fig. 3.1.

For
Examiner's
Use




Fig. 3.1

- (a) The temperature near the window fell overnight. The next morning, small droplets of water were visible on the inside of the plastic bag.

Explain why the droplets of water appeared on the inside of the plastic bag.

.....

.....

.....

.....

..... [4]

(b) The plastic bag was then removed from the plant. The next day was warm and sunny, and by the end of the day the plant had wilted. Fig. 3.2 shows the wilted plant.

For
Examiner's
Use




Fig. 3.2

(i) Explain why the plant wilted.

.....
.....
..... [2]

(ii) Explain why the main stem of the plant remained upright, even when the rest of the plant wilted.

.....
..... [1]

(iii) Fig. 3.3 shows a cell from the plant leaf before it wilted.




Fig. 3.3

In the space below, draw the same cell to show its appearance after the plant had wilted.

*For
Examiner's
Use*

[3]

BLANK PAGE

Please turn over for Question 4.

4 (a) Below is a list of some types of waves.

- | | | | |
|------------|-------------|---------------|-------|
| gamma | infra-red | microwave | sound |
| ultrasound | ultraviolet | visible light | |

State **one** wave from the list that is

- (i) a longitudinal wave, [1]
- (ii) emitted by hot objects but cannot be seen by the human eye,
..... [1]
- (iii) the transverse wave with the highest frequency.
..... [1]

(b) A sound wave has a frequency of 50 000 Hz.

(i) Explain the meaning of the term *frequency*.
.....
..... [1]

(ii) Explain whether a person would be able to hear this sound.
.....
..... [1]

(iii) Sound waves travel through the air at 330 m/s.

Calculate the wavelength of the sound wave.

State the formula that you use and show your working.

formula used

working

..... [3]

5 In many countries, river water is collected and treated to make it safe for humans to drink.

(a) Explain which **one** of the treatments shown below might **not** remove all the harmful bacteria from water which is to be used for drinking.

chlorination

distillation

filtration

treatment

.....
..... [1]

(b) Sometimes large numbers of tiny pieces of insoluble solid material become dispersed in river water, forming a colloid.

Fig. 5.1 shows a simplified diagram of a colloid.




Fig. 5.1

Explain in terms of light rays, why colloids are **not** transparent.

You may draw some light rays on Fig. 5.1 to help you to answer this question.

.....
.....
..... [2]

- (c) A chemist wanted to find the concentration in mol/dm^3 of sulfuric acid in a sample of acidic lake water.

For
Examiner's
Use

Fig. 5.2 shows the apparatus and materials that he used.




Fig. 5.2

The chemist slowly added 0.05 mol/dm^3 sodium hydroxide solution to 1.0 dm^3 of acidic lake water contained in a beaker until the acid had just been neutralised.

The chemist found that it required 12.5 cm^3 of 0.05 mol/dm^3 sodium hydroxide solution to neutralise the acid.

- (i) State the number of moles of sodium hydroxide which are dissolved in 1.0 dm^3 of the sodium hydroxide solution.


..... [1]

- (ii) Calculate the number of moles of sodium hydroxide which are dissolved in 12.5 cm^3 of the sodium hydroxide solution.

Show your working.

..... [2]

(iii) The balanced equation for the neutralisation reaction is



Calculate the number of moles of sulfuric acid which were contained in 1.0 dm³ of acidic lake water.

Show your working.

For
Examiner's
Use

..... [2]

6 Fig. 6.1 shows the speed-time graph for a car for the first 24 seconds of a journey.

For
Examiner's
Use




Fig. 6.1

(a) On the graph, label with an **A** a section when the car is accelerating. [1]

(b) Calculate the distance covered in the first 8 seconds.

Show your working.

..... [2]

(c) The mass of the car is 800 kg.

Calculate the kinetic energy of the car when travelling at its maximum speed on this journey.

State the formula that you use and show your working.

formula used

working

..... [3]

(d) When the speed of a car doubles, its momentum also doubles but its kinetic energy is four times greater.

Explain why.

.....
.....
.....
..... [2]

7 (a) Mammals are vertebrates. State **two** characteristic visible features of mammals that distinguish them from all other classes of vertebrates.

1

2 [2]

(b) Mammals are able to maintain a constant internal body temperature.

Describe how vasodilation helps to cool the body when it gets too hot.

.....

.....

.....

..... [3]

(c) The maintenance of a constant internal body temperature is part of homeostasis.

Homeostasis also includes the regulation of blood glucose concentration and the removal of toxic waste products, such as urea, from the body.

(i) Describe how blood glucose concentration is brought back to normal if it rises too high.

.....

.....

.....

..... [3]

- (ii) Urea is removed from the body dissolved in water, forming urine. Fig. 7.1 is an incomplete diagram of the kidneys and other organs involved in the removal of urea from the body.

For
Examiner's
Use




Fig. 7.1

Complete Fig. 7.1 by drawing and labelling:

- the renal arteries
- the renal veins
- the ureters
- the urethra

[4]

- 8 (a) A scientist uses a Geiger counter to measure radiation from a radioactive source.

Fig. 8.1 shows the graph of her results.




Fig. 8.1

Calculate the half-life of the radioactive source.

Show your working.

..... [2]

(b) Alpha radiation is a form of ionising radiation.

(i) Explain the meaning of the term *ionising radiation*.

.....
..... [1]

(ii) An alpha radiation source is **less** harmful to humans than a gamma radiation source if it is **outside** the body.

An alpha radiation source is **more** harmful than to humans than a gamma radiation source if it is **inside** the body.

Explain why.

.....
.....
..... [2]

(c) Nuclear fission and nuclear fusion are both sources of energy.

(i) Describe how these two processes differ.

.....
.....
..... [2]


(ii) There are safety concerns about the use of nuclear fission as an energy resource.

Describe and explain **one** of these safety concerns.

.....
.....
.....
..... [2]

- 9 (a) The chemical symbols for the atoms shown below include proton (atomic) numbers and nucleon (mass) numbers.

For
Examiner's
Use



Complete Table 9.1 which shows the names and the numbers of protons and neutrons in two of the atoms shown above.

Table 9.1

element name	protons	neutrons
oxygen		
	15	16

[2]

- (b) Fig. 9.1 shows part of a chart of the melting points in kelvins (K) of some elements.




Fig. 9.1

The melting points of the elements in Period 2 and Period 3 of the Periodic Table show a periodic pattern.

- (i) Use Fig. 9.1 and your understanding of the term *periodic pattern* to predict the element which has the highest melting point in Period 3.

Explain your choice briefly.

element

explanation

.....

..... [2]

- (ii) Carbon, proton number 6, and nitrogen, proton number 7, have very different melting points.

Explain the difference in terms of the structures of these elements.

In your answer you should include the phrases, *giant structure* and *simple molecular structure*.

You may wish to draw diagrams as part of your answer.

.....

.....

.....

.....

..... [3]

(c) Carbon and hydrogen combine to form a very large number of hydrocarbons.

Ethene, C_2H_4 , is a gaseous, unsaturated hydrocarbon, which is of industrial importance.

(i) Complete the displayed formula of the ethene molecule below.



[2]

(ii) Unsaturated hydrocarbons are made in industry from fractions obtained by the fractional distillation of oil (petroleum).

Name the process which is used to make unsaturated hydrocarbons and describe briefly how it is done.

name of process

description

.....

.....

..... [3]

(iii) Describe, in terms of changes to chemical bonds, what happens when ethene molecules react to form molecules of poly(ethene).

.....

.....

..... [2]

For
Examiner's
Use

10 Fig. 10.1 shows some stages in the formation of a human fetus.




Fig. 10.1

For
Examiner's
Use

(a) Most human cells contain 46 chromosomes.

(i) State the number of chromosomes in a sperm cell. [1]

(ii) State the number of chromosomes in a zygote. [1]

(iii) Name the part of the cell in which chromosomes are found. [1]

(b) Name the part of the female reproductive system in which each of these events occurs.

(i) The zygote is produced. [1]

(ii) The fetus develops. [1]

(c) Describe the function of the amnion.

.....

 [2]

(d) Mutations sometimes occur in the chromosomes of a cell.

Mutations are generally harmful, but sometimes a mutation may increase an organism's ability to survive in its environment.

Explain how this could lead to a change, over time, in the characteristics of a population of organisms.

.....

.....

.....

.....

.....

.....

..... [4]

For
Examiner's
Use

DATA SHEET
The Periodic Table of the Elements

		Group																									
	I	II	III	IV	V	VI	VII	0																			
	1 H Hydrogen 1											2 He Helium 2															
3	7 Li Lithium 3	9 Be Beryllium 4											10 Ne Neon 10														
11	23 Na Sodium 11	24 Mg Magnesium 12											18 Ar Argon 18														
19	39 K Potassium 19	40 Ca Calcium 20	45 Sc Scandium 21	48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron 26	59 Co Cobalt 27	59 Ni Nickel 28	64 Cu Copper 29	65 Zn Zinc 30	73 Ge Germanium 32	75 As Arsenic 33	79 Se Selenium 34	80 Br Bromine 35	84 Kr Krypton 36										
37	85 Rb Rubidium 37	88 Sr Strontium 38	89 Y Yttrium 39	91 Zr Zirconium 40	93 Nb Niobium 41	96 Mo Molybdenum 42	101 Ru Ruthenium 44	106 Pd Palladium 46	108 Ag Silver 47	112 Cd Cadmium 48	115 In Indium 49	119 Sn Tin 50	122 Sb Antimony 51	127 I Iodine 53	131 Xe Xenon 54												
55	133 Cs Caesium 55	137 Ba Barium 56	139 La Lanthanum 57	178 Hf Hafnium 72	181 Ta Tantalum 73	184 W Tungsten 74	190 Os Osmium 76	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury 80	204 Tl Thallium 81	207 Pb Lead 82	209 Bi Bismuth 83	210 Po Polonium 84	210 At Astatine 85	222 Rn Radon 86											
87	87 Fr Francium 87	226 Ra Radium 88	227 Ac Actinium 89											86													
													140 Ce Cerium 58	141 Pr Praseodymium 59	144 Nd Neodymium 60	150 Sm Samarium 62	152 Eu Europium 63	157 Gd Gadolinium 64	159 Tb Terbium 65	162 Dy Dysprosium 66	165 Ho Holmium 67	167 Er Erbium 68	169 Tm Thulium 69	173 Yb Ytterbium 70	175 Lu Lutetium 71		
													90 Th Thorium 90	91 Pa Protactinium 91	92 U Uranium 92	93 Np Neptunium 93	95 Am Americium 95	96 Cm Curium 96	97 Bk Berkelium 97	98 Cf Californium 98	99 Es Einsteinium 99	100 Fm Fermium 100	101 Md Mendelevium 101	102 No Nobelium 102	103 Lr Lawrencium 103		

* 58-71 Lanthanoid series
† 90-103 Actinoid series

a	X	b
---	----------	---

Key
a = relative atomic mass
X = atomic symbol
b = proton (atomic) number

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.