

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME		
CENTRE NUMBER		CANDIDATE NUMBER
CO-ORDINATED SCIENCES 0654/32		
Paper 3 (Extended)		May/June 201
2 hours		
Candidates answer on the Question Paper.		
No Additional Materials are required.		

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions. A copy of the Periodic Table is printed on page 28.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
Total	

This document consists of 26 printed pages and 2 blank pages.



UNIVERSITY of CAMBRIDGE International Examinations

[Turn over

1 Guanacos are relatives of camels and live in the Andes mountains in South America. They feed on grasses and other plants. They are hunted by pumas, and young guanacos may be killed by foxes.

For Examiner's Use

Fig. 1.1 shows a guanaco.





- (a) (i) State one feature, visible on Fig. 1.1, that indicates that guanacos are mammals.
 - (ii) State one feature, visible on Fig. 1.1, that could help guanacos to avoid being killed by pumas.

......[1]

0654/32/M/J/11

(b) Guanacos can live at very high altitudes, above 4000 metres, where the atmosphere is less dense than at sea level.

The blood of a guanaco contains four times as many red blood cells per cm³ as the blood of a human.


This adapts the guanaco to its environment. Suggest an explanation for this.

[2]

(c) Guanacos are an endangered species. Their numbers have fallen because of loss of suitable habitat and because of hunting by humans. Several countries in South America have conservation programmes to try to increase the numbers of guanacos.

In one conservation programme, five male and five female guanacos were introduced into a suitable habitat of about 25 km². They were protected from humans.

Fig. 1.2 shows what happened to the guanaco population over the next few years.





Explain the reasons for the shape of the graph.

[3]

0654/32/M/J/11

[Turn over

For

Examiner's Use

(d) People in South America domesticated guanacos at least 6000 years ago. They used artificial selection to produce a breed of guanacos that produced more meat, milk and wool and that were easy to keep as herds. These animals are now called llamas.

For

Examiner's Use

Explain how artificial selection could have produced llamas from guanacos.


[4]

0654/32/M/J/11

The			For
The production of lithium metal involves three main stages.			Examiner's Use
	1	Lithium compounds found in the Earth's crust are converted into lithium carbonate, Li_2CO_3 .	
	2	Lithium carbonate is converted into lithium chloride, LiC <i>l</i> .	
	3	Lithium chloride is melted and is electrolysed.	
(a)	Exp	lain why lithium is never found as the uncombined element in the Earth's crust.	
		[1]	
(b)	The	e electron configurations of lithium ions and chloride ions are shown below.	
		lithium ion2chloride ion2,8,8	
	(i)	Explain, in terms of protons and electrons, why a lithium ion has a single positive electrical charge but a lithium atom is uncharged (neutral).	
		[2]	
	(ii)	Explain why lithium chloride is a solid with a high melting point.	
		[2]	
(c)			
		[2]	
	(b)	2 3 (a) Exp (b) The (i) (i)	Li ₂ CO ₃ . 2 Lithium carbonate is converted into lithium chloride, LiC <i>I</i> . 3 Lithium chloride is melted and is electrolysed. (a) Explain why lithium is never found as the uncombined element in the Earth's crust.

5

0654/32/M/J/11



© UCLES 2011

0654/32/M/J/11


- (c) Fight means there is an granted tip to include an experimentation stope by declared (int).
 with the stope of the stope.
 The skier weighs 700 N. She travels 120 m along the stope and rises by a vertical height of 55 m.
 Calculate the work done lifting the skier from the bottom to the top of the stope.
 You should ignore the work done against friction.
 State the formula that you use and show your working.
 formula used
 working
- **3** (a) Fig. 3.1 shows a skier being pulled up a mountain slope by a cable (lift).

[2]

www.XtremePapers.net

For Examiner's Use (b) Skiers use a ski pole in each hand to help control their motion. The ski poles work best when they only go into the snow for a few centimetres.

Fig. 3.2 shows a skier using ski poles.





Explain, in terms of pressure, force and area, why the ski pole has a pointed end and a large disc a few centimetres above this.

[2]

(c) Explain why a skier keeps the lower surface of her skis smooth and well polished.


[1]

0654/32/M/J/11

www.XtremePapers.net

For Examiner's Use **4** Fig. 4.1 shows underground layers of sedimentary rocks. The diagram is not drawn to scale. Some of these rock layers are permeable and contain fossil fuels trapped inside them.

For Examiner's Use





(a) (i) Wood obtained from trees and compounds obtained from crude oil and natural gas can both be used as fuels.

State **two** reasons why crude oil and natural gas are examples of *fossil fuels* but wood is not.

1 _____ 2 _____ [2]

(ii) Fossil fuels contain mainly hydrocarbons. Wood contains cellulose which is a carbohydrate.

Name an element which is combined in carbohydrate molecules but **not** in hydrocarbons.

[1]

0654/32/M/J/11

(b) The molecular formulae of three hydrocarbon molecules are shown below.

 $CH_4 \qquad C_6H_{14} \qquad C_{12}H_{26}$

(i) Draw the graphical (displayed) formula of C_6H_{14} .

[1]

For Examiner's Use

(ii) All of the molecules shown above are members of the homologous series of alkanes.

State **one** similarity and **one** difference in the properties of the pure substances which contain these molecules.

similarity	
difference	
	[2]

(c) In a car engine, the combustion of hydrocarbons produces a mixture of very hot waste (exhaust) gases.

These gases are released from the car into the atmosphere, and some of them cause pollution because they are poisonous.

hydrocarbon fuel and air exhaust gases

Table 4.1 shows information about some of the gases in a car's exhaust.

0654/32/M/J/11

Table 4.1

substance in exhaust gases	% by volume
nitrogen	67
carbon dioxide	12
water vapour	0.05
oxygen	11
carbon monoxide	9
hydrocarbons (unburnt fuel)	0.2

(i) Suggest why the exhaust gas mixture contains a significant amount of nitrogen.

	[2]
(ii)	In all modern cars, the hot exhaust gases pass through a catalytic converter before they are released into the atmosphere.
	Carbon monoxide and hydrocarbons are oxidised by oxygen as the exhaust gases pass through the catalytic converter.
	State the purpose of the catalyst which is present inside the converter.
	[1]
(iii)	Catalytic converters help to reduce the air pollution caused by car exhaust gases.
	Use the information given in Table 4.1 and your answer to (ii) to explain how they do this.
	[3]

0654/32/M/J/11

For Examiner's Use

5 (a) Nuclear reactors in power stations produce energy through nuclear fission.


When uranium-235 is used in a reactor, the fission is started by a neutron hitting a uranium-235 atom. This results in two other atoms being produced and two neutrons released.

 $\begin{array}{c} {}^{235}_{92} \mathsf{U} + {}^{1}_{0} \mathsf{n} \longrightarrow {}^{144}_{56} \mathsf{Ba} + {}^{90}_{36} \mathsf{Z} + {}^{2}_{0} {}^{1}_{0} \mathsf{n} \\ & \\ & \text{neutron} \end{array}$

Use the Periodic Table on page 28 to identify atom Z.

atom **Z** is

(b) A nuclear reactor can also be used to power a submarine.



(i) Suggest **one** material which could shield a nuclear reactor to stop radiation escaping.

......[1]

For Examiner's Use

[1]

(ii) Describe how being exposed to ionising radiation can affect the human body.

[2]

© UCLES 2011


0654/32/M/J/11

(c) A nuclear reactor produces nuclear waste. For Examiner's Use Waste from a nuclear reactor contains a radioactive isotope with a half-life of 100 years. A sample of the waste gives a count rate of 3200 counts per minute. (i) Explain the meaning of the term *isotope*. [2] (ii) Calculate the time taken for the count rate of this sample of waste to drop to 400 counts per minute. Show your working. [2] _____

0654/32/M/J/11

[Turn over

6 Fig. 6.1 shows some of the bones and muscles in the human arm.






(a)	Name the structure A .
	A[1]
(b)	Explain how the structures shown in Fig. 6.1 can cause the arm to straighten.
	[3]
(c)	Muscles B and C are antagonistic muscles.
	Explain why a pair of antagonistic muscles, rather than a single muscle, is required to move the arm at the elbow joint.
	[2]

0654/32/M/J/11

(d) Bone is made up of the mineral calcium phosphate, and a protein called collagen. In many people, the mineral content of bone increases up to about the age of 20, after which it remains approximately constant until about the age of 50.

A study was carried out in Brazil into the mineral content of the leg bones of school children between the ages of 10 and 19 years. The mineral content was measured as the mass of mineral per cm³ of bone. Some of the results are shown in Fig. 6.2.



© UCLES 2011

0654/32/M/J/11

[Turn over

For

Examiner's Use

(e)	č		
	(i)	State one difference between the properties of bone and cartilage.	Examiner's Use
		[1]	
	(ii)	State precisely where cartilage is found in the human arm shown in Fig. 6.1, and describe its function.	
		[2]	

0654/32/M/J/11

BLANK PAGE

Please turn over for Question 7.

0654/32/M/J/11

[Turn over

7 Fig. 7.1 shows a crane for use on building sites.

moveable counter-balance 25 000 N supporting tower Fig. 7.1

(a) Explain in terms of forces why the crane needs a counter-balance.

[2]

(b) The crane in Fig. 7.1 is balanced.

Calculate the moment of the load about the crane's supporting tower. Then calculate the distance of the counterbalance from the crane's supporting tower.

State the formula that you use for your calculations and show your working.

formula used

working

moment of load	

distance of counterbalance

0654/32/M/J/11

www.XtremePapers.net

For Examiner's Use

[3]

- (c) A brick falls from the crane and hits the ground at a speed of 40 m/s. The air resistance on the brick can be ignored.
 - (i) The acceleration due to gravity is 10 m/s^2 .

Calculate the time of the fall.


State the formula that you use and show your working.

formula used

working

.....[2]

(ii) On the grid below, draw the speed-time graph for the falling brick.



[3]

For

Examiner's Use

0654/32/M/J/11

(iii)	The brick has a mass of 2 kg.	For
	Calculate the kinetic energy of the brick as it hits the ground.	Examiner's Use
	State the formula that you use and show your working.	
	formula used	
	working	
	[2]	
(iv)	State the value of the potential energy of the brick, before it fell from the crane.	
	Explain your answer.	
	potential energy	
	explanation	
	[2]	

0654/32/M/J/11

- 8 (a) Name the part of a flower that carries out each of the following functions.
 - (i) attracts insects to the flower [1](ii) makes pollon

For Examiner's Use

- (ii) makes pollen [1]
- (b) Complete the table to describe the differences between the stigmas of insect-pollinated and wind-pollinated flowers.

feature	insect-pollinated flower	wind-pollinated flower
shape of stigma		
position of stigma		

[2]

(c) Describe what happens after pollen has landed on the stigma of a flower, ending with the formation of a zygote.

 [4]

(d) The cells in the petals of most flowers do not contain chlorophyll and cannot photosynthesise.

Suggest how the cells in flowers obtain sugars and other nutrients.

[2]

9 A student investigated the relative reactivity of four metals **A**, **B**, **C** and **D**, by comparing the rate at which these metals reacted in dilute acid.

The pieces of metal had the same surface area, and dilute hydrochloric acid was the only acid used in the experiment.

Fig. 9.1 shows what the student observed during the experiment.





Fig. 9.1

(a) (i) State and explain **one** of the variables, other than the surface area of the pieces of metal and the acid used, that the student must keep the same if her assessment of relative reactivity is to be reliable.



For Examiner's Use

0654/32/M/J/11

(b) The student took some larger pieces of the same metals, **A**, **B**, **C** and **D**, and used them to make the two electrochemical cells shown in Fig. 9.2.

For Examiner's Use

The student set up the cells so that the negative electrode in both cells was on the left hand side as shown in Fig. 9.2.




Fig. 9.2

The student had an idea that the electrode made of the **more reactive** metal would always be the **negative** electrode in an electrochemical cell.

(i) Use the information in Fig. 9.1 and Fig. 9.2 to explain how the experimental evidence supports the student's idea.

[2]

(ii) Use the information in Fig. 9.1 and Fig. 9.2 to suggest which of the four metals, **A**, **B**, **C** or **D**, is the **least** reactive.

metal _____ reason ______[2] (c) Draw a labelled diagram of the bonding in a typical metal. Your diagram does **not** need to show more than 12 atoms.

For Examiner's Use

Use your diagram to help you to explain why metals are good conductors of electricity.

[2]

0654/32/M/J/11

- 25
- **10 (a)** Optical fibres are used to see inside the human body. Light is sent along some of the fibres to enable doctors to see what is there.
 - (i) Fig. 10.1 shows an optical fibre with a ray of light travelling down part of it.

Draw the path of the ray of light as it travels down the fibre.




Fig. 10.1

[2]

For

Examiner's Use

(ii) Suggest why optical fibres are now replacing metal wires as the method by which telephone signals are sent.

[1]

0654/32/M/J/11

(b) Table 10.1 shows the likely effects of an electric current passing through the body.

current / amperes	effect on the human body
0.001	none
0.003	tingling
0.010	muscular spasm
0.100	fatal if it passes through the heart

Table 10.1

A person touched a live wire connected to a 250 V supply. The path to earth through the body had a high resistance of 20000Ω .

Calculate the current that passes through the person.

What effect will this have on the person's body?

State the formula that you use and show your working.

formula used

working

current =	

For Examiner's Use

effect on the body [3]

0654/32/M/J/11

BLANK PAGE

0654/32/M/J/11

	0	4 Helium 2	20 Neon 10 Argon	6 Knypton 36	131 Xe Xenon 54	Radon 86		175 Lu Lutetium 71	Lr Lawrencium 103	
	II>		P Fluorine 19 35.5 Chlorine 35.5	Bromine	127 I lodine 53	At Astatine 85		173 Yb ^{Ytterbium} 70	Nobelium 102	
	>		16 Oxygen 32 Suftur	79 79 Selenium 34	128 Te Tellurium 52	PO Polonium 84		169 Tm ^{Thulium}	Md Mendelevium 101	
	>		A Nitrogen 31 Bhosphorus	15 75 AS Arsenic 33	122 Sb Antimony 51	209 Bismuth 83		167 Er Erbium 68	Fermium 100	
	2		6 Carbon 6 Silicon Silicon	73 Ge Germanium 32	119 Sn 50	207 Pb ^{Lead}		165 HO Holmium 67	ES Einsteinium 99	
	≡		Boron 27 27 Auminium	70 Ga Gallium 31	115 In Indium	204 T 1 Thalium 81		162 Dysprosium 66	Californium Californium 98	
				65 Zn 30	112 Cd Cadmium 48	201 Hg ^{Mercury}		159 Tb ^{Terbium} 65	BK Berkelium 97	
				64 Copper 29	108 Ag Silver	197 Au Gold 79		157 Gd Gadolinium 64	ourium 96	
Group				59 Nickel 28	106 Pd Palladium	195 Pt Platinum 78		152 Eu Europium 63	Am Americium 95	
Group			_	59 Co ²⁷	103 Rh Rhođium 45	192 Ir Iridium 77		150 Samarium 62		
		Hydrogen		56 Iron 26	101 Ruthenium 44	190 OS Osmium 76		Promethium 61	Neptunium 93	
					55 Manganese 25	Technetium 43	186 Re Rhenium 75		144 Neodymium 60	238 Uranium 92
				52 Cr Chromium	96 Mo Molybdenum 42	184 V Tungsten 74		141 Pr Fraseodymium 59	Pa Protactinium 91	
				51 Vanadium 23	93 Niobium 41	181 Ta ^{Tantalum} 73		140 Cer Cerium 58	232 Thorium	
				48 Titanium 22	91 Zr Zirconium 40	178 Hafnium 72		1	nic mass bol nic) number	
				45 SC Scandium 21	89 Yttrium 39	139 La Lanthanum 57 *	Actinium 89	l series eries	a = relative atomic mass X = atomic symbol b = proton (atomic) number	
	=		9 Beryllium 24 Magnesium	20 Calcium 20	88 Strontium 38	137 Baa 56	226 Rad 88	*58-71 Lanthanoid series 190-103 Actinoid series	p × a	
	_		Z3 Sodium	Potassium 19	85 Rb Rubidium	133 Caesium C	Fr Francium	71 Li 103 ,	د Key	

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© UCLES 2011

0654/32/M/J/11