

CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International General Certificate of Secondary Education

MARK SCHEME for the October/November 2014 series

0654 CO-ORDINATED SCIENCES

0654/63

Paper 6 (Alternative to Practical), maximum raw mark 60

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2014 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

Page 2	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2014	0654	63

- 1 (a) Test 1: red / orange ;
Test 2: purple ; [2]
- (b) A – protein ;
B – starch ;
C – (reducing) sugar ; [3]
- (c) same volume of each solution / **D** and **E** ;
keep other factors / named factor constant ;
heat / warm (until no further change) / excess Benedict's ;
yellow / green = less concentrated ;
orange / red = more concentrated ; [max 3]
- (d) dissolve in / add ethanol **AND** add water ;
milky / cloudy / white (emulsion) ; [2]
- [Total: 10]**
- 2 (a) (i) delivery tube leading into limewater in suitable vessel ;
delivery tube above liquid level in reaction vessel and below liquid level in
limewater ; [2]
- (ii) limewater becomes milky / white precipitate / cloudy ; [1]
- (iii) carbon dioxide ; [1]
- (iv) carbonate ; [1]
- (b) (i) (solution **D** contains) OH^- / hydroxide ions / is alkaline / is base ; [1]
- (ii) copper(II) hydroxide ; [1]
- (c) (i) magnesium carbonate / solid **A** (when heated) gives off carbon dioxide ;
and becomes magnesium oxide / owtte ; [2]
- (ii) (magnesium oxide reacts with water and becomes) magnesium hydroxide ; [1]
- [Total: 10]**

- 3 (a) measuring cylinder ; [1]
- (b) $T_2 = 81^\circ\text{C}$;
 $T_3 = 49^\circ\text{C}$; [2]
- (c) fall, rise, lose, gain (in correct order) ; [1]
- (d) (i) $27^\circ\text{C}/T_3 - 22$ (ecf) ; [1]
(ii) $32^\circ\text{C}/T_2 - T_3$ (ecf) ; [1]
- (e) (i) $13440\text{J}/(\text{d})(\text{ii}) \times 420$ (ecf) ; [1]
(ii) $11340\text{J}/(\text{d})(\text{i}) \times 420$ (ecf) ; [1]
(iii) $2100\text{J}/(\text{e})(\text{i}) - (\text{e})(\text{ii})$ (ecf) ; [1]
(iv) $0.9(15)/\frac{(\text{e})(\text{iii})}{(\text{d})(\text{i}) \times 85}$ (ecf) ; [1]

[Total: 10]

- 4 (a) arrow for d to centre of beaker ; [1]

(b)

Distance	Number of bubbles
70	17
50	28
40	43
30	65
20	99

;;
(all five correct is 2 marks, three or four correct is 1 mark) [2]

- (c) suitable linear scale ;
4 correct plots ± 0.5 square ;
smooth curve ; [3]

Page 4	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2014	0654	63

(d) line to show ;
correct reading from 60 cm on graph ± 0.5 square ; [2]

(e) (i) photosynthesis ; [1]

(ii) as light intensity increases rate (of photosynthesis) increases ; [1]

[Total: 10]

5 (a) 77 ;
52 ; [2]

(b) suitable linear scales chosen with both labelled with the variable and at least one with the correct unit ;
4 correct points plotted $\pm \frac{1}{2}$ square ; ;
smooth curves drawn and at least one labelled ; [4]

(c) (i) *copper sulfate (no mark)*
because the temperature rise is greater / more energy released / faster temperature increase ; [1]

(ii) there will be a greater temperature rise **AND** because magnesium is more reactive than zinc / is higher in the electrochemical series ; [1]

(d) *solid: copper ;*
solution: zinc sulfate ; [2]

[Total: 10]

6 (a) (i) 24 ; [1]

(ii) 65 ;
273 ; [2]

(iii) density of Al is: 2.7(083333) (ecf) ;
density of lead is: 11.4/11.375/11.38 (ecf) ; [2]

(iv) lead atoms are heavier than Al atoms ; [1]

(b) (i) length = 8.0 cm
width = 3.0 cm
height = 2.0 cm ; [1]

(ii) 48 cm³ correctly recorded in the table twice ; [1]

Page 5	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2014	0654	63

(c) (i) the wood has absorbed water ; [1]

(ii) there are more air spaces in the balsa wood / balsa wood grows faster so is less dense ; [1]

[Total: 10]