

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

MARK SCHEME for the May/June 2012 question paper

for the guidance of teachers

0445 DESIGN AND TECHNOLOGY

0445/23 Paper 2 (Graphic Products), maximum raw mark 50

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2012 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



	Page 2		Mark Scheme: Teachers' version	Syllabus	Paper
			IGCSE – May/June 2012	0445	23
A1	(a)	<i>Head</i> Circle dra Ø40 circl			[2]
	(b)		wn (1) tches diameter(s) given (1) 90° at elbow (1)		[3]
	(c)	Front leg 60 ° to fo Knee at e			[2]
	(d)	<i>Back leg</i> 60 ° to fo Joins to I			[2] [Total: 9]
A2	(a)	R (1) E (1) Spacing	y and proportion of: (1)		
		Height (1	1)		[4]
	(b)	<i>Border</i> Complete Repeat a	te border on Centre line (1) angle (1)		[2]
					[Total: 6]
A3	(a)	Top recta In line wi Sloping p Sloping p Sloping p	c rectangular base (2) angle 40 tall (1) rith base (1) pillar top size 20 × 30 (1) pillar base size 80 × 30 (1) pillar evident 3 edges (1)		
			tagon top evident (1) ction of octagon evident (1)		[9]
			_ 、,		
	(b)	Pencil to	one to rectangle (1)		[1]
					[Total: 10]

	Page 3		Mark Scheme: Teachers' version	Syllabus	Paper
			IGCSE – May/June 2012	0445	23
B4	(a)	PLAN Length 190 (1) Width 100 (1) Front elevation Depth of top 40 (1) 2 mm thickness to top surface & base (1) 2 mm thickness to sides (1)			[5]
	(b)	Centre li Centre o Centre o Centre li Cone in	sitions and cone C ne at 50 horizontally (1) of one hole 50 in from RHS (1) of one hole 50 in from LHS (1) ne projected to F.E. (1) position C on PLAN (1) presenting top of cone (1) le (1)		[7]
	(c)	60° inclu 60° inclu Ø80 proj Cone co	dent in base on FE (1) uded angle drawn (1) uded angle drawn through Ø10 (1) jected from plan 2 × 1 (2) mplete (2 × sides = 2) (top = 1) (3) ne evident (1)		[9]
	(d)	In remai	e Ø56 ±2mm (1) ining position (1) e of projection 0–2 pr (2)		[4] [Total: 25]
B5	(a)	Two side 1st angle In line fro Overall h Angle of <i>PLAN</i> Hexagor Hexagor	es to hexagon (1) e projection (1) om plan (1) height 110 (1) top 45° (1) n drawn (1) n correct size to scale (1) prientation (1)		
		Circle dr	awn for window (1) 30 (Ø60 to scale) (1)		[10]

Pa	ige 4	Mark Scheme: Teachers' version	Syllabus	Paper
		IGCSE – May/June 2012	0445	23
(b)	Six sides Joint in c Two long Two sho	ment sides s same width as given (1) correct position (1) g angled sides 2 × 1 (2) rt angled sides 2 × 1 (2) rectangle 110 (220 to scale) (1)		
	Hex widt Construc	<i>ment top</i> gth from EV for hexagon top (1) h plotted from plan (1) ction of ellipse evident from Plan (1) rawn to reference points (1)		[11]
(c)	In correc	l) ect face (1) et position (1) yle of lettering (1)		[4]
				[Total: 25]