



INFORMATION AND COMMUNICATION TECHNOLOGY

0417/13

Paper 1 Written

May/June 2017

MARK SCHEME

Maximum Mark: 100

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2017 series for most Cambridge IGCSE[®], Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.













© IGCSE is a registered trademark.

This syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of **10** printed pages.

Question	Answer	Marks
1(a)	graph plotter	1
1(b)	speaker	1
1(c)	3D printer	1
1(d)	monitor	1

Question	Answer	Marks															
2	<table border="1"> <thead> <tr> <th></th> <th>true (✓)</th> <th>false (✓)</th> </tr> </thead> <tbody> <tr> <td>An actuator is an item of software.</td> <td></td> <td>✓</td> </tr> <tr> <td>Hardware is the physical components of a computer system.</td> <td>✓</td> <td></td> </tr> <tr> <td>Software controls the operation of the computer.</td> <td>✓</td> <td></td> </tr> <tr> <td>Spreadsheet is an example of systems software.</td> <td></td> <td>✓</td> </tr> </tbody> </table> <p>2 marks for 4 correct ticks 1 mark for 3 or 2 correct ticks 0 marks for 1 or 0 correct ticks</p>		true (✓)	false (✓)	An actuator is an item of software.		✓	Hardware is the physical components of a computer system.	✓		Software controls the operation of the computer.	✓		Spreadsheet is an example of systems software.		✓	2
	true (✓)	false (✓)															
An actuator is an item of software.		✓															
Hardware is the physical components of a computer system.	✓																
Software controls the operation of the computer.	✓																
Spreadsheet is an example of systems software.		✓															

Question	Answer	Marks										
3	<table border="1"> <thead> <tr> <th>Icon</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td></td> <td>Home</td> </tr> <tr> <td></td> <td>Next Slide</td> </tr> <tr> <td></td> <td>Final Slide</td> </tr> <tr> <td></td> <td>Print</td> </tr> </tbody> </table>	Icon	Meaning		Home		Next Slide		Final Slide		Print	4
Icon	Meaning											
	Home											
	Next Slide											
	Final Slide											
	Print											

Question	Answer	Mark
4(a)	point	1
4(b)	page orientation	1
4(c)	gutter	1
4(d)	orphan	1

Question	Answer	Marks
5(a)	Any six from: <ul style="list-style-type: none"> – User telephones the bank telephone centre – System asks for the long number on the credit / debit card / sort code and account number / customer ID number – The user taps out on the phone keypad / speaks the number – System asks for certain characters in a password – The user taps out the characters asked for – System rejects the password – The user re-enters the characters – After three attempts the telephone connection drops – System asks other security answers – The user taps it in / speaks the answer – System asks which service you require / options given – Users tap in the number (transfer from one account to another) – System asks number of account transfer from – User taps in account number – System connects with the bank account – System asks for number of account transfer money to – User taps in account number – System asks amount to transfer – User taps in the amount – System asks when the transfer should happen – The user taps in the date – System ask you to confirm it/sends a text message / send email 	6
5(b)	Any four from: <ul style="list-style-type: none"> – Sort code – PIN – Debit card number – Bank account number – Valid from – Expires end 	4

Question	Answer	Marks
6(a)	Any two from: <ul style="list-style-type: none"> – Magnetic stripe – RF / RFID – Chip – Bar code 	2
6(b)	Any two from: <ul style="list-style-type: none"> – Fingerprint / Thumbprint – Retina scan – Voice – Hand print – Iris scan – Face scan / recognition 	2
6(c)	Any two matched pairs: <ul style="list-style-type: none"> – Book file... <ul style="list-style-type: none"> – ...This consists of all data on the books in the library – Borrowers file... <ul style="list-style-type: none"> – ...This contains all the details of the students – Loans file... <ul style="list-style-type: none"> – ...This acts as a link between the book and borrowers file. It contains the details of the date borrowed and return date 	4
6(d)	[date_borrowed]+14 1 mark for [date_borrowed] 1 mark for +14	2

Question	Answer	Marks
7(a)	=IF(D2>=C2,"well done","needs improvement") 1 mark for IF(D2>=C2, 1 mark for "well done", 1 mark for "needs improvement")	3
7(b)	Any four from: – Faster than editing each individual letter – Fewer errors than retyping the data – The data can be used for other applications – The report template can be easily adapted for other mail merges – Consistency in the reports – Error checking only needs to be carried out once (on the data and the template) – Reduces the time taken to write out all the reports separately	4
7(c)	Any three from: – Spell check the master document – Grammar check the master document – Check consistency of the text – Check merge fields are in the correct places – Check the template and merge fields matches the house style – Proof reading the data in the data source/check the data is correct – Check the data source exists – Validate the data in the data source	3

Question	Answer	Marks														
8(a)	<table border="1" data-bbox="502 248 1134 600"> <thead> <tr> <th data-bbox="502 248 946 300">Field name</th> <th data-bbox="946 248 1134 300">Data type</th> </tr> </thead> <tbody> <tr> <td data-bbox="502 300 946 351"><i>Membership_number</i></td> <td data-bbox="946 300 1134 351"><i>Number</i></td> </tr> <tr> <td data-bbox="502 351 946 403"><i>Member_name</i></td> <td data-bbox="946 351 1134 403">Text</td> </tr> <tr> <td data-bbox="502 403 946 454"><i>Membership_fee_paid</i></td> <td data-bbox="946 403 1134 454"><i>Boolean</i></td> </tr> <tr> <td data-bbox="502 454 946 506"><i>Telephone_number</i></td> <td data-bbox="946 454 1134 506">Text</td> </tr> <tr> <td data-bbox="502 506 946 557"><i>Expiry_date_of_membership</i></td> <td data-bbox="946 506 1134 557">Date</td> </tr> <tr> <td data-bbox="502 557 946 600"><i>Membership_fee_amount</i></td> <td data-bbox="946 557 1134 600">Currency</td> </tr> </tbody> </table>	Field name	Data type	<i>Membership_number</i>	<i>Number</i>	<i>Member_name</i>	Text	<i>Membership_fee_paid</i>	<i>Boolean</i>	<i>Telephone_number</i>	Text	<i>Expiry_date_of_membership</i>	Date	<i>Membership_fee_amount</i>	Currency	4
Field name	Data type															
<i>Membership_number</i>	<i>Number</i>															
<i>Member_name</i>	Text															
<i>Membership_fee_paid</i>	<i>Boolean</i>															
<i>Telephone_number</i>	Text															
<i>Expiry_date_of_membership</i>	Date															
<i>Membership_fee_amount</i>	Currency															
8(b)	<p data-bbox="288 633 1273 667">Membership_number > 200 OR Expiry_date_of_membership < 01/01/2017</p> <p data-bbox="288 701 810 869">1 mark for Membership_number 1 mark for > 200 1 mark for OR 1 mark for Expiry_date_of_membership 1 mark for < 01/01/2017</p>	5														
8(c)	<p data-bbox="288 902 408 936">Benefits</p> <p data-bbox="288 969 483 1003">Max five from:</p> <ul data-bbox="288 1003 1158 1630" style="list-style-type: none"> <li data-bbox="288 1003 1114 1037">– Membership details can be searched / sorted very quickly <li data-bbox="288 1037 911 1070">– ...useful if there are hundreds of members <li data-bbox="288 1104 911 1137">– Membership details can be <u>easily</u> edited... <li data-bbox="288 1137 1150 1171">– ...by searching for a record then changing / adding / deleting <li data-bbox="288 1205 1038 1238">– The data in the database can be backed up easily... <li data-bbox="288 1238 810 1272">– ...therefore preserving the records <li data-bbox="288 1272 863 1305">– ...creating an archive of past members <li data-bbox="288 1339 863 1373">– Far more secure than other methods... <li data-bbox="288 1373 743 1406">– ...can be password protected <li data-bbox="288 1440 935 1473">– Can be used as a source for mail merging... <li data-bbox="288 1473 775 1507">– ...saves re-writing the database <li data-bbox="288 1541 1121 1574">– Re-writing the data each time it is used would cause errors <li data-bbox="288 1574 1158 1630">– Re-writing the data each time it is used could take a lot of time <p data-bbox="288 1664 448 1697">Drawbacks</p> <p data-bbox="288 1731 483 1765">Max five from:</p> <ul data-bbox="288 1765 1158 1977" style="list-style-type: none"> <li data-bbox="288 1765 539 1798">– Need IT skills <li data-bbox="288 1798 786 1832">– Need to have to correct software <li data-bbox="288 1832 1158 1865">– Can take up a lot of storage space / memory in the computer <li data-bbox="288 1865 882 1899">– The software could be expensive to buy <li data-bbox="288 1899 858 1933">– Training on how to use the software... <li data-bbox="288 1933 799 1966">– ...could be expensive for the club <p data-bbox="288 2000 895 2033">One mark available for a reasoned conclusion</p>	6														

Question	Answer	Marks
9	<p>Any four from:</p> <ul style="list-style-type: none"> – ROM can only be read from whereas RAM can be read and written to – ROM is non-volatile whereas RAM is volatile – ROM stores the start-up instructions / boot file whereas RAM stores the current instruction – ROM is needed on boot up, whereas RAM is needed during processing / storing data 	4

Question	Answer	Mark
10(a)	<p>Max 3 marks for the problems Max 3 marks for the strategies of solving the associated problems</p> <p>for example:</p> <p>using the computer for a long period of time can affect my eyes/cause headaches... ...take regular breaks to help with eye strain/headaches</p> <p>hunching over the computer for a long period of time gives back ache/neck ache... ...Using an ergonomic chair could stop this</p> <p>Typing for a long period of time or by resting wrists on the table gives RSI... ...therefore a wrist rest/ergonomic keyboard is needed to reduce this.</p> <p>Eye strain can be caused by looking at the screen too long... ...this is solved by placing a screen filter/using TFT technology</p>	6
10(b)	<p>Any three matched pairs, for example:</p> <ul style="list-style-type: none"> – Tripping over loose wires... – ...tie them to the walls or under carpet / use cable runs / use wireless – Heavy equipment falling... – ...sturdy tables needed / heavy equipment placed in centre of table – Electrocutation caused by spilt drinks / food... – ...do not take drinks to computer – Fire from overloaded sockets... – ...use <u>CO₂</u> fire extinguisher – ...don't use 4 way adapters – ...keep the computer room well ventilated 	6

Question	Answer	Marks
11	<p>1 mark for method, 1 mark for appropriate advantage.</p> <p>Parallel running... ...has a backup of the data</p> <p>Pilot running... ...only affects one branch if system goes wrong/other branches can learn from the branch's mistakes</p> <p>Phased implementation... ...if system fails still have most of old system to fall back on ...staff can be trained gradually</p>	6

Question	Answer	Mark
12(a)	<p>Any two from:</p> <ul style="list-style-type: none"> – Protection of software from being downloaded, copied, or borrowed... – ...without the owner's consent – Protects the author of the software 	2
12(b)	<p>Any four from:</p> <ul style="list-style-type: none"> – When the software is bought it comes with a unique activation code... – ...this can only be used once and has to be typed in – ..on a limited number of machines – Use of holograms... – ...this shows that the software is a real copy – ...holograms cannot be photocopied – Use of licence agreements – The purchaser fills in a licence agreement – ...and agrees to abide by the rules – Execution of the encryption code requires a key to run – Use of a dongle – Guards hardware / software modules that have not been tampered with in any way – Digital signature on the CD 	4

Question	Answer	Marks
13(a)	Any two from: <ul style="list-style-type: none">– A key-logger records the key strokes of a person using the computer– Transfers / transmits the data back to the supervisor / manager– The supervisor can then monitor what the employee has been doing / how hard they have been working	2
13(b)	Any three from: <ul style="list-style-type: none">– Monitoring phone call usage– Monitoring emails– Monitoring the time spent on and websites visited– Monitoring the use of printers / number of copies– Monitoring where employees log in / log out– Monitoring when employees log in / log out– Monitoring failed log ins– Monitor the amount of storage space used– Monitoring where they send data to print	3

Question	Answer	Marks
14	<p>To be marked as a level of response:</p> <p>Level 3 (7–8 marks): Candidates will give reasoned advantages and disadvantages. There will be a reasoned conclusion. They will relate the answer to both advantages and disadvantages. The information will be relevant, clear, organised and presented in a structured and coherent format.</p> <p>Level 2 (4–6 marks): Candidates will expand on advantages/disadvantages relating the answer to both advantages and disadvantages. Some of the points may be one sided. There may be a conclusion. For the most part the information will be relevant and presented in a structured and coherent format.</p> <p>Level 1 (1–3 marks): Candidates only list an advantage/disadvantage. Candidates only refer to either advantages or disadvantages. Answers may be simplistic with little or no relevance.</p> <p>Level 0 (0 marks) Response with no valid content</p> <p><i>Answers may make reference to, for example:</i></p> <p>Advantages Simple to use as all have to do is hold the phone by the reader No swiping of a card so less damage to the card Faster method <u>than swiping the card</u> No PIN No signature Stops shoulder surfing As the credit card does not have to be physically present it cannot be stolen The credit card number is not used in transactions ...stores do not gain access to names and numbers No tracking of the data as there is no card Several cards can be stored and selected Everyone carries a phone nowadays Doesn't matter if you forget credit/debit card</p> <p>Disadvantages Need a compatible phone Not available online Stores need the reader May be issues with connectivity as a phone is used Hackers accessing the phone signal Phones can run out of battery There is a limit on how much can be paid Older people may not have phones More difficult for older people to use</p>	8