

**MARK SCHEME for the May/June 2008 question paper**

**0418 INFORMATION TECHNOLOGY**

**0418/03**

Paper 3 (Practical Test B), maximum raw mark 100

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2008 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Code	Rate
C	1.1
I	3
P	1.6

Rate      Data entry 100%      3 marks

Header      Name, candidate no, Centre no      1 mark

Department      Lookup used      1 mark  
 External file/sheet for code      1 mark  
 Correct range & return column      1 mark

Department	Dcode	Number	Total Duration
=VLOOKUP(B7, J8code!\$A\$2:\$B\$13,2)	MD	=COUNTIF(\$B\$16:\$B\$89,B7)	=SUMIF(\$B\$16:\$B\$89,B7,\$D\$16:\$D\$89)
=VLOOKUP(B8, J8code!\$A\$2:\$B\$13,2)	AC	=COUNTIF(\$B\$16:\$B\$89,B8)	=SUMIF(\$B\$16:\$B\$89,B8,\$D\$16:\$D\$89)
=VLOOKUP(B9, J8code!\$A\$2:\$B\$13,2)	PR	=COUNTIF(\$B\$16:\$B\$89,B9)	=SUMIF(\$B\$16:\$B\$89,B9,\$D\$16:\$D\$89)
=VLOOKUP(B10, J8code!\$A\$2:\$B\$13,2)	SA	=COUNTIF(\$B\$16:\$B\$89,B10)	=SUMIF(\$B\$16:\$B\$89,B10,\$D\$16:\$D\$89)
=VLOOKUP(B11, J8code!\$A\$2:\$B\$13,2)	HR	=COUNTIF(\$B\$16:\$B\$89,B11)	=SUMIF(\$B\$16:\$B\$89,B11,\$D\$16:\$D\$89)
=VLOOKUP(B12, J8code!\$A\$2:\$B\$13,2)	PU	=COUNTIF(\$B\$16:\$B\$89,B12)	=SUMIF(\$B\$16:\$B\$89,B12,\$D\$16:\$D\$89)
=VLOOKUP(B13, J8code!\$A\$2:\$B\$13,2)	MA	=COUNTIF(\$B\$16:\$B\$89,B13)	=SUMIF(\$B\$16:\$B\$89,B13,\$D\$16:\$D\$89)

COUNTIF      Correct function that can be replicated      1 mark  
 Correct range (accept named range)      1 mark  
 Correct reference      1 mark

SUMIF      Correct function      1 mark  
 Correct compare range      1 mark  
 Correct reference      1 mark  
 Correct calculate range      1 mark

Date	Dcode	Code	Duration
39450	HR	P	321
39450	HR	I	334
39450	HR	P	332
39450	PU	C	586
39450	HR	P	1462
39450	HR	P	400
39450	MD	C	430
39450	MD	P	359
39450	MD	P	376
39450	MD	P	168
39450	SA	P	878
39450	SA	P	289
39450	SA	C	302
39450	MD	P	438
39450	MD	I	352
39450	MD	P	798
39450	MD	I	769
39450	MD	I	937
39450	MD	P	313
39450	RT	P	390
39450	RT	C	326
39450	RT	C	880

Units
=IF(C16="C",D16*Cheap,IF(C16="I",D16*Intl,IF(C16="P",D16*Peak,0)))
=IF(C17="C",D17*Cheap,IF(C17="I",D17*Intl,IF(C17="P",D17*Peak,0)))
=IF(C18="C",D18*Cheap,IF(C18="I",D18*Intl,IF(C18="P",D18*Peak,0)))
=IF(C19="C",D19*Cheap,IF(C19="I",D19*Intl,IF(C19="P",D19*Peak,0)))
=IF(C20="C",D20*Cheap,IF(C20="I",D20*Intl,IF(C20="P",D20*Peak,0)))
=IF(C21="C",D21*Cheap,IF(C21="I",D21*Intl,IF(C21="P",D21*Peak,0)))
=IF(C22="C",D22*Cheap,IF(C22="I",D22*Intl,IF(C22="P",D22*Peak,0)))
=IF(C23="C",D23*Cheap,IF(C23="I",D23*Intl,IF(C23="P",D23*Peak,0)))
=IF(C24="C",D24*Cheap,IF(C24="I",D24*Intl,IF(C24="P",D24*Peak,0)))
=IF(C25="C",D25*Cheap,IF(C25="I",D25*Intl,IF(C25="P",D25*Peak,0)))
=IF(C26="C",D26*Cheap,IF(C26="I",D26*Intl,IF(C26="P",D26*Peak,0)))
=IF(C27="C",D27*Cheap,IF(C27="I",D27*Intl,IF(C27="P",D27*Peak,0)))
=IF(C28="C",D28*Cheap,IF(C28="I",D28*Intl,IF(C28="P",D28*Peak,0)))
=IF(C29="C",D29*Cheap,IF(C29="I",D29*Intl,IF(C29="P",D29*Peak,0)))
=IF(C30="C",D30*Cheap,IF(C30="I",D30*Intl,IF(C30="P",D30*Peak,0)))
=IF(C31="C",D31*Cheap,IF(C31="I",D31*Intl,IF(C31="P",D31*Peak,0)))
=IF(C32="C",D32*Cheap,IF(C32="I",D32*Intl,IF(C32="P",D32*Peak,0)))
=IF(C33="C",D33*Cheap,IF(C33="I",D33*Intl,IF(C33="P",D33*Peak,0)))
=IF(C34="C",D34*Cheap,IF(C34="I",D34*Intl,IF(C34="P",D34*Peak,0)))
=IF(C35="C",D35*Cheap,IF(C35="I",D35*Intl,IF(C35="P",D35*Peak,0)))
=IF(C36="C",D36*Cheap,IF(C36="I",D36*Intl,IF(C36="P",D36*Peak,0)))
=IF(C37="C",D37*Cheap,IF(C37="I",D37*Intl,IF(C37="P",D37*Peak,0)))

Candidate name      Centre number      Candidate number

39450	RT	P	820	=IF(C38="C",D38*Cheap,IF(C38="I",D38*Intl,IF(C38="P",D38*Peak,0)))
39450	RT	P	333	=IF(C39="C",D39*Cheap,IF(C39="I",D39*Intl,IF(C39="P",D39*Peak,0)))
39450	MA	C	352	=IF(C40="C",D40*Cheap,IF(C40="I",D40*Intl,IF(C40="P",D40*Peak,0)))
39450	MA	C	806	=IF(C41="C",D41*Cheap,IF(C41="I",D41*Intl,IF(C41="P",D41*Peak,0)))
39451	MA	P	388	=IF(C42="C",D42*Cheap,IF(C42="I",D42*Intl,IF(C42="P",D42*Peak,0)))
39451	MA	P	488	=IF(C43="C",D43*Cheap,IF(C43="I",D43*Intl,IF(C43="P",D43*Peak,0)))
39451	MA	C	302	=IF(C44="C",D44*Cheap,IF(C44="I",D44*Intl,IF(C44="P",D44*Peak,0)))
39451	MA	P	351	=IF(C45="C",D45*Cheap,IF(C45="I",D45*Intl,IF(C45="P",D45*Peak,0)))
39451	MA	P	527	=IF(C46="C",D46*Cheap,IF(C46="I",D46*Intl,IF(C46="P",D46*Peak,0)))
39451	PR	P	249	=IF(C47="C",D47*Cheap,IF(C47="I",D47*Intl,IF(C47="P",D47*Peak,0)))
39451	MD	P	942	=IF(C48="C",D48*Cheap,IF(C48="I",D48*Intl,IF(C48="P",D48*Peak,0)))
39451	MD	P	776	=IF(C49="C",D49*Cheap,IF(C49="I",D49*Intl,IF(C49="P",D49*Peak,0)))
39451	PU	P	324	=IF(C50="C",D50*Cheap,IF(C50="I",D50*Intl,IF(C50="P",D50*Peak,0)))
39451	PU	P	354	=IF(C51="C",D51*Cheap,IF(C51="I",D51*Intl,IF(C51="P",D51*Peak,0)))
39451	MD	P	824	=IF(C52="C",D52*Cheap,IF(C52="I",D52*Intl,IF(C52="P",D52*Peak,0)))
39451	MD	C	426	=IF(C53="C",D53*Cheap,IF(C53="I",D53*Intl,IF(C53="P",D53*Peak,0)))
39451	HR	P	739	=IF(C54="C",D54*Cheap,IF(C54="I",D54*Intl,IF(C54="P",D54*Peak,0)))
39451	HR	P	300	=IF(C55="C",D55*Cheap,IF(C55="I",D55*Intl,IF(C55="P",D55*Peak,0)))
39451	MD	P	263	=IF(C56="C",D56*Cheap,IF(C56="I",D56*Intl,IF(C56="P",D56*Peak,0)))
39451	PR	P	168	=IF(C57="C",D57*Cheap,IF(C57="I",D57*Intl,IF(C57="P",D57*Peak,0)))
39451	PR	P	807	=IF(C58="C",D58*Cheap,IF(C58="I",D58*Intl,IF(C58="P",D58*Peak,0)))
39451	PR	P	821	=IF(C59="C",D59*Cheap,IF(C59="I",D59*Intl,IF(C59="P",D59*Peak,0)))
39451	PR	P	796	=IF(C60="C",D60*Cheap,IF(C60="I",D60*Intl,IF(C60="P",D60*Peak,0)))
39451	HR	C	361	=IF(C61="C",D61*Cheap,IF(C61="I",D61*Intl,IF(C61="P",D61*Peak,0)))
39451	HR	P	351	=IF(C62="C",D62*Cheap,IF(C62="I",D62*Intl,IF(C62="P",D62*Peak,0)))
39451	HR	C	282	=IF(C63="C",D63*Cheap,IF(C63="I",D63*Intl,IF(C63="P",D63*Peak,0)))
39451	HR	P	342	=IF(C64="C",D64*Cheap,IF(C64="I",D64*Intl,IF(C64="P",D64*Peak,0)))
39451	SA	P	711	=IF(C65="C",D65*Cheap,IF(C65="I",D65*Intl,IF(C65="P",D65*Peak,0)))
39451	SA	P	398	=IF(C66="C",D66*Cheap,IF(C66="I",D66*Intl,IF(C66="P",D66*Peak,0)))
39451	SA	C	276	=IF(C67="C",D67*Cheap,IF(C67="I",D67*Intl,IF(C67="P",D67*Peak,0)))
39451	SA	P	297	=IF(C68="C",D68*Cheap,IF(C68="I",D68*Intl,IF(C68="P",D68*Peak,0)))
39451	SA	I	359	=IF(C69="C",D69*Cheap,IF(C69="I",D69*Intl,IF(C69="P",D69*Peak,0)))
39451	PU	P	558	=IF(C70="C",D70*Cheap,IF(C70="I",D70*Intl,IF(C70="P",D70*Peak,0)))
39451	AC	P	304	=IF(C71="C",D71*Cheap,IF(C71="I",D71*Intl,IF(C71="P",D71*Peak,0)))
39451	AC	C	264	=IF(C72="C",D72*Cheap,IF(C72="I",D72*Intl,IF(C72="P",D72*Peak,0)))
39452	AC	P	936	=IF(C73="C",D73*Cheap,IF(C73="I",D73*Intl,IF(C73="P",D73*Peak,0)))
39452	AC	C	512	=IF(C74="C",D74*Cheap,IF(C74="I",D74*Intl,IF(C74="P",D74*Peak,0)))

	Candidate name	Centre number	Candidate number
39452	AC C	310	=IF(C75="C",D75*Cheap,IF(C75="I",D75*Intl,IF(C75="P",D75*Peak,0)))
39452	AC P	368	=IF(C76="C",D76*Cheap,IF(C76="I",D76*Intl,IF(C76="P",D76*Peak,0)))
39452	AC P	837	=IF(C77="C",D77*Cheap,IF(C77="I",D77*Intl,IF(C77="P",D77*Peak,0)))
39452	AC C	854	=IF(C78="C",D78*Cheap,IF(C78="I",D78*Intl,IF(C78="P",D78*Peak,0)))
39452	AC P	230	=IF(C79="C",D79*Cheap,IF(C79="I",D79*Intl,IF(C79="P",D79*Peak,0)))
39452	AC P	422	=IF(C80="C",D80*Cheap,IF(C80="I",D80*Intl,IF(C80="P",D80*Peak,0)))
39452	MD P	296	=IF(C81="C",D81*Cheap,IF(C81="I",D81*Intl,IF(C81="P",D81*Peak,0)))
39452	SA C	219	=IF(C82="C",D82*Cheap,IF(C82="I",D82*Intl,IF(C82="P",D82*Peak,0)))
39452	SA P	368	=IF(C83="C",D83*Cheap,IF(C83="I",D83*Intl,IF(C83="P",D83*Peak,0)))
39452	SA I	385	=IF(C84="C",D84*Cheap,IF(C84="I",D84*Intl,IF(C84="P",D84*Peak,0)))
39452	PR P	269	=IF(C85="C",D85*Cheap,IF(C85="I",D85*Intl,IF(C85="P",D85*Peak,0)))
39452	PR C	366	=IF(C86="C",D86*Cheap,IF(C86="I",D86*Intl,IF(C86="P",D86*Peak,0)))
39452	MA P	354	=IF(C87="C",D87*Cheap,IF(C87="I",D87*Intl,IF(C87="P",D87*Peak,0)))
39452	MA P	448	=IF(C88="C",D88*Cheap,IF(C88="I",D88*Intl,IF(C88="P",D88*Peak,0)))
39452	PU P	833	=IF(C89="C",D89*Cheap,IF(C89="I",D89*Intl,IF(C89="P",D89*Peak,0)))

Replication	All 4 formulae	1 mark
Orientation	Landscape & fit to page	1 mark

Units	Nested IF	1 mark
	Correct named cells	3 marks
	Correct function (3 parts)	3 marks
	Returns Zero if not CIP	1 mark

Rate      1dp      1 mark

Code	Rate	Row 1	Centre Bold	1 mark
C	1.1			
I	3.0			
P	1.6			

Cells A2-A4      Right aligned      1 mark

Department	Dcode	Number	Total Duration	Row 6 & 15	Centre & bold	1 mark
Managing Director	MD	16	8467			
Accounts	AC	10	5037			
Production	PR	7	3476			
Sales	SA	11	4482			
Human Resources	HR	11	5224			
Purchasing	PU	5	2655			
Maintenance	MA	9	4016			

Orientation      Portrait      1 mark

Date	Dcode	Code	Duration	Units	Units	0 dp	1 mark
03/01/2008	HR	P	321	514			
03/01/2008	HR	I	334	1002			
03/01/2008	HR	P	332	531			
03/01/2008	PU	C	586	645			
03/01/2008	HR	P	1462	2339			
03/01/2008	HR	P	400	640			
03/01/2008	MD	C	430	473			
03/01/2008	MD	P	359	574			
03/01/2008	MD	P	376	602			
03/01/2008	MD	P	168	269			
03/01/2008	SA	P	878	1405			
03/01/2008	SA	P	289	462			
03/01/2008	SA	C	302	332			
03/01/2008	MD	P	438	701			
03/01/2008	MD	I	352	1056			
03/01/2008	MD	P	798	1277			
03/01/2008	MD	I	769	2307			
03/01/2008	MD	I	937	2811			
03/01/2008	MD	P	313	501			
03/01/2008	RT	P	390	624			
03/01/2008	RT	C	326	359			
03/01/2008	RT	C	880	968			
03/01/2008	RT	P	820	1312			
03/01/2008	RT	P	333	533			
03/01/2008	MA	C	352	387			
03/01/2008	MA	C	806	887			
04/01/2008	MA	P	388	621			
04/01/2008	MA	P	488	781			
04/01/2008	MA	C	302	332			
04/01/2008	MA	P	351	562			
04/01/2008	MA	P	527	843			
04/01/2008	PR	P	249	398			
04/01/2008	MD	P	942	1507			
04/01/2008	MD	P	776	1242			
04/01/2008	PU	P	324	518			
04/01/2008	PU	P	354	566			
04/01/2008	MD	P	824	1318			
04/01/2008	MD	C	426	469			

	Candidate name	Centre number	Candidate number
04/01/2008	HR	P	739 1182
04/01/2008	HR	P	300 480
04/01/2008	MD	P	263 421
04/01/2008	PR	P	168 269
04/01/2008	PR	P	807 1291
04/01/2008	PR	P	821 1314
04/01/2008	PR	P	796 1274
04/01/2008	HR	C	361 397
04/01/2008	HR	P	351 562
04/01/2008	HR	C	282 310
04/01/2008	HR	P	342 547
04/01/2008	SA	P	711 1138
04/01/2008	SA	P	398 637
04/01/2008	SA	C	276 304
04/01/2008	SA	P	297 475
04/01/2008	SA	I	359 1077
04/01/2008	PU	P	558 893
04/01/2008	AC	P	304 486
04/01/2008	AC	C	264 290
05/01/2008	AC	P	936 1498
05/01/2008	AC	C	512 563
05/01/2008	AC	C	310 341
05/01/2008	AC	P	368 589
05/01/2008	AC	P	837 1339
05/01/2008	AC	C	854 939
05/01/2008	AC	P	230 368
05/01/2008	AC	P	422 675
05/01/2008	MD	P	296 474
05/01/2008	SA	C	219 241
05/01/2008	SA	P	368 589
05/01/2008	SA	I	385 1155
05/01/2008	PR	P	269 430
05/01/2008	PR	C	366 403
05/01/2008	MA	P	354 566
05/01/2008	MA	P	448 717
05/01/2008	PU	P	833 1333

Candidate name                      Centre number                      Candidate number

**Step 18**

Date	Dcode	Code	Units
03/01/2008	HR	I	1002
03/01/2008	MD	I	1056
03/01/2008	MD	I	2307
03/01/2008	MD	I	2811
04/01/2008	SA	I	1077
05/01/2008	SA	I	1155

Hidden	Rows 1-14	1 mark
Hidden	Column D	1 mark
Search	Code = I	2 marks

**Step 19**

Date	Dcode	Units
04/01/2008	PU	518
04/01/2008	PU	566
04/01/2008	SA	1138
04/01/2008	SA	637
04/01/2008	SA	304
04/01/2008	SA	475
04/01/2008	SA	1077
04/01/2008	PU	893

Search	Date = 04/01/2008 AND DCode = PU or SA	2 marks
Hidden	Rows 1-14 and Columns C & D	1 mark

**Step 20**




Chart	Vertical bars	1 mark
	Correct data	1 mark
Title	100% correct	1 mark
Labels	Cat axis fully visible	1 mark
Legend	No legend	1 mark

**STYLESHEET**

h1      { color: #000000; font-family: "Times New Roman", serif; font-size: 20px; text-align: Center; font-weight: bold }

h2      { color: #0000FF; font-family: "Times New Roman", serif; font-size: 18px; text-align: Center; font-weight: bold }

h3      { color: #000000; font-family: "Times New Roman", serif; font-size: 16px; text-align: left }

li      { color: #000000; font-family: Arial, sans-serif; font-size: 14px; text-align: left }


p      { color: #000066; font-family: Arial, sans-serif; font-size: 14px; text-align: left; font-style: italic }

Colour	All correct	1 mark
Font	All correct	1 mark
Size	All correct	1 mark
	Units correct	1 mark
Alignment	All correct	1 mark
h1 & h2	Bold	1 mark
p	Italic	1 mark



Top left Last edited by & Name & No's in style h3 1 mark

Table 5 rows & 3 columns 1 mark  
 Merge cells in row 1 1 mark  
 Merge cells in row 5 1 mark  
 Merge rows 2,3 & 4 in 3<sup>rd</sup> col 1 mark  
 Correct text in each cell 1 mark



Heading in style h1 & 100% correct 1 mark

Style h3 From stylesheet 1 mark

Style h2 All 3 cells 1 mark

Style p From stylesheet 1 mark

Style li From stylesheet 1 mark

Style p From stylesheet 1 mark

Image Placed in correct cell 1 mark  
 Centre aligned 1 mark

Image J8PROD.JPG in cell B 1 mark  
 J8HIST.JPG in cell D 1 mark  
 J8TEL.JPG in cell F 1 mark

Menu Contains J8MENU.HTM in h2 1 mark

External stylesheet attached  
 With relative references 1 mark

Anchor Set to TOP 1 mark

Table Cell padding 6 1 mark  
 Cell spacing 6 1 mark  
 Width 100% 1 mark  
 Border 4 1 mark

```
<HTML>
<HEAD>
<TITLE>Sample</TITLE>
<link rel="stylesheet" type="text/css" href="J8styles.css">
</HEAD>
<BODY>
<a name=TOP></a>
<h3>Last edited by Candidate name, centre number, candidate number</h3>
<h1>Sample Website for client X</h1>
<TABLE cellSpacing="6" cellPadding="6" width="100%" border="4">
<TR>
<TD colspan="3"><h3>Our Vision is to promote your business through the development and hosting of a web presence.</h3></TD>
</TR>
<TR>
<TD></TD>
```

```
<TD><h2>Our Products</h2></TD>
<TD rowspan="3"><p>Each section of this table can be used to convey information, or to provide a link to other areas.</p>
```

```
<p> For example there may be:</P>
<li>your flagship products</li>
<li>special offers</li>
<li>price reductions</li>
```

```
<p> in order to entice customers to buy your products. Images, text, animations, movie 'clips' and sounds can be included on the web site.</p></TD>
```

```
</TR>
```

Hyperlink	Correct target window	
	Relative reference	1 mark

```
<TR>
```

```
<TD></TD>
```

```
<TD><h2><a href="J8COHIST.htm" target="_history">Company History</a></h2></TD>
```

```
</TR>
```

```
<TR>
```

```
<TD></TD>
```

```
<TD><h2>Contact Us</h2></TD>
```

Image	Width = "400"	1 mark
	Height = "50"	1 mark

```
</TR>
```

```
<TR>
```

```
<TD colspan="3" align="center"></TD>
```

```
</TR>
```

```
</TABLE>
```

```
<BR>
```

Table	Cell padding 6	1 mark
	Cell spacing 6	1 mark
	Width 100%	1 mark
	Border 2	1 mark

```
<TABLE cellSpacing="6" cellPadding="6" width="100%" border="2">
```

```
<TBODY>
```

```
<TR>
```

```
<TD><h2><a href="#TOP">Home</a></h2></TD>
```

```
<TD><h2>Products</h2></TD>
```

```
<TD><h2><a href="J8COHIST.htm" target="_history">History </a></h2></TD>
```

```
<TD><h2>Contact Us</h2></TD>
```

Hyperlink	Correct anchor	
	Relative reference	1 mark

```
</TR>
```


```
</TBODY>
```

```
</TABLE>
```

Hyperlink	Correct target window	
	Relative reference	1 mark

```
</HTML>
```

Top left Name & No's replaced 'Candidate name' 1 mark



```
<html>
<head>
  <title>Company History</title>
  <link rel="stylesheet" type="text/css" href="styles.css" />
</head>

<body>
<h3>Last updated by Candidate name, candidate number and centre number</h3>
<h1>Company History</h1>
```

External stylesheet attached  
Relative reference 1 mark

```
<table border="0" cellpadding="10" cellspacing="10" width="800" height="300">
  <tr>
    <td width="220" height="300">
      <h3><b>This great company was founded in 1879 by Bernard House.</b></h3>
      <p>Although it has a great company history, we have adapted to every technological change presented to them. Their use of ICT is unsurpassed, even the web pages can contain data drawn from a wide variety of sources like the electronic drawing board.</p>
      <h3>Here is an example of our versatility.</h3>
    </td>
    <td>
      
    </td>
  </tr>
```

Image Width 300 (height 310 +-2)  
Maintain aspect ratio 1 mark

```

</table>
<table border="0" cellpadding="10" cellspacing="2" width="800" height="40">
  <TBODY>
    <TR>
      <TD><a href="SAMPLE.htm">Home</a></TD>
      <TD>Products</TD>
      <TD>History</TD>
      <TD>Contact Us</TD>
    </TR>
  </TBODY>
</TABLE>
</body>
</html>

```

Home      Correct Hyperlink      1 mark

Vertical line, green 6 point      1 mark

Diagonal line, green 6 point      1 mark

# Hothouse Design

Heading 100% correct, black 48 pt sans-serif, not overlapping  
1 mark

Clip art    Pen or Pencil      1 mark

Horizontal line, green 6 point      1 mark

Horizontal line, green 6 point      1 mark

Candidate name, centre and candidate number

4  
Automatic numbering    corner    1 mark

Between lines    Name & No's    1 mark

# Hothouse Design



Slide 1 example

Text 24 point blue, left aligned, serif 1 mark

Candidate name, Centre and candidate number

1

# Hothouse Design




This is slide 2

Text 24 point blue, left aligned, serif 1 mark

Candidate name, Centre and candidate number

2

# Hothouse Design



Candidate name and candidate number

3

Chart	From step 20, placed No overlap	1 mark 1 mark
-------	------------------------------------	------------------