UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the October/November 2010 question paper for the guidance of teachers

0580 MATHEMATICS

0580/33

Paper 3 (Core), maximum raw mark 104

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Page 2 Mark Scheme: Teachers' version		Paper
	IGCSE – October/November 2010		33

Abbreviations

cao correct answer only cso correct solution only

dep dependent

ft follow through after error isw ignore subsequent working

oe or equivalent SC Special Case

www without wrong working art anything rounding to soi seen or implied

Qu.	Ans	swers		Mark	Part Marks
1	(a)	10,	9, 5, 5, 1	3	B2 for 4 correct, B1 for 3 correct
	(b)	(i)	2	1	
		(ii)	2.5	2	M1 for evidence of finding mid-value of 20 pieces of data
		(iii)	2.6	3	M1 for evidence of $\sum fx$
					then M1dep for \div 40
	(c)	(i)	81 or 45	2ft	ft their 9 or their 5 M1 for their 9 or their $5 \div 40 \times 360$
			45 or 81	1ft	Correct or ft 126 – their first angle
		(ii)	Correct angles of 81° and 45°	1ft	ft only if add up to 126
2	(a)	(i)	18 30 oe	1	
			251 (250.9)	3	M1 for distance \div time (any units) and M1 for 55 \div 60 oe
	(b)	(i)	1400	2	M1 for 9121 ÷ 6.515
			20.7(2)	1	
		(iii)	91	2	B1 for 90.89 or 90.9 or 90.8 or 610×0.149
					or B1 (indep) for correct rounding to integer if from a decimal
3	(a)	(i)	Translation $\binom{-5}{3}$	1, 1	
			Reflection in line $y = 4$	1, 1	Line can be labelled on diagram
		` '	Rotation, (2, 2.5), 180° or half-turn	1, 1, 1	Centre could be labelled on diagram
	(b)	(i)	Correct reflection in <i>y</i> -axis	2	SC1 for reflection in <i>x</i> -axis
		(ii)	Correct enlargement, (0, 0), factor 4	2	SC1 for any enlargement centre (0, 0) or factor 4

Page 3	e 3 Mark Scheme: Teachers' version		Paper
	IGCSE – October/November 2010		33

4	(a)	(i) 214 (213.6) (ii) 20.6 or (20.55 – 20.56)	2 2	M1 for $75^2 + 200^2$ M1 for tan = $75/200$ or sin = $75/$ their (i) or cos = $200/$ their (i)
	(b)	(i) (0)44 ((0)44.4) (ii) 224 (224.4) (iii) 335	1ft 1ft 2	B1 65 – their (a)(ii) if < 65 180 + their (b)(i) B1 for 65 below <i>B</i> or 25 above <i>B</i> , may be on diagram
5	(a)	(i) Accurate perpendicular bisector of AB with arcs(ii) Accurate bisector of angle ADC	2 2	SC1 if accurate without arcs or accurate bisector of wrong side with arcs SC1 if accurate without arcs or accurate bisector of wrong angle with arcs
	(b)	Ruled line 2 cm from and parallel to BC	2	SC1 if not ruled
	(c)	Correct region shaded cao	1	Dependent on at least SC1 in (a)(i), (a)(ii) and (b)
6	(a)	(i) 60 (ii) 1200	2 1ft	M1 for full method for area with correct values ft their (i) \times 20
	(b)	(i) 10.2(ii) 23.05	2ft 2ft	SC1 for figs 102 or M1 for (a)(ii) \times 8.5 \div 1000 ft their (a)(ii) \times 8.5 \div 1000 and SC in same way ft their (b)(i) \times 2.26 M1 for 23.052 or 23.1 or (b)(i) \times 2.26 or B1ind for correctly rounding to 2 dp an answer with more than 2 dp
7	(a)	2 <i>d</i> – 9	2	SC1 for 9 – 2 <i>d</i>
	(b)	8.4(0)	2	M1 for their (a) = $7.8(0)$
	(c)	0.6(0)	1ft	ft their (b) -7.80 , only if positive
8	(a)	35.3 art	2	M1 for substituting $r = 7.5$ in formula
	(b)	$\sqrt{\frac{5A}{\pi}}$	3	 M1 for correctly multiplying by 5 M1 for correctly dividing by π M1 for correctly taking a square root
	(c)	2.76 art cao	2	M1 for substituting 4.8 in their (b) or if working backwards from original formula, substituting and reaching $r^2 = 5 \times 4.8 \div \pi$

Page 4	Page 4 Mark Scheme: Teachers' version		Paper
	IGCSE – October/November 2010	0580	33

9	(a)	 (i) 8, 3 (ii) 5 points correctly plotted Smooth curve through their 5 points (iii) 3.4 ≤ x ≤ 3.6 	1, 1 2ft 1	P1 for 4 correct points ft ft their intersection with x-axis
	(b)	 (i) 3, 2, 1.5 (ii) 8 points correctly plotted Smooth branch of rectangular hyperbola through 12 points 	1, 1, 1 2ft 1	
	(c)	$(1 < x \le 1.2, 10.6 \le y < 11)$ $(2.6 \le x < 3, 4.2 \le y \le 4.5)$	1ft 1ft	ft to same accuracy intersections of their two graphs
10	(a)	360 ÷ 8 (= 45) Then 180 – their 45 (= 135)	1 1dep	Alt method $180 \times (8-2)$ Then their $1080 \div 8 (= 135)$
	(b)	(i) 45 (ii) 90	1 1	
	(c)	(i) 35.99 to 36.(0) (ii) 695 to 696.4	2 3ft	M1 for $0.5 \times 8.485 \times 8.485$ M1 for $(12 + 8.485 + 8.485)^2$ M1ind for correct collection of area with or without values indicated
11	(a)	(i) 5+8 (= 13) (ii) 12, 19 10, 17 7, 9 3, 6 4, 5 3, 2	1 1 1 1 1 1	
	(b)	(i) 11 2n-1 (ii) 36 n^2 (iii) $\frac{1}{6}$ $\frac{1}{n}$	1 2 1, 1 1, 1	B1 for $2n \pm k$ or $jn - 1$ $(j \neq 0)$