UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the October/November 2009 question paper

for the guidance of teachers

0581 MATHEMATICS

**0581/22**   Paper 22 (Extended), maximum raw mark 70

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2009 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Qu	Answers	Mark	Part Marks
1	**(a)** 6 **(b)** 0	1 1	
2	37, 41	2	**B1, B1** independent
3	-0.577 or $\dfrac{-\sqrt{3}}{3}$ or $\dfrac{-1}{\sqrt{3}}$	2	**B1** numerator 0.5 oe **or B1** denominator $-0.866......$or $\dfrac{-\sqrt{3}}{2}$
4	$1.25\,x^4$ (or $1\frac{1}{4}x^4$)	2	**B1** 1.25 **B1** x^4
5	139	2	**M1** $1.322 \times 10^9 / 9.5 \times 10^8$ ($\times 100$)
6	8	2	**M1** $|\mathbf{A}| = 0 \times 12 - 1 \times -4$ or better **or** $|\mathbf{B}| = 3 \times -4 - 0 \times 4$ or better det symbol can be implied by the working
7		2	**B1, B1**
8	10 **www**	2	**M1** $(-2 - -8)^2 + (10 - 2)^2$ or better
9	$x = 0.5$ $y = 3$ **www**	3	**M1** consistent × and – for y or consistent × and + for x **A1** one correct provided M1 scored
10	128	3	**M1** $d = kv^2$ **A1** k = 2/25 (= 0.08) or **M1** $v^2 = kd$ **A1** k = 12.5
11	198 cao	3	**M1** 12.5 and 20.5 seen **M1** 6 × sum of their two upper bounds
12	$-36x^2 + 48x$ or $12x(4 - 3x)$ oe or other partly factorised versions	3	**M1** squaring to "$9x^2 - 12x + 4$" algebraic **M1** multiplying by –4 terms **M1** adding 16 only
13	$x \geqslant 0.8$ or $x \geqslant 4/5$ cao	3	**B1** $12 - 18x$ **B1** $-4 + 8x$ these terms may be reversed if moved to the other side of the inequality allow >=
14	$12.92	3	**M1** $249 \times r^3$ r can be anything **dep M1** r = 1.017 and subtracting 249 **SC2** 261.<u>92</u> on answer line

www.xtremepapers.net

15	(a) (i) **OQ**	1	
	(ii) **RM** or **MP**	1	Allow ½**RP**
	(b) $S\times$	2	**B1, B1** correct position wrt each direction of the vector ± 1 mm
16	(a) (0)810 or 8:10 etc.	1	
	(b) 4	2	**M1** (3 + 3)/(1 + 0.5)
	(c) 265	1	
17	(a) 261.48 cao	2	**M1** 4000 / 15.2978
	(b) (±)3.86(48…) or 3.865	2	**M1** (15.9128 – 15.2978)/15.9128 (×100) oe or ("261.48" – 4000/15.9128) / "261.48"
18	$m = 2$ $c = –10$	4	**B1** $B(5, 0)$ or $A(–4, 0)$ seen or used **B1** $m = 2$ **M1** substituting (5,0) into $y = 2x + c$ or $\dfrac{0 - c}{5 - 0} = 2$
19	(a) 44	2	**M1** $OCB = 68$
	(b) 158	2	
20	(a) 38	1	
	(b) 45 to 46	1	
	(c) 15 to 16	1	
	(d) 10 or 11	2	**SC1** 70 on answer line
21	(a) 0.8 or 4/5 cao	2	**M1** speed/time
	(b) 960 **www**	3	**M1** 30 × (12 + 36)/2 **M1** 12 × 40 **M1** 10 × (12 + 36)/2 **M1** ½ × 40 × 24

22	**(a)** 2	2	**M1** f(0) = 1
	(b) $4x^3 + 5$	2	**M1** $4(x^3 + 1) + 1$
	(c) $\dfrac{(3x-1)}{2}$	2	**M1** rearranging $y = (2x + 1)/3$ to make x the subject and interchanging x and y. Allow any **one** error in the working
		70	